

## RWSS Materials FY2024-2025

Sl.	Item Name & Description	Unit	Winner	Quoted Amount (In Nu.)	Delivery period(In days)
1	GI nipple, (Length is 10cm tolerance +0cm ,-2cm, IS 1879-1987)	Nos	DRUK GENERAL ENTERPRISE	100	30
2	Grease, in ½ kg pot, (½ kg bundle packet in plastic)	Nos	DRUK GENERAL ENTERPRISE	340	30
3	Teflon cover, For 125mm heating plate	Nos	DRUK GENERAL ENTERPRISE	100	30
4	20mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	37	30
5	11/2” GI tee’s equal, (IS 1879-1987)	Nos	NEWAR ENTERPRISE	235	30
6	Rebar20mm, equivalent to TATA steel bars or higher quality ,IS:1786/1985, GradeFE415,TOR	Nos	Pema Nordhen Enterprise	78	30
7	Portable vice set, Suppliers to provide complete specification	Nos	R. K Enterprise	2994	30
8	3” x 2” GI Reducer, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	380	30
9	Nails U, Galvanised wire nails sharpened	Nos	PAWAN ENTERPRISE	115	30
10	Trowel masonry 2"x 5"	Nos	DRUK GENERAL ENTERPRISE	39	30
11	4" GI pipe, Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end co	Nos	THINLEY NORBU ENTERPRISE	8365	30
12	½” Tapstand regulating valve set, (Class 1,1.5 Mpa IS 778-84)	Nos	THINLEY NORBU ENTERPRISE	442	30
13	Blade, hacksaw double side	Nos	NEWAR ENTERPRISE	12	30

14	Cp angle valve ½", Size 15mm,,,,,, Colour silver Coating Chrome	Nos	R. K Enterprise	394	30
15	11/2" Brass Gatevalve, (Class 1,1.5 Mpa IS 778-84)	Nos	R. K Enterprise	1414	30
16	Wire, plain guage, 8 SWG with light galvanized coating. In rolls of 40kg, weight tolerance of +3kg,- 0kg	Nos	DRUK GENERAL ENTERPRISE	95	30
17	Plyboard 4mm 8" x 4", Thickness 4mm-27mm, Tolerance+-0.5mm	Nos	R. K Enterprise	439	30
18	11/2" Brass Glove valve, (Class 1,1.5 Mpa IS 778-84)	Nos	R. K Enterprise	1234	30
19	Blade, hacksaw single side, Hacksaw blade single sided	Nos	NEWAR ENTERPRISE	5	30
20	Cp stop cock ½", Size 15mm,,,,,, Colour silver Coating Chrome	Nos	PAWAN ENTERPRISE	450	30
21	4" GI elbow, (IS 1879:1987)	Nos	NEWAR ENTERPRISE	1180	30
22	110mm PVC pipe, (Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates)	Nos	J.D ENTERPRISE	595	30
23	Line, mason, 100g per roll	Nos	THINLEY NORBU ENTERPRISE	30	30
24	½"GI pipe,Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other e	Nos	DRUK GENERAL ENTERPRISE	158	30
25	11/2"Float Valve , (Copper or brass made. Min.wt.... +20gms, -0gm see attached PHED drawing for detail specification.)	Nos	THINLEY NORBU ENTERPRISE	1382	30

26	Brush, lime 5", Size 5" Thickness 22mm Length out 70mm	Nos	PAWAN ENTERPRISE	60	30
27	Electric Planner Machine Bosch), GH0 40-82 C- Planner 850 W , Planning width 82mm	Nos	Pema Nordhen Enterprise	3900	30
28	2"GI tee"s equal, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	345	30
29	Rebar16mm, equivalent to TATA steel bars or higher quality ,IS:1786/1985, GradeFE415,TOR	Nos	PAWAN ENTERPRISE	65	30
30	Pipe bending machine, Suppliers to provide complete specification	Nos	R. K Enterprise	94994	30
31	2" GI Sockets, (IS 1879-1987)	Nos	KN & Associates	88.55	30
32	Preforated GI plate, As per PHE drawing & specification	Nos	R. K Enterprise	1849	30
33	Wrench, pipe 36", Suppliers to provide complete specification	Nos	THINLEY NORBU ENTERPRISE	2470	30
34	1"GI unions, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	150	30
35	Wires,GI binding, Guage 22 SWG in roll of 1kg	Nos	R. K Enterprise	94	30
36	CI manhole cover 500 x 500mm, As per the attached PHE drawings and specification	Nos	NEWAR ENTERPRISE	1995	30
37	50mm x 11/2" Flange set, (IS 4984/87)	Nos	PAWAN ENTERPRISE	320	30
38	3"Valve box with endcap, (GI pipe of medium duty, burrs removed, cutted edges smoothened with filr or grinder, GI Æ? Æ? threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHEnon-standard drawing and sample)	Nos	PAWAN ENTERPRISE	1200	30
39	Crow bar 32mm, Material : Carbon Steel for masonry construction. 1.5meters long. heavy	Nos	PAWAN ENTERPRISE	1050	30

40	Cp pillar cock ½"Size 15mm,,,,,, Colour silver Coating Chrome	Nos	THINLEY NORBU ENTERPRISE	595	30
41	1" Brass Glove valve, (Class 1,1.5 Mpa IS 778-84)	Nos	R. K Enterprise	574	30
42	Fibre glass WC pan with P trap, 520x435x180mm ISO9001:2018	Nos	PAWAN ENTERPRISE	650	30
43	Steel bib cock ½", Size 15mm,,,,,, Colour silver Coating Chrome	Nos	PAWAN ENTERPRISE	400	30
44	1 1/2"x 1/2" GI Reducer, (IS 1879-1987)	Nos	DRUK GENERAL ENTERPRISE	125	30
45	nail 6", Galvanised wire nails sharpened	Nos	PAWAN ENTERPRISE	75	30
46	Pipe chain wise 4"	Nos	DRUK GENERAL ENTERPRISE	1737	30
47	1"GI nipple, (Length is 10cm tolerance +0cm ,-2cm, IS 1879-1987)	Nos	DRUK GENERAL ENTERPRISE	21	30
48	Nails 3", Galvanised wire nails sharpened	Nos	PAWAN ENTERPRISE	75	30
49	Plumber tool box, As per PHE Sample, 60 x 20 x 18cm guage 19 SWG, painted, double hinge with reinforcement on inside.	Nos	DRUK GENERAL ENTERPRISE	1965	30
50	100mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	510	30
51	40mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	550	30
52	100mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	595	30
53	40mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	600	30

54	40mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	825	30
55	15mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	70	30
56	50mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	250	30
57	2" GI pipe, Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with	Nos	PAWAN ENTERPRISE	3000	30
58	Air releasing Valve $\hat{A}$ ½", (Heavy duty 450gram brass, Male threading IS-781. with spare washer set)	Nos	THINLEY NORBU ENTERPRISE	505	30
59	Brush, paint 4", Size 4", Thickness 20mm Length out 68mm,	Nos	DRUK GENERAL ENTERPRISE	55	30
60	32mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	80	30
61	15mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	140	30
62	15mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	320	30
63	50mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	149	30

64	25mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	216	30
65	40mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	875	30
66	15mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	60	30
67	50mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	240	30
68	50mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	1234	30
69	2"Brass Gate valve, (Class 1,1.5 Mpa IS 778-84)	Nos	R. K Enterprise	1954	30
70	Wire mesh chicken, 23 SWG, hexagonal 15mm, 1 ½" full twist, double string at side, width 1m. in rolls of 25m	Nos	DRUK GENERAL ENTERPRISE	1350	30
71	HDP sintex tank 1000 l capacity, Rabten or their equivalent,water storage made in Bhutan	Nos	WOEZER ENTERPRISE	7300	30
72	15mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	130	30
73	15mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	290	30
74	50mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	114	30

75	25mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	200	30
76	25mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	425	30
77	75mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	390	30
78	32mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	516	30
79	32mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	828	30
80	11/2" x1" GI Reducer, (IS 1879-1987)	Nos	R. K Enterprise	104	30
81	Nails 5", Galvanised wire nails sharpened	Nos	PAWAN ENTERPRISE	75	30
82	Wrench, pipe 12", Suppliers to provide complete specification	Nos	SANGAY SALES	334	30
83	20mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	49	30
84	11/2"x 11/2"x 1/2" GI tee"s equal, (IS 1879-1987)	Nos	NEWAR ENTERPRISE	235	30
85	Hessain jute, 7.5 oz width 90cm,min roll of 30m	Nos	DRUK GENERAL ENTERPRISE	35	30
86	Die bit 1/2", Suppliers to provide complete specification	Nos	Pema Nordhen Enterprise	200	30
87	1" GI Sockets, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	45	30
88	Rebar 8mm, equivalent to TATA steel bars or higher quality ,IS:1786/1985, GradeFE415,TOR	Nos	R. K Enterprise	72	30

89	Wrench pipe 18, Suppliers to provide complete specification	Nos	R. K Enterprise	699	30
90	63mm x 2"Flange set, (IS 4984/87)	Nos	Pema Nordhen Enterprise	510	30
91	4" Valve box with endcap, (GI pipe of medium duty, burrs removed, cutted edges smoothened with filr or grinder, GI – threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHEnon-standard drawing and sample)	Nos	Pema Nordhen Enterprise	1955	30
92	Crowbar $\frac{3}{4}$ x 54", Material : Carbon Steel for masonry construction. 1.5meters long. heavy	Nos	R. K Enterprise	599	30
93	11/2"GI pipe,Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered	Nos	DRUK GENERAL ENTERPRISE	2340	30
94	Brass Tap $\frac{1}{2}$ ", (brass material,with T type head, 15mm thickness. Heavy Duty)	Nos	PAWAN ENTERPRISE	280	30
95	Brush, paint 3", Size 3" Thickness 19mm Lentgh out 63mm	Nos	DRUK GENERAL ENTERPRISE	40	30
96	100mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	255	30
97	40mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	325	30
98	40mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	725	30



99	15mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	30	30
100	50mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	140	30
101	50mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	1197	30
102	3â? GI Sockets, (IS 1879-1987)	Nos	THINLEY NORBU ENTERPRISE	415	30
103	PrefebManhole cover & Slab, As per PHE drawing & specification	Nos	DRUK GENERAL ENTERPRISE	1695	30
104	Bench vice 3â?	Nos	THINLEY NORBU ENTERPRISE	1871	30
105	32mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	NEWAR ENTERPRISE	190	30
106	15mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	250	30
107	15mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	360	30
108	50mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	290	30
109	25mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	377	30
110	75mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	195	30

111	90mm x 3" Flange set, (IS 4984/87)	Nos	R. K Enterprise	594	30
112	1/2" Float Valve, (Copper or brass made. Min.wt...+20gms, -0gm see attached PHED drawing for detail specification.)	Nos	NEWAR ENTERPRISE	480	30
113	Stone chisel 1 1/2", 135mm one side sharp point	Nos	THINLEY NORBU ENTERPRISE	135	30
114	Corded Circular saw, Bosch,GKS 85 G-Circular saw 2.200 watt, blade diameter	Nos	NEWAR ENTERPRISE	7800	30
115	2"GI nipple, (Length is 10cm tolerance +0cm ,-2cm, IS 1879-1987)	Nos	KN & Associates	51.75	30
116	Lock and key 2", (Heavy duty with 3 keys)	Nos	DRUK GENERAL ENTERPRISE	95	30
117	Tin cutter	Nos	DRUK GENERAL ENTERPRISE	250	30
118	Brass Union,20mmx 1/2", (SP-57-1991)	Nos	WOEZER ENTERPRISE	180	30
119	1 1/2" Valve box key with 3 points, (As per PHE drawing and sample)	Nos	Pema Nordhen Enterprise	450	30
120	Hammer, Mason 1/2kg, Mason Hammer 1/2kg one side sharp	Nos	DRUK GENERAL ENTERPRISE	167	30
121	Crimping Machine, WIHA 45223 - AUTOMATIC CRIMP TOOL FOR WIRE-END SLEEVES SQUARE CRIMPING WITH ROTATING CRIMPING HEAD	Nos	R. K Enterprise	8449	30
122	11/2" x 11/2" x 3/4" GI tee's equal, (IS 1879-1987)	Nos	R. K Enterprise	184	30
123	2.5' x 9' CGI sheet, IS 277:1992, Galvanise coating=120g/m2. Wt =10.71kg	Nos	R. K Enterprise	849	30
124	Die bit 1", Suppliers to provide complete specification	Nos	Pema Nordhen Enterprise	250	30
125	1/2" GI tee's equal, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	45	30

126	Aluminium Screw 1" [200 pcs], BSB, ISI approved Brand	Nos	WOEZER ENTERPRISE	10	30
127	Die set 1 1/4" to 2" (ratchet), Suppliers to provide complete specification	Nos	DRUK GENERAL ENTERPRISE	3184	30
128	100mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	680	30
129	40mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	625	30
130	40mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	900	30
131	15mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	80	30
132	50mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	920	30
133	Brass Union, 63mm x 2", (SP-57-1991)	Nos	DRUK GENERAL ENTERPRISE	1260	30
134	2 1/2" Valve box with endcap, (GI pipe of medium duty, burrs removed, cut edges smoothed with file or grinder, GI – threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHENON-standard drawing and sample)	Nos	Pema Nordhen Enterprise	1690	30
135	File, flat, steel, 10mm, Course 150mm both side 250mm long	Nos	PAWAN ENTERPRISE	250	30
136	32mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	95	30

137	15mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	160	30
138	15mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	340	30
139	50mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	189	30
140	25mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	246	30
141	25mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	510	30
142	75mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	520	30
143	3" GI tee's equal, (IS 1879-1987)	Nos	NEWAR ENTERPRISE	840	30
144	Rebar 12mm, equivalent to TATA steel bars or higher quality ,IS:1786/1985, GradeFE415,TOR	Nos	Pema Nordhen Enterprise	78	30
145	Wrench slide 15", Suppliers to provide complete specification	Nos	J.D ENTERPRISE	435	30
146	20mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	62	30
147	3" Brass Gate valve, (Class 1,1.5 Mpa IS 778-84)	Nos	SANGAY SALES	565	30
148	wire mesh, 2.5 square openin. In roll of 20m	Nos	PAWAN ENTERPRISE	2500	30

149	HDP sintex tank 2000 L capacity, Rabten or their equivalent, water storage made in Bhutan	Nos	PAWAN ENTERPRISE	15000	30
150	3" x 3" x 1/2" GI tee's equal, (IS 1879-1987)	Nos	NEWAR ENTERPRISE	840	30
151	2440mm x 840mm x 0.63mm CGI sheets, IS 277:1992, Galvanise coating=120g/m2. Wt=10.71kg	Nos	R. K Enterprise	743	30
152	Die bit 3", Suppliers to provide complete specification	Nos	R. K Enterprise	1849	30
153	3" x 45degree GI bend, (IS 1879:1987)	Nos	Pema Nordhen Enterprise	575	30
154	200mm PVC pipe, (Grey, 10-15mm Thickness. Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates)	Nos	Pema Nordhen Enterprise	3100	30
155	Heating plate, As per sample, round dia 125mm, thickness 12mm, handle 420mm with insulating grip, Brand: deek's firefly	Nos	DRUK GENERAL ENTERPRISE	945	30
156	Brass Union, 50mm x 1 1/2", (SP-57-1991)	Nos	PAWAN ENTERPRISE	1050	30
157	2" Valve box with endcap, (GI pipe of medium duty, burrs removed, cutted edges smoothened with filr or grinder, GI – threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHEnon-standard drawing and sample)	Nos	PAWAN ENTERPRISE	1200	30
158	File, half round, steel, 10", Course 150mm both side 250mm long	Nos	NEWAR ENTERPRISE	120	30
159	100mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	340	30
160	40mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	350	30

161	40mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	799	30
162	15mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	40	30
163	50mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	160	30
164	50mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	1273	30
165	1½" GI tee's equal, (IS 1879-1987)	Nos	R. K Enterprise	109	30
166	Sand paper, 100 mm thickness	Nos	R. K Enterprise	7	30
167	Die set 2½" to 3½", Suppliers to provide complete specification	Nos	PAWAN ENTERPRISE	6500	30
168	32mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	NEWAR ENTERPRISE	215	30
169	15mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	260	30
170	15mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	390	30
171	50mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	310	30
172	25mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	390	30

173	75mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	260	30
174	2" x 2" x 1/2" GI tee's equal, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	340	30
175	2.5' x 6' CGI sheet, IS 277:1992, Galvanise coating=120g/m2. Wt =10.71kg	Nos	PAWAN ENTERPRISE	460	30
176	Die bit 1 1/2", Suppliers to provide complete specification	Nos	Pema Nordhen Enterprise	450	30
177	3" GI pipe,Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm.	Nos	DRUK GENERAL ENTERPRISE	925	30
178	Regulating Valve key, (As per PHE drawings and sample)	Nos	NEWAR ENTERPRISE	95	30
179	Steel wire brush, Bristle Length 1 - 2 inch, Brush Size 11 - 15 inch,	Nos	PAWAN ENTERPRISE	60	30
180	HDP sintex tank 1500L capacity, Rabten or their equivalent, water storage made in Bhutan	Nos	WOEZER ENTERPRISE	11000	30
181	2"GI unions, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	345	30
182	Bitumen washer, 200/pkt, bsb approved brand	Nos	NEWAR ENTERPRISE	18	30
183	Pipe cutter 1/8" to 2", Suppliers to provide complete specification	Nos	THINLEY NORBU ENTERPRISE	1284	30
184	3"GI nipple, (Length is 10cm tolerance +0cm ,-2cm, IS 1879-1987)	Nos	DRUK GENERAL ENTERPRISE	123	30

185	Hemp, (IS 508:1987 wheel bearing grease, re-sealable pots)	Nos	DRUK GENERAL ENTERPRISE	210	30
186	Thermochrome crayon, Indicating 200 degree celcius import quality. Approve brands: faber castle (Indian made)	Nos	DRUK GENERAL ENTERPRISE	90	30
187	2"GI elbow, (IS 1879:1987)	Nos	NEWAR ENTERPRISE	250	30
188	100mm PVC pipe long 3m, (Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates)	Nos	J.D ENTERPRISE	595	30
189	Pliers 8", IS 273: 1990	Nos	NEWAR ENTERPRISE	250	30
190	100mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	425	30
191	40mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	400	30
192	40mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm,IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	850	30
193	15mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	50	30
194	50mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	220	30
195	50mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	1312	30
196	1" x 1" x 3/4" GI tee's equal, (IS 1879-1987)	Nos	NEWAR ENTERPRISE	110	30
197	Plastic sheet thin, Thickness 0.0625mm width 90cm, double sheet in rolls of 30m	Nos	R. K Enterprise	74	30



198	Die brush 3â?, Suppliers to provide complete specification	Nos	DRUK GENERAL ENTERPRISE	400	30
199	25mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	154	30
200	15mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	280	30
201	Drilling machine Heavy duty, BOSCH 060119C801 - GSB 24-2 - IMPACT DRILL 1.100 W, Ã? MASONRY HOLE 24/16 MM, Ã? WOOD HOLE 40/25 MM	Nos	SANGAY SALES	12800	30
202	40mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	300	30
203	25mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	420	30
204	75mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	325	30
205	4" x 45degree GI bend, (IS 1879:1987)	Nos	Pema Nordhen Enterprise	955	30
206	GI threaded flange single 2", (Class 1,1.5 Mpa IS 778-84)	Nos	DRUK GENERAL ENTERPRISE	180	30
207	Headpan 18", Mortar pan 18"	Nos	DRUK GENERAL ENTERPRISE	125	30
208	CPVC Pipe Cutter, LIR 70801 - IMAGING CLAMP METER CM275	Nos	THINLEY NORBU ENTERPRISE	519	30
209	1" x 1/2" GI Reducer, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	60	30
210	nail 1", Galvanised wire nails sharpened	Nos	PAWAN ENTERPRISE	80	30
211	Pipe chain vise 3"	Nos	DRUK GENERAL ENTERPRISE	1040	30
212	1" GI elbow, (IS 1879:1987)	Nos	WOEZER ENTERPRISE	70	30

213	Bulldog grip 13mm, (IS2361:1994)	Nos	Pema Nordhen Enterprise	65	30
214	Measuring tap, Metal 10m length scale in cm and inches	Nos	DRUK GENERAL ENTERPRISE	150	30
215	32mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	60	30
216	1/2"GI unions, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	80	30
217	Wire mesh 2mm, 2.5 square openin. In roll of 20m	Nos	PAWAN ENTERPRISE	2000	30
218	HDP sintex tank 3000 l capacity, Rabten or their equivalent,water storage made in Bhutan	Nos	WOEZER ENTERPRISE	22000	30
219	1" x 1" x 1/2" GI tee"s equal, (IS 1879-1987)	Nos	NEWAR ENTERPRISE	110	30
220	Plastic sheet for spring protection, Thickness 0.0625mm width 90cm, double sheet in rolls of 30m	Nos	R. K Enterprise	74	30
221	Die brush 1", Suppliers to provide complete specification	Nos	DRUK GENERAL ENTERPRISE	104	30
222	100mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	765	30
223	40mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm,IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	650	30
224	Router Machine, BOSCH 0601626000 - GOF 1250 CE - VERTICAL ROUTER 1.250 W, 10.000 - 24.000 RPM	Nos	PAWAN ENTERPRISE	10500	30
225	100mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	100	30

226	50mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	1044	30
227	3â? GI elbow, (IS 1879:1987)	Nos	THINLEY NORBU ENTERPRISE	684	30
228	100mm PVC pipe, (Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates)	Nos	J.D ENTERPRISE	595	30
229	Pickaxe standard size	Nos	THINLEY NORBU ENTERPRISE	360	30
230	32mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	144	30
231	15mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	212	30
232	15mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	350	30
233	50mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	229	30
234	25mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	308	30
235	25mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	520	30
236	75mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	585	30

237	32mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	612	30
238	4"x 30degree GI bend, (IS 1879:1987)	Nos	Pema Nordhen Enterprise	965	30
239	1/2"Valve box key with 3 points, (As per PHE drawing and sample)	Nos	Pema Nordhen Enterprise	350	30
240	Hammer,sledge 1 kg, sledge hammer 1 kg	Nos	NEWAR ENTERPRISE	180	30
241	75mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	379	30
242	40mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	700	30
243	Heating Plate 300mm, As per PHED Drawings	Nos	DRUK GENERAL ENTERPRISE	3150	30
244	50mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	130	30
245	50mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	1080	30
246	1 1/2"GI nipple, (Length is 10cm tolerance +0cm ,-2cm, IS 1879-1987)	Nos	DRUK GENERAL ENTERPRISE	46	30
247	Lock and key 1 1/2", (Heavy duty with 3 keys)	Nos	DRUK GENERAL ENTERPRISE	75	30
248	RWSS caretaker tool box, As per PHE Sample, 60 x 20 x 18cm guage 19 SWG, painted, double hinge with reinforcement on inside.	Nos	DRUK GENERAL ENTERPRISE	1965	30
249	32mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	168	30

250	15mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	240	30
251	15mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	330	30
252	50mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	264	30
253	25mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	370	30
254	Jigsaw, BOSCH 0601517000 - GST 160 CE - JIGSAW 800 W, WOOD CUTTING DEPTH 160 MM, ALUMINUM CUTTING DEPTH 20 MM	Nos	PAWAN ENTERPRISE	4500	30
255	50mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	379	30
256	Hacksaw frame, Adjustable for 10â?/12â? blades	Nos	THINLEY NORBU ENTERPRISE	138	30
257	Jack Plane, STANLEY 1-12-005 - BAILEYÂ® PROFESSIONAL BAILEY JACK PLANE NO.5	Nos	R. K Enterprise	894	30
258	32mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	239	30
259	20mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	341	30
260	20mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	87	30

261	75mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	1617	30
262	75mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2340	30
263	GI Union 100mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	1832	30
264	CPVC MTA( Male adaptor) 25mm, ISO 9001:2008 Certified	Nos	THINLEY NORBU ENTERPRISE	31	30
265	Plug top 1½", heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	12	30
266	GI Union 80mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	1183	30
267	CPVC MTA( Male adaptor) 20mm, ISO 9001:2008 Certified	Nos	THINLEY NORBU ENTERPRISE	21	30
268	Plug top 1", heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	12	30
269	50mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	560	30
270	GI Reducer Tee 80x80x50mm,	Nos	SHERPA ENTERPRISE	319	30
271	PVC Plain Elbow 3", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	J.D ENTERPRISE	50	30
272	CP Extension Nipple 1½", length=3" long	Nos.	PAWAN ENTERPRISE	150	30
273	GI Nipple(Length 4" inches)40mm	Nos	DRUK GENERAL ENTERPRISE	20	30
274	Measuring tap, Metal 15m length scale in cm and inches	Nos	DRUK GENERAL ENTERPRISE	200	30

275	40mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	90	30
276	20mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	161	30
277	20mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	300	30
278	20mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	99	30
279	75mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	1683	30
280	75mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	1865	30
281	GI Elbow 80mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	684	30
282	Gate Valve 100mm, Class 1,1.5 Mpa IS 778-84	Nos	THINLEY NORBU ENTERPRISE	8287	30
283	End pipe Wrench 12"	Nos.	R. K Enterprise	349	30
284	GI Elbow 50mm, IS 1879-1987	Nos	R. K Enterprise	273	30
285	Gate Valve 80mm, Class 1,1.5 Mpa IS 778-84	Nos	R. K Enterprise	4889	30
286	portable stand vice	Nos.	Pema Nordhen Enterprise	2950	30
287	40mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	980	30
288	GI Tank Nipples 32mm	Nos	PAWAN ENTERPRISE	150	30
289	PVC Solvent (Gum), Astrial/ BSB Approved	Nos	THINLEY NORBU ENTERPRISE	165	30

290	Vacuum pipe	Mtrs.	R. K Enterprise	694	30
291	GI Sockets 80mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	415	30
292	CPVC MTA( Male adaptor) 40mm, ISO 9001:2008 Certified	Nos	THINLEY NORBU ENTERPRISE	79	30
293	Pipe Wrench 12"	Nos.	SANGAY SALES	334	30
294	25mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	225	30
295	Washer, limpet 100/pkt, rubber bsb approved brand	Nos	DRUK GENERAL ENTERPRISE	30	30
296	Pipe cutter 2" to 4", Suppliers to provide complete specification	Nos	THINLEY NORBU ENTERPRISE	4372	30
297	40mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	210	30
298	20mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	298	30
299	20mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	403	30
300	75mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	1040	30
301	75mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2210	30
302	40mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	1265	30
303	DI Flange 150mm	Nos	Pema Nordhen Enterprise	1350	30



304	1½"Ø Union, heavy duty Kohli or their equivalent	pcs.	SANGAY SALES	100	30
305	50mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	1750	30
306	DI Flange 100mm	Nos	Pema Nordhen Enterprise	1050	30
307	2"Ø Union, heavy duty Kohli or their equivalent	pcs.	THINLEY NORBU ENTERPRISE	487	30
308	50mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	1050	30
309	GI Sockets 50mm, IS 1879-1987	Nos	PAWAN ENTERPRISE	90	30
310	CPVC MTA( Male adaptor) 32mm, ISO 9001:2008 Certified	Nos	THINLEY NORBU ENTERPRISE	56	30
311	Plug top ½"Ø, heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	12	30
312	32mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	820	30
313	Wire black binding, Guage 8 SWG with light galvanized coating . in rolls of 40kg, wt tolerance of +30kg, - 0kg	Nos	R. K Enterprise	94	30
314	White washing, lime in 15 kg/tin	Nos	NEWAR ENTERPRISE	420	30
315	40mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	240	30
316	20mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	304	30
317	20mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	440	30

318	75mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	1320	30
319	75mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2275	30
320	32mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	920	30
321	CPVC Union 20mm, ISO 9001:2008 Certified	Nos	R. K Enterprise	79	30
322	Tank Nipple ¾"Ø, heavy duty Kohli or their equivalent	pcs.	THINLEY NORBU ENTERPRISE	99	30
323	40mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	1740	30
324	CPVC PIPE 40mm, ISO 9001:2008 Certified	Nos	THINLEY NORBU ENTERPRISE	846	30
325	25mm water meter heavy duty or their equivalent	pcs.	NEWAR ENTERPRISE	750	30
326	50mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	1140	30
327	GI Elbow 100mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	1331	30
328	Glove Valve 15mm, Class 1, 1.5 Mpa IS 778-84	Nos	R. K Enterprise	329	30
329	End pipe Wrench 14"	Nos.	R. K Enterprise	449	30
330	25mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	625	30
331	2.5'X10' CGI sheets, IS277:1992(supplier to provide correct dimensions, wt & brand)	Nos	PAWAN ENTERPRISE	785	30

332	Die set ½” to 1” ( rachet), Suppliers to provide complete specification	Nos	DRUK GENERAL ENTERPRISE	1719	30
333	40mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	180	30
334	20mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	248	30
335	20mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	428	30
336	75mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	910	30
337	75mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	2079	30
338	50mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	1350	30
339	GI Tank Nipples 25mm	Nos	NEWAR ENTERPRISE	135	30
340	PVC "Y" 4", Astrial/ BSB Approved	Nos	J.D ENTERPRISE	165	30
341	75mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2010	30
342	GI Tank Nipples 20mm,	Nos	NEWAR ENTERPRISE	80	30
343	PVC "Y" 3", Astrial/ BSB Approved	Nos	J.D ENTERPRISE	85	30
344	safety glove rubber	pair	DRUK GENERAL ENTERPRISE	55	30
345	GI Nipples( Length4" inchies)32mm	Nos	KN & Associates	27.6	30
346	COVC Vall Valve 32mm, ISO 9001:2008 Certified	Nos	R. K Enterprise	417	30

347	GI Nipple ¾"ø, heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	34	30
348	40mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	450	30
349	GI Bend 40mm 15degree45deg90deg	Nos	Pema Nordhen Enterprise	185	30
350	Rebar 6mm, equivalent to TATA steel bars or higher quality ,IS:1786/1985, GradeFE415,TOR	Nos	R. K Enterprise	74	30
351	Wrench pipe 24, Suppliers to provide complete specification	Nos	DRUK GENERAL ENTERPRISE	1198	30
352	40mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	150	30
353	20mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	198	30
354	20mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	415	30
355	75mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	858	30
356	75mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	1881	30
357	75mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	861	30
358	GI Reducer Tee 80x80x25mm, IS 1879-1987	Nos	NEWAR ENTERPRISE	835	30

359	PVC Plain Elbow 2", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	J.D ENTERPRISE	25	30
360	CP Extension Nipple ½",length=2" long	Nos.	PAWAN ENTERPRISE	120	30
361	GI Reducer Tee 50x 50 25mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	411	30
362	PVC Pipe 4", Grey, 10-15mm Thickness. Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	J.D ENTERPRISE	595	30
363	CP Extension Nipple ½"ø,length=1½"long	Nos.	Pema Nordhen Enterprise	90	30
364	25mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	738	30
365	CPVC Union 25mm, ISO 9001:2008 Certified	Nos	R. K Enterprise	97	30
366	Mason tool box, As per PHE Sample, 60 x 20 x 18cm guage 19 SWG, painted, double hinge with reinforcement on inside.	Nos	DRUK GENERAL ENTERPRISE	1967	30
367	40mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	120	30
368	20mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	174	30
369	20mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	391	30

370	15mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	90	30
371	75mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	1815	30
372	75mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	1950	30
373	GI Reducer Tee 50x 50x15mm, IS 1879-1987	Nos	R. K Enterprise	234	30
374	Glove Valve 10mm, Class 1,1.5 Mpa IS 778-84	Nos	Pema Nordhen Enterprise	12900	30
375	prunning shear	Nos.	THINLEY NORBU ENTERPRISE	774	30
376	GI Reducer Tee 40x40x15mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	252	30
377	Glove Valve 80mm, Class 1,1.5 Mpa IS 778-84	Nos	Pema Nordhen Enterprise	5650	30
378	Prunning saw	Nos.	SHERPA ENTERPRISE	444	30
379	32mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	920	30
380	DI Machinical Joint 80mm	Nos	Pema Nordhen Enterprise	2450	30
381	3"Ø Union Heavy duty	pcs.	THINLEY NORBU ENTERPRISE	1183	30
382	40mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	720	30
383	GI Reducer 50x 40mm, IS 1879-1987	Nos	J.D ENTERPRISE	205	30
384	Glove Valve 20mm, Class 1,1.5 Mpa IS 778-84	Nos	R. K Enterprise	414	30

385	Tank Nipple $\frac{1}{2}$ " $\tilde{A}$ ?, heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	74	30
386	40mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	1000	30
387	GI Reducer Tee 25x25x20mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	113	30
388	Connection Pipe	Nos	THINLEY NORBU ENTERPRISE	95	30
389	Lock and Key 75mm	Nos.	DRUK GENERAL ENTERPRISE	150	30
390	15mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	375	30
391	CPVC PIPE 20mm, ISO 9001:2008 Certified	Nos	R. K Enterprise	279	30
392	$\frac{1}{2}$ " $\tilde{O}$ Union, heavy duty Kohli or their equivalent	pcs.	PAWAN ENTERPRISE	80	30
393	75mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2450	30
394	DI Flange 80mm	Nos	Pema Nordhen Enterprise	850	30
395	$\frac{3}{4}$ " $\tilde{O}$ Nipple(15cm Length), heavy duty Kohli or their equivalent	pcs.	DRUK GENERAL ENTERPRISE	25	30
396	Gum boot half	pair	R. K Enterprise	394	30
397	GI Reducer Tee 20x20x15mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	83	30
398	Glove Valve 40mm, Class 1,1.5 Mpa IS 778-84	Nos	SANGAY SALES	1275	30
399	nut and bolt 16mm $\tilde{A}$ , 4"long	Nos.	Pema Nordhen Enterprise	30	30

400	20mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	500	30
401	DI Machinical Joint 150mm	Nos	R. K Enterprise	5079	30
402	¾"Ø Union, heavy duty Kohli or their equilvalent	pcs.	PAWAN ENTERPRISE	120	30
403	HDPE compression Fittings Elbow 20mm	pcs.	R. K Enterprise	149	30
404	HDPE compression Fittings equal tee 20mm	pcs.	R. K Enterprise	179	30
405	Brass tap ¾"	pcs.	Pema Nordhen Enterprise	320	30
406	32mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	384	30
407	DI Machinical Joint 100mm	Nos	Pema Nordhen Enterprise	2800	30
408	1"Ø Union, heavy duty Kohli or their equilvalent	pcs.	PAWAN ENTERPRISE	150	30
409	25mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	450	30
410	GI Equal tee 50mm, IS 1879-1987	Nos	Pema Nordhen Enterprise	314	30
411	Thread seal tape, white seal tape per pkt	Nos	NEWAR ENTERPRISE	18	30
412	Bosch Angle grinder	set	SANGAY SALES	2775	30
413	GI Union 50mm, IS 1879-1987	Nos	PAWAN ENTERPRISE	350	30
414	CPVC FTA( Female adoptor) 40mm, ISO 9001:2008 Certified	Nos	THINLEY NORBU ENTERPRISE	109	30
415	½"Ø Gate Valve, heavy duty Kohli or their equilvalent	pcs.	R. K Enterprise	429	30
416	20mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	180	30
417	GI Flange 150mm	Nos	DRUK GENERAL ENTERPRISE	580	30



418	1"Ø Nipple(15cm Length), heavy duty Kohli or their equivalent	pcs.	J.D ENTERPRISE	32	30
419	32mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	810	30
420	GI Sockets 100mm, IS 1879-1987	Nos	J.D ENTERPRISE	799	30
421	CPVC Cement solvent	Nos	R. K Enterprise	149	30
422	Bosch drill Machine, GBM 16-2 RE PROFESSIONAL	set	PAWAN ENTERPRISE	6000	30
423	HDPE compression Fittings Elbow 40mm	pcs.	R. K Enterprise	289	30
424	HDPE compression Fittings equal tee 40mm	pcs.	R. K Enterprise	489	30
425	Pruning saw (size 300mm)	pcs	SHERPA ENTERPRISE	555	30
426	32mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	588	30
427	110mm x 4" Flange set, (IS 4984/87)	Nos	DRUK GENERAL ENTERPRISE	960	30
428	1" Float Valve, (Copper or brass made. Min.wt...+20gms, -0gm see attached PHED drawing for detail specification.)	Nos	THINLEY NORBU ENTERPRISE	630	30
429	Socket/Ratchet wrench	Set	R. K Enterprise	4439	30
430	20mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	280	30
431	GI Flange 10mm	Nos	Pema Nordhen Enterprise	560	30
432	2"Ø Nipple(15cm Length), heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	77	30
433	15mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	180	30
434	GI Tank Nipples 15mm,	Nos	R. K Enterprise	74	30

435	PVC Socket 4", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	J.D ENTERPRISE	68	30
436	safety glove leather	pair	THINLEY NORBU ENTERPRISE	131	30
437	GI Equal tee 80mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	901	30
438	DI Ring Washer 150mm, Sprinkler rubber ring,Rubber o-ring	Nos	Pema Nordhen Enterprise	75	30
439	Pin bow shackle	Nos.	PAWAN ENTERPRISE	350	30
440	25mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	525	30
441	GI Flange 80mm,	Nos	Pema Nordhen Enterprise	430	30
442	¾"Ø Heavy duty	Mtrs.	R. K Enterprise	298	30
443	CGI sheets (Colured)	pcs.	PAWAN ENTERPRISE	180	30
444	HDPE compression Fittings coupler 40mm	pcs.	R. K Enterprise	249	30
445	Brass union ¾"	pcs.	R. K Enterprise	293	30
446	32mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	NEWAR ENTERPRISE	335	30
447	32mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	756	30
448	1½" GI Sockets, (IS 1879-1987)	Nos	R. K Enterprise	27	30
449	Rebar 10mm, equivalent to TATA steel bars or higher quality ,IS:1786/1985, GradeFE415,TOR	Nos	R. K Enterprise	72	30
450	Brush, paint 2½", Size 2" Thickness 17mm Lenth out 56mm	Nos	R. K Enterprise	29	30

451	Sprit level, WIHA 42074 - ELECTRICIAN'S SPIRIT LEVEL 100 CM	Nos	THINLEY NORBU ENTERPRISE	302	30
452	40mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	270	30
453	20mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	316	30
454	20mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	74	30
455	75mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	1560	30
456	75mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2145	30
457	GI Nipples(length 4"inchies)25mm	Nos	THINLEY NORBU ENTERPRISE	11	30
458	COVC Vall Valve 25mm, ISO 9001:2008 Certified	Nos	THINLEY NORBU ENTERPRISE	102	30
459	GI Nipple ½"ø, heavy duty Kohli or their equivalent	pcs.	NEWAR ENTERPRISE	25	30
460	GI Nipples(Length 4"inchies)20mm	Nos	DRUK GENERAL ENTERPRISE	20	30
461	COVC Vall Valve 20mm, ISO 9001:2008 Certified	Nos	R. K Enterprise	144	30
462	1½" GI Sockets, heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	27	30
463	50mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	1160	30

464	GI Reducer Tee 80x80x15mm, IS 1879-1987	Nos	SHERPA ENTERPRISE	319	30
465	CP Brass Bib cock,	Nos	NEWAR ENTERPRISE	330	30
466	trimmer	Nos.	WOEZER ENTERPRISE	850	30
467	20mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	590	30
468	CPVC Union 32mm, ISO 9001:2008 Certified	Nos	PAWAN ENTERPRISE	140	30
469	Reducer Socket ¾" x ½", heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	49	30
470	25mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	488	30
471	GI Reducer 100 x 80mm, IS 1879-1987	Nos	J.D ENTERPRISE	799	30
472	Glove Valve 32mm, Class 1,1.5 Mpa IS 778-84	Nos	R. K Enterprise	904	30
473	wheel waste bin Aristo	Nos.	SHERPA ENTERPRISE	2888	30
474	GI Equal tee 100mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	1672	30
475	DI Ring Washer 20mm, Sprinkler rubber ring,Rubber o-ring	Nos	Pema Nordhen Enterprise	80	30
476	Grease, in ½ kg pot	pots	PAWAN ENTERPRISE	280	30
477	15mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	260	30
478	CPVC PIPE 25mm, ISO 9001:2008 Certified	Nos	R. K Enterprise	434	30
479	15mm water meter, heavy duty Kohli or their equivalent	pcs.	NEWAR ENTERPRISE	480	30

480	32mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	878	30
481	GI Reducer 80x 50mm, IS 1879-1987	Nos	J.D ENTERPRISE	441	30
482	Glove Valve 25mm, Class 1,1.5 Mpa IS 778-84	Nos	SANGAY SALES	595	30
483	Pipe Wrench 14"	Nos.	SANGAY SALES	395	30
484	HDPE compression Fittings coupler 20mm	pcs.	R. K Enterprise	129	30
485	Wire mesh cutter	pcs.	NEWAR ENTERPRISE	280	30
486	Multi meter, LIR 70801 - IMAGING CLAMP METER CM275	Nos	SANGAY SALES	1150	30
487	100mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	235	30
488	100mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2465	30
489	100mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	1530	30
490	GI Bend 80mm 15 deg 45deg 90 deg	Nos	Pema Nordhen Enterprise	580	30
491	PVC Door Elbow 4", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	J.D ENTERPRISE	116	30
492	15mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	400	30
493	GI Reducer Tee 40x 40x 25mm, IS 1879-1987	Nos	PAWAN ENTERPRISE	250	30

494	PVC Pipe 3", Grey, 10-15mm Thickness. Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	J.D ENTERPRISE	330	30
495	CP Extension Nipple ½", length=1" long	Nos.	Pema Nordhen Enterprise	60	30
496	GI Nipples (Length 4" inches) 100mm	Nos	DRUK GENERAL ENTERPRISE	150	30
497	CPVC FTA (Female adaptor) 32mm, ISO 9001:2008 Certified	Nos	THINLEY NORBU ENTERPRISE	109	30
498	¾" Ø Globe Valve, heavy duty Kohli or their equivalent	pcs.	SANGAY SALES	340	30
499	32mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	405	30
500	GI Bend 50mm 15 deg 45 deg 90 deg	Nos	Pema Nordhen Enterprise	280	30
501	PVC Door Elbow 3", Grey, 10-15mm Thickness. Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	J.D ENTERPRISE	70	30
502	Gum boot full	pair	SANGAY SALES	475	30
503	HDPE compression Fittings coupler 32mm	pcs.	R. K Enterprise	194	30
504	Gate valve, ¾" Kohli or their equivalent	pcs.	R. K Enterprise	494	30
505	32mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	312	30
506	32mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	Pema Nordhen Enterprise	684	30
507	2" x 1½" GI Reducer, (IS 1879-1987)	Nos	NEWAR ENTERPRISE	190	30
508	COVC Vall Valve 40mm, ISO 9001:2008 Certified	Nos	R. K Enterprise	749	30

509	Blade, hacksaw single side	pkts.	SANGAY SALES	8	30
510	25mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	500	30
511	GI Reducer Tee 50x 50x20mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	411	30
512	Brass Bobcock, Polished Brass Bibcock Antique Modern	Nos	PAWAN ENTERPRISE	280	30
513	CP One way angle valve ½"ø	Nos.	R. K Enterprise	394	30
514	GI Reducer Tee 25x25 15mm, IS 1879-1987	Nos	R. K Enterprise	73	30
515	Glove Valve 50mm, Class 1,1.5 Mpa IS 778-84	Nos	SANGAY SALES	1700	30
516	nut and bolt 20mmø 4"long	Nos.	PAWAN ENTERPRISE	30	30
517	75mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	NEWAR ENTERPRISE	945	30
518	CPVC Reducer 32x 25mm, ISO 9001: 2008 Certified	Nos	J.D ENTERPRISE	70	30
519	Gate Valve 150mmø, heavy duty Kohli or their equivalent	pcs.	PAWAN ENTERPRISE	12000	30
520	32mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	900	30
521	GI Reducer Tee 40x 40x 20mm, IS 1879-1987	Nos	PAWAN ENTERPRISE	250	30
522	Wall Flange, Standard: ANSI, DIN, Type: Welding Flange	Nos	R. K Enterprise	34	30
523	CP two way angle valve ½"ø	Nos.	R. K Enterprise	994	30
524	HDPE compression Fittings coupler 25mm	pcs.	R. K Enterprise	169	30

525	3/4"GI elbow, medium duty kohli or their equivalent	pcs.	THINLEY NORBU ENTERPRISE	62	30
526	32mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	659	30
527	1/2" GI elbow, (IS 1879:1987)	Nos	NEWAR ENTERPRISE	28	30
528	Pipe joining compound in ½ kg pot, (Graphite joining compound for drinking water purpose. Re-sealable pots.)	Nos	DRUK GENERAL ENTERPRISE	175	30
529	Stone chisel 1", 135mm one side sharp point	Nos	NEWAR ENTERPRISE	150	30
530	Angle Grinder machine, Bosch GWS 7-115-Angle Grinding 720 watt, 11.000rpm, 115mm dia	Nos	WOEZER ENTERPRISE	3200	30
531	25mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	139	30
532	100mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2380	30
533	100mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	3400	30
534	3/4"GI unions, (IS 1879-1987)	Nos	THINLEY NORBU ENTERPRISE	1183	30
535	Measuring tap, Metal 3m length scale in cm and inches	Nos	PAWAN ENTERPRISE	80	30
536	25mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	46	30
537	100mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	245	30



538	100mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2720	30
539	1"GI pipe,Medium duty, IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm.	Nos	THINLEY NORBU ENTERPRISE	1658	30
540	2" Float Valve, (Copper or brass made. Min.wt...+20gms, -0gm see attached PHED drawing for detail specification.)	Nos	THINLEY NORBU ENTERPRISE	1808	30
541	GI Tank Nipples 40mm	Nos	THINLEY NORBU ENTERPRISE	312	30
542	plumbing tool box set, assembly set	nos	Pema Nordhen Enterprise	3950	30
543	25mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	365	30
544	GI Nipples( Length 4" inches)80mm	Nos	DRUK GENERAL ENTERPRISE	105	30
545	CPVC FTA( Female adaptor) 25mm, ISO 9001:2008 Certified	Nos	THINLEY NORBU ENTERPRISE	40	30
546	sockets½", heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	27	30
547	GI Nipples(Length 4" inches)15mm	Nos	DRUK GENERAL ENTERPRISE	20	30
548	CPVC Reducer 40x 32mm, ISO 9001: 2008 Certified	Nos	J.D ENTERPRISE	102	30
549	1½" GI tee equal, heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	244	30

550	20mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	400	30
551	GI Bend 100mm 15 deg 45 deg 90deg	Nos	Pema Nordhen Enterprise	965	30
552	PVC Socket 3", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	J.D ENTERPRISE	45	30
553	Safety boot	pair	R. K Enterprise	639	30
554	GI Nipples (Length 4" inches)50mm	Nos	KN & Associates	51.75	30
555	CPVC FTA( Female adoptor) 20mm, ISO 9001:2008 Certified	Nos	SANGAY SALES	29	30
556	GI Socket ¾"ø, heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	42	30
557	HDPE compression Fittings Elbow 32mm	pcs.	R. K Enterprise	229	30
558	HDPE compression Fittings equal tee 32mm	pcs.	R. K Enterprise	379	30
559	Pruning saw (size 300mm)	pcs	SHERPA ENTERPRISE	555	30
560	25mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	480	30
561	75mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	455	30
562	32mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	564	30
563	32mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	779	30
564	1/2" Brass Glove valve, (Class 1,1.5 Mpa IS 778-84)	Nos	SANGAY SALES	340	30

565	Door handle 4â?,brass made	Nos	R. K Enterprise	54	30
566	Cp shower head 15mm,Size 15mm,,,,,, Colour silver Coating Chrome	Nos	NEWAR ENTERPRISE	280	30
567	25mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	123	30
568	100mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm,IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2210	30
569	100mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	3315	30
570	3" x 3"x 3/4" GI tee"s equal, (IS 1879- 1987)	Nos	NEWAR ENTERPRISE	835	30
571	PVC Plain Elbow 4", Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	J.D ENTERPRISE	99	30
572	Bricks	nos.	PAWAN ENTERPRISE	18	30
573	Gloves GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2100	30
574	CPVC Reducer 25x 20mm, ISO 9001: 2008 Certified	Nos	R. K Enterprise	32	30
575	1½" GI elbow, heavy duty Kohli or their equivalent	pcs.	THINLEY NORBU ENTERPRISE	170	30
576	50mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	1720	30
577	CPVC PIPE 32mm, ISO 9001:2008 Certified	Nos	R. K Enterprise	724	30
578	20mm water meter, heavy duty or their equivalent	pcs.	NEWAR ENTERPRISE	540	30

579	20mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	390	30
580	GI Reducer Tee 80x 80x 20mm, IS 1879-1987	Nos	THINLEY NORBU ENTERPRISE	901	30
581	PVC Pipe 2", Grey, 10-15mm Thickness. Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates	Nos	J.D ENTERPRISE	255	30
582	CP Stop cock ½"ø	Nos.	PAWAN ENTERPRISE	450	30
583	15mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	450	30
584	CPVC Union 40mm, ISO 9001:2008 Certified	Nos	PAWAN ENTERPRISE	250	30
585	1" x 1/2" GI Reducer, heavy duty Kohli or their equivalent	pcs.	R. K Enterprise	73	30
586	HDPE compression Fittings Elbow 25mm	pcs.	R. K Enterprise	189	30
587	HDPE compression Fittings equal tee 25mm	pcs.	R. K Enterprise	279	30
588	Hedge Trimmer scissors	pcs	SHERPA ENTERPRISE	888	30
589	1 1/2" GI unions, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	250	30
590	Barbed wire, Gauge 12 SWG double wired, double barbed 90 degrees angle, every 10cm, galvanized (IS:278/1969). In roll of 30 kg weight tolerance +3kg , -0kg	Nos	PAWAN ENTERPRISE	100	30
591	Pipe cutter ½" to 2" Suppliers to provide complete specification	Nos	THINLEY NORBU ENTERPRISE	1284	30
592	25mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	108	30

593	100mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2125	30
594	100mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	3060	30
595	11/2" GI Sockets, (IS 1879-1987)	Nos	PAWAN ENTERPRISE	90	30
596	32mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	R. K Enterprise	804	30
597	2" x 2" x 3/4" GI tee's equal, (IS 1879-1987)	Nos	DRUK GENERAL ENTERPRISE	265	30
598	2135mm x840mm x0.63mm CGI sheets, IS 277:1992, Galvanise coating=120g/m2. Wt =10.71kg	Nos	PAWAN ENTERPRISE	750	30
599	Die bit 2", Suppliers to provide complete specification	Nos	DRUK GENERAL ENTERPRISE	495	30
600	25mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	92	30
601	100mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2040	30
602	10mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2805	30
603	1/2" GI nipple, (Length is 10cm tolerance +0cm, -2cm, IS 1879-1987)	Nos	DRUK GENERAL ENTERPRISE	12	30
604	Nails 2", Galvanised wire nails sharpened	Nos	PAWAN ENTERPRISE	75	30
605	1" Brass Gate valve, (Class 1, 1.5 Mpa IS 778-84)	Nos	R. K Enterprise	749	30

606	Pipe wrench 14", Suppliers to provide complete specification	Nos	SANGAY SALES	395	30
607	25mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	77	30
608	100mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	1748	30
609	100mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2975	30
610	11/2" GI elbow, (IS 1879:1987)	Nos	NEWAR ENTERPRISE	170	30
611	Jute cloth, (Jute fabric Plain, 30 Mtr)	Nos	DRUK GENERAL ENTERPRISE	35	30
612	Nails 4", Galvanised wire nails sharpened	Nos	PAWAN ENTERPRISE	75	30
613	Trowel masonry 4" x 8"	Nos	THINLEY NORBU ENTERPRISE	80	30
614	25mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	J.D ENTERPRISE	62	30
615	100mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	PAWAN ENTERPRISE	480	30
616	100mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded	Nos	DRUK GENERAL ENTERPRISE	2890	30
617	Brass Union, 32mm x 1", (SP-57-1991)	Nos	DRUK GENERAL ENTERPRISE	622	30
618	2" Valve box key with 3 points, (As per PHE drawing and sample)	Nos	Pema Nordhen Enterprise	480	30