

| Comparative Statement for the supply of Electrical Items | | | | | | |
|--|---|------|----------|----------------------------|--------------------|--|
| Sl. | Item Name & Description | Unit | Item No. | Winner | ed Amount (In Nu.) | |
| 1 | 1 sq.mm copper wire, green for earthing (90m roll) | roll | 5 | SANGAY SALES | 988 | |
| 2 | 4 Core PVC insulated water proof cable 1.5 sq.mm | m | 13 | CHIMI JAMYANG ENTERPRISE | 69.95 | |
| 3 | 3 Core PVC insulated water proof cable 6 sq.mm | m | 21 | CHIMI JAMYANG ENTERPRISE | 194.5 | |
| 4 | insulated and sheathed aluminium conductor armoured cable 440 VG-2 Core x 6 sq | m | 29 | PAWAN ENTERPRISE | 85 | |
| 5 | insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 16 | m | 37 | PAWAN ENTERPRISE | 130 | |
| 6 | insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 225 | m | 45 | WOEZER ENTERPRISE | 1900 | |
| 7 | insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 16 s | m | 53 | PAWAN ENTERPRISE | 180 | |
| 8 | insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 185 | m | 61 | TSHERING NORLHA ENTERPRISE | 1450 | |
| 9 | 9W LED bulb | each | 71 | TSHERING NORLHA ENTERPRISE | 88 | |
| 10 | White color flood light 30w | each | 79 | NORGU Traders | 950 | |
| 11 | Red color flood light 100w | each | 87 | WOEZER ENTERPRISE | 3200 | |
| 12 | Ruby clear 35W LED compound light | each | 95 | NORGU Traders | 2200 | |
| 13 | 20W fluorescent tube rod | each | 103 | SANGAY SALES | 45 | |
| 14 | Fluorescent tube set Strip rail 2x40w | each | 111 | PAWAN ENTERPRISE | 350 | |
| 15 | 12 inches LED round flat ceiling light ,20w 2000lm 3000k/4000k/6500k | each | 119 | CHIMI JAMYANG ENTERPRISE | 1050 | |
| 16 | Ceiling mounted down light 36W (4ftx2ft) | each | 127 | CHIMI JAMYANG ENTERPRISE | 3850 | |
| 17 | PVC box 12 Module | each | 135 | TSHERING NORLHA ENTERPRISE | 140 | |
| 18 | Metal box 1 Module | each | 143 | TSHERING NORLHA ENTERPRISE | 49 | |
| 19 | Metal box 18 Module | each | 151 | CHIMI JAMYANG ENTERPRISE | 260 | |
| 20 | Plate 18-module with frame | each | 159 | PAWAN ENTERPRISE | 260 | |
| 21 | 20A modular socket, Roma | each | 167 | T D ENTERPRISE | 150 | |
| 22 | 3 pin 6A plug top | each | 175 | CHIMI JAMYANG ENTERPRISE | 60 | |
| 23 | PVC 2 plate ceiling rose 6A | each | 183 | T D ENTERPRISE | 20 | |
| 24 | Extension chord 16A, Cona (round) | each | 191 | Pema Nordhen Enterprise | 845 | |
| 25 | MCB 3 pole 415v Ac, 32A | each | 199 | SANGAY SALES | 1150 | |
| 26 | RCCB DP 30mA 230v, Ac 40A | each | 207 | PAWAN ENTERPRISE | 1945 | |
| 27 | RCCB DP, 300mA, 230v, Ac 40A | each | 215 | CHIMI JAMYANG ENTERPRISE | 2295 | |
| 28 | RCCB 4 Pole, 100mA, 415v, Ac 40A | each | 223 | CHIMI JAMYANG ENTERPRISE | 2800 | |
| 29 | MCCB 4 pole 36 KA, 415v, Ac 125A | each | 231 | Pema Nordhen Enterprise | 6800 | |
| 30 | Astronomical timer GIC T2DDT7/T3DDT8 | each | 239 | CHIMI JAMYANG ENTERPRISE | 3650 | |
| 31 | SPN Distribution board without door 4 way | each | 247 | CHIMI JAMYANG ENTERPRISE | 300 | |
| 32 | SPN Distribution board with metal door 12 way | each | 255 | CHIMI JAMYANG ENTERPRISE | 1075 | |
| 33 | TPN Distribution board with metal door 6 way | each | 263 | SANGAY SALES | 2711 | |
| 34 | 1.5 sq.mm copper wire (90m roll) | roll | 6 | SANGAY SALES | 1488 | |
| 35 | 2 Core PVC insulated water proof cable 2.5 sq.mm | m | 14 | CHIMI JAMYANG ENTERPRISE | 61.5 | |
| 36 | 4 Core PVC insulated water proof cable 6 sq.mm | m | 22 | CHIMI JAMYANG ENTERPRISE | 255 | |
| 37 | insulated and sheathed aluminium conductor armoured cable 440 VG-2 Core x 10 s | m | 30 | PAWAN ENTERPRISE | 120 | |
| 38 | insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 25 | m | 38 | PAWAN ENTERPRISE | 245 | |
| 39 | insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 240 | m | 46 | CHIMI JAMYANG ENTERPRISE | 1826 | |
| 40 | insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 25 s | m | 54 | TSHERING NORLHA ENTERPRISE | 270 | |
| 41 | insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 240 | m | 62 | CHIMI JAMYANG ENTERPRISE | 2093 | |
| 42 | 12W LED bulb | each | 72 | TSHERING NORLHA ENTERPRISE | 166 | |
| 43 | White color flood light 50w | each | 80 | TSHERING NORLHA ENTERPRISE | 1700 | |
| 44 | Red color flood light 200w | each | 88 | PAWAN ENTERPRISE | 4500 | |

| | | | | | | | |
|----|---|------|-----|----------------------------|------|--|--|
| 45 | Coral opal 25W LED compound light | each | 96 | NORGU Traders | 2200 | | |
| 46 | 36W fluorescent tube rod | each | 104 | Pema Nordhen Enterprise | 45 | | |
| 47 | Wall bracket phillips 9w | each | 112 | CHIMI JAMYANG ENTERPRISE | 750 | | |
| 48 | LED panel light square/round type 225mmx225mm,18w | each | 120 | TSHERING NORLHA ENTERPRISE | 650 | | |
| 49 | PVC box 1 Module | each | 128 | CHIMI JAMYANG ENTERPRISE | 45 | | |
| 50 | PVC box 18 Module | each | 136 | PAWAN ENTERPRISE | 145 | | |
| 51 | Metal box 2 Module | each | 144 | TSHERING NORLHA ENTERPRISE | 49 | | |
| 52 | Plate 1-module with frame | each | 152 | T D ENTERPRISE | 75 | | |
| 53 | 6A flush switch | each | 160 | CHIMI JAMYANG ENTERPRISE | 18.5 | | |
| 54 | 10A modular switch SP 2 way, Roma | each | 168 | PAWAN ENTERPRISE | 75 | | |
| 55 | 3 pin 6/16A plug top | each | 176 | CHIMI JAMYANG ENTERPRISE | 84 | | |
| 56 | PVC Square box | each | 184 | CHIMI JAMYANG ENTERPRISE | 10 | | |
| 57 | MCB SP 6A | each | 192 | TSHERING NORLHA ENTERPRISE | 135 | | |
| 58 | MCB 3 pole 415v Ac, 40A | each | 200 | SANGAY SALES | 1726 | | |
| 59 | RCCB DP 30mA, 230v Ac 63A | each | 208 | PAWAN ENTERPRISE | 2100 | | |
| 60 | RCCB DP 300mA, 230v, Ac 63A | each | 216 | CHIMI JAMYANG ENTERPRISE | 3160 | | |
| 61 | RCCB 4 Pole 100mA, 415v, Ac 63A | each | 224 | CHIMI JAMYANG ENTERPRISE | 3066 | | |
| 62 | MCCB 4 pole 36 KA, 415v, Ac 160A | each | 232 | Pema Nordhen Enterprise | 8900 | | |
| 63 | Non astronomical Digital timer | each | 240 | CHIMI JAMYANG ENTERPRISE | 2630 | | |
| 64 | SPN Distribution board without door 6 way | each | 248 | CHIMI JAMYANG ENTERPRISE | 360 | | |
| 65 | SPN Distribution board with metal door 16 way | each | 256 | CHIMI JAMYANG ENTERPRISE | 1295 | | |
| 66 | TPN Distribution board with metal door 8 way | each | 264 | SANGAY SALES | 3060 | | |
| 67 | 2 strips, 300 mm bar, 63A | set | 272 | CHIMI JAMYANG ENTERPRISE | 2389 | | |
| 68 | Flexible wire with copper conductor (per roll) Small | roll | 1 | CHIMI JAMYANG ENTERPRISE | 480 | | |
| 69 | 6 sq.mm copper wire (90m roll) | roll | 9 | PAWAN ENTERPRISE | 5500 | | |
| 70 | 2 Core PVC insulated water proof cable 4 sq.mm | m | 17 | CHIMI JAMYANG ENTERPRISE | 94.5 | | |
| 71 | 4 Core PVC insulated water proof cable 10 sq.mm | m | 25 | CHIMI JAMYANG ENTERPRISE | 448 | | |
| 72 | Insulated and sheathed aluminium conductor armoured cable 440 VG 3 Core x 10 sq.mm | m | 33 | PAWAN ENTERPRISE | 145 | | |
| 73 | Insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 70 sq.mm | m | 41 | CHIMI JAMYANG ENTERPRISE | 624 | | |
| 74 | Insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 500 sq.mm | m | 49 | WOEZER ENTERPRISE | 3700 | | |
| 75 | Insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 70 sq.mm | m | 57 | T D ENTERPRISE | 550 | | |
| 76 | Insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 500 sq.mm | m | 65 | WOEZER ENTERPRISE | 4200 | | |
| 77 | 20 W LED bulb | each | 75 | CHIMI JAMYANG ENTERPRISE | 310 | | |
| 78 | White color flood light 200w | each | 83 | SANGAY SALES | 4600 | | |
| 79 | Globe shape ordinary compound light about (300-500mm) (Medium) | each | 91 | CHIMI JAMYANG ENTERPRISE | 1500 | | |
| 80 | 20W LED tube light | each | 99 | TSHERING NORLHA ENTERPRISE | 200 | | |
| 81 | 20W Double LED tube light | each | 107 | PAWAN ENTERPRISE | 850 | | |
| 82 | 90W streetlight (Endura pearl) | each | 115 | CHIMI JAMYANG ENTERPRISE | 4950 | | |
| 83 | Ceiling Square sleek panel LED luminaires of 3000/4000/6000k-24W (4ftx1ft) | each | 123 | Pema Nordhen Enterprise | 2950 | | |
| 84 | PVC box 4 Module | each | 131 | TSHERING NORLHA ENTERPRISE | 62 | | |
| 85 | 3 way PVC gang box | each | 139 | CHIMI JAMYANG ENTERPRISE | 30 | | |
| 86 | Metal box 6 Module | each | 147 | TSHERING NORLHA ENTERPRISE | 102 | | |
| 87 | Plate 4-module with frame | each | 155 | T D ENTERPRISE | 110 | | |
| 88 | Electronic Regulator | each | 163 | PAWAN ENTERPRISE | 220 | | |
| 89 | PVC Box type Socket 16A/20A without indicator | each | 171 | CHIMI JAMYANG ENTERPRISE | 166 | | |
| 90 | 3/6 pin Multi plug 6/16A 230v Ac | each | 179 | CHIMI JAMYANG ENTERPRISE | 129 | | |
| 91 | Power strip Max 2500w 10A with 4 ways | each | 187 | CHIMI JAMYANG ENTERPRISE | 575 | | |

| | | | | | | | |
|-----|--|------|-----|----------------------------|-------|--|--|
| 92 | MCB DP 230v, Ac 25A | each | 195 | PAWAN ENTERPRISE | 550 | | |
| 93 | MCB 4 pole 415v, Ac, 40A | each | 203 | CHIMI JAMYANG ENTERPRISE | 1780 | | |
| 94 | RCCB DP, 100mA, 230v, Ac 40A | each | 211 | CHIMI JAMYANG ENTERPRISE | 2190 | | |
| 95 | RCCB 4 pole 30mA 415v, Ac 40A | each | 219 | CHIMI JAMYANG ENTERPRISE | 2885 | | |
| 96 | RCCB 4 Pole, 300mA, 415v, Ac 40A | each | 227 | CHIMI JAMYANG ENTERPRISE | 2905 | | |
| 97 | MCCB 4 pole 70 KA, 415v, Ac 630A | each | 235 | CHIMI JAMYANG ENTERPRISE | 36650 | | |
| 98 | Contractor 4 pole 32A, 415v, Ac | each | 243 | CHIMI JAMYANG ENTERPRISE | 2500 | | |
| 99 | SPN Distribution board without door 16 way | each | 251 | CHIMI JAMYANG ENTERPRISE | 660 | | |
| 100 | TPN Distribution board without door 8 way | each | 259 | PAWAN ENTERPRISE | 1400 | | |
| 101 | 4 sq.mm copper wire (90m roll) | roll | 8 | T D ENTERPRISE | 3500 | | |
| 102 | 4 Core PVC insulated water proof cable 2.5 sq.mm | m | 16 | CHIMI JAMYANG ENTERPRISE | 112 | | |
| 103 | 3 Core PVC insulated water proof cable 10 sq.mm | m | 24 | CHIMI JAMYANG ENTERPRISE | 344 | | |
| 104 | insulated and sheathed aluminium conductor armoured cable 440 VG 3 Core x 6 sq | m | 32 | PAWAN ENTERPRISE | 120 | | |
| 105 | insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 50 | m | 40 | CHIMI JAMYANG ENTERPRISE | 460 | | |
| 106 | insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 400 | m | 48 | CHIMI JAMYANG ENTERPRISE | 2853 | | |
| 107 | insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 50 s | m | 56 | T D ENTERPRISE | 400 | | |
| 108 | insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 400 s | m | 64 | TSHERING NORLHA ENTERPRISE | 3000 | | |
| 109 | 18 W LED bulb | each | 74 | NORGU Traders | 225 | | |
| 110 | White color flood light 150w | each | 82 | NORGU Traders | 3200 | | |
| 111 | Globe shape ordinary compound light about (100-300mm) (Small) | each | 90 | PAWAN ENTERPRISE | 1200 | | |
| 112 | 18W LED tube light | each | 98 | T D ENTERPRISE | 200 | | |
| 113 | 18W Double LED tube light | each | 106 | PAWAN ENTERPRISE | 680 | | |
| 114 | 60W streetlight (Endura pearl) | each | 114 | WOEZER ENTERPRISE | 3600 | | |
| 115 | Ceiling Square sleek panel LED luminaires of 3000/4000/6000k-18W (4ftx1ft) | each | 122 | Pema Nordhen Enterprise | 2650 | | |
| 116 | PVC box 3 Module | each | 130 | CHIMI JAMYANG ENTERPRISE | 57 | | |
| 117 | 2 way PVC gang box | each | 138 | CHIMI JAMYANG ENTERPRISE | 25 | | |
| 118 | Metal box 4 Module | each | 146 | TSHERING NORLHA ENTERPRISE | 83 | | |
| 119 | Plate 3-module with frame | each | 154 | T D ENTERPRISE | 85 | | |
| 120 | 10A modular switch SP 1 way, Roma | each | 162 | T D ENTERPRISE | 50 | | |
| 121 | ar socket 20A cum 20A switch with cover frame plate and PVC modular box comple | set | 170 | T D ENTERPRISE | 380 | | |
| 122 | 3/6 pin conversion plug 16A | each | 178 | CHIMI JAMYANG ENTERPRISE | 129 | | |
| 123 | Power strip Max 1000w 6A with 4 ways | each | 186 | PAWAN ENTERPRISE | 550 | | |
| 124 | MCB SP 20A | each | 194 | TSHERING NORLHA ENTERPRISE | 135 | | |
| 125 | MCB 4 pole 415v Ac, 32A | each | 202 | T D ENTERPRISE | 1422 | | |
| 126 | RCCB DP 100mA, 230v, Ac 32A | each | 210 | CHIMI JAMYANG ENTERPRISE | 2190 | | |
| 127 | RCCB 4 pole, 30mA 415v, Ac 32A | each | 218 | CHIMI JAMYANG ENTERPRISE | 2860 | | |
| 128 | RCCB 4 Pole 300mA, 415v, Ac 32A | each | 226 | CHIMI JAMYANG ENTERPRISE | 2845 | | |
| 129 | MCCB 4 pole 70 KA, 415v, Ac 400A | each | 234 | CHIMI JAMYANG ENTERPRISE | 24780 | | |
| 130 | Contractor 4 pole 25A, 415v, Ac | each | 242 | CHIMI JAMYANG ENTERPRISE | 2100 | | |
| 131 | SPN Distribution board without door 12 way | each | 250 | CHIMI JAMYANG ENTERPRISE | 540 | | |
| 132 | TPN Distribution board without door 6 way | each | 258 | PAWAN ENTERPRISE | 1200 | | |
| 133 | TPN Distribution board with metal door 16 way | each | 266 | WOEZER ENTERPRISE | 6500 | | |
| 134 | 0.75 sq.mm copper wire (90m roll) | roll | 3 | T D ENTERPRISE | 800 | | |
| 135 | 2 Core PVC insulated water proof cable 1.5 sq.mm | m | 11 | CHIMI JAMYANG ENTERPRISE | 38.5 | | |
| 136 | 4 Core PVC insulated water proof cable 4 sq.mm | m | 19 | CHIMI JAMYANG ENTERPRISE | 174 | | |
| 137 | ated and sheathed aluminium conductor un-armoured cable (1.1KV) Grade2 Core x | m | 27 | T D ENTERPRISE | 55 | | |
| 138 | insulated and sheathed aluminium conductor armoured cable 440 VG 3 Core x 25 s | m | 35 | PAWAN ENTERPRISE | 230 | | |

| | | | | | | | |
|-----|--|------|-----|----------------------------|-------|--|--|
| 139 | insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 120 | m | 43 | CHIMI JAMYANG ENTERPRISE | 957 | | |
| 140 | insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 6 s | m | 51 | WOEZER ENTERPRISE | 125 | | |
| 141 | insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 120 | m | 59 | TSHERING NORLHA ENTERPRISE | 1000 | | |
| 142 | 5W LED bulb | each | 69 | TSHERING NORLHA ENTERPRISE | 75 | | |
| 143 | 30W LED bulb | each | 77 | NORGU Traders | 480 | | |
| 144 | Red color flood light 30w | each | 85 | CHIMI JAMYANG ENTERPRISE | 1265 | | |
| 145 | Conical shape ordinary compound light about 300mm | each | 93 | CHIMI JAMYANG ENTERPRISE | 2090 | | |
| 146 | 600mm LED mirror light | each | 101 | CHIMI JAMYANG ENTERPRISE | 175 | | |
| 147 | Fluorescent tube set Strip rail 1x18w | each | 109 | CHIMI JAMYANG ENTERPRISE | 295 | | |
| 148 | 300W solar streetlight with solar cell and battery inbuilt | each | 117 | PAWAN ENTERPRISE | 12800 | | |
| 149 | Ceiling Square sleek panel LED luminaires of 3000/4000/6000k-42W (4ftx1ft) | each | 125 | Pema Nordhen Enterprise | 4900 | | |
| 150 | PVC box 8 Module (Linear) | each | 133 | TSHERING NORLHA ENTERPRISE | 111 | | |
| 151 | 6 way PVC gang box | each | 141 | TSHERING NORLHA ENTERPRISE | 40 | | |
| 152 | Metal box 8 Module (Square) | each | 149 | TSHERING NORLHA ENTERPRISE | 132 | | |
| 153 | Plate 8-module with frame | each | 157 | PAWAN ENTERPRISE | 163 | | |
| 154 | 10A modular socket, Roma | each | 165 | SANGAY SALES | 53 | | |
| 155 | PVC cover Socket 16A/20A without indicator | each | 173 | PAWAN ENTERPRISE | 130 | | |
| 156 | Angle holder (heavy duty brass plunger) | each | 181 | T D ENTERPRISE | 30 | | |
| 157 | Extension chord 6A, Anchor (round) | each | 189 | Pema Nordhen Enterprise | 350 | | |
| 158 | MCB DP 230v, Ac 40A | each | 197 | T D ENTERPRISE | 900 | | |
| 159 | RCCB DP 30mA 230v, Ac 25A | each | 205 | PAWAN ENTERPRISE | 2100 | | |
| 160 | RCCB DP 300mA, 230v, Ac 25A | each | 213 | CHIMI JAMYANG ENTERPRISE | 2215 | | |
| 161 | RCCB 4 Pole 100mA, 415v, Ac 25A | each | 221 | CHIMI JAMYANG ENTERPRISE | 2750 | | |
| 162 | MCCB 4 pole 16KA, 415v, Ac, 63A | each | 229 | CHIMI JAMYANG ENTERPRISE | 3735 | | |
| 163 | Astronomical timer Legrand AlphaRex D21 | each | 237 | CHIMI JAMYANG ENTERPRISE | 2730 | | |
| 164 | Contractor 4 pole 63A,415V | each | 245 | CHIMI JAMYANG ENTERPRISE | 3500 | | |
| 165 | SPN Distribution board with metal door 6 way | each | 253 | CHIMI JAMYANG ENTERPRISE | 745 | | |
| 166 | TPN Distribution board without door 16 way | each | 261 | PAWAN ENTERPRISE | 2100 | | |
| 167 | Flexible wire with copper conductor (per roll) Big | roll | 2 | CHIMI JAMYANG ENTERPRISE | 685 | | |
| 168 | 10 sq.mm copper wire (90m roll) | roll | 10 | T D ENTERPRISE | 9500 | | |
| 169 | 3 Core PVC insulated water proof cable 4 sq.mm | m | 18 | CHIMI JAMYANG ENTERPRISE | 132.6 | | |
| 170 | insulated and sheathed aluminium conductor un-armoured cable (1.1KV) Grade2 Core x | m | 26 | PAWAN ENTERPRISE | 45 | | |
| 171 | insulated and sheathed aluminium conductor armoured cable 440 VG 3 Core x 16 s | m | 34 | PAWAN ENTERPRISE | 165 | | |
| 172 | insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 95 s | m | 42 | CHIMI JAMYANG ENTERPRISE | 780 | | |
| 173 | insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 630 | m | 50 | WOEZER ENTERPRISE | 4800 | | |
| 174 | insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 95 s | m | 58 | T D ENTERPRISE | 700 | | |
| 175 | insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 600 | m | 66 | WOEZER ENTERPRISE | 5400 | | |
| 176 | 25 W LED bulb | each | 76 | NORGU Traders | 350 | | |
| 177 | White color flood light 300w | each | 84 | NORGU Traders | 950 | | |
| 178 | Globe shape ordinary compound light about 500 mm and above (Large) | each | 92 | CHIMI JAMYANG ENTERPRISE | 2650 | | |
| 179 | 36W LED tubelight | each | 100 | PAWAN ENTERPRISE | 295 | | |
| 180 | 36W Double LED tube light | each | 108 | PAWAN ENTERPRISE | 1050 | | |
| 181 | 100W streetlight (Endura pearl) | each | 116 | TSHERING NORLHA ENTERPRISE | 5560 | | |
| 182 | Ceiling Square sleek panel LED luminaires of 3000/4000/6000k-36W (4ftx1ft) | each | 124 | Pema Nordhen Enterprise | 4400 | | |
| 183 | PVC box 6 Module | each | 132 | TSHERING NORLHA ENTERPRISE | 79 | | |
| 184 | 4 way PVC gang box | each | 140 | CHIMI JAMYANG ENTERPRISE | 35 | | |
| 185 | Metal box 8 Module (Linear) | each | 148 | TSHERING NORLHA ENTERPRISE | 132 | | |

| | | | | | | | |
|-----|--|------|-----|----------------------------|-------|--|--|
| 186 | Plate 6-module with frame | each | 156 | PAWAN ENTERPRISE | 145 | | |
| 187 | Dimmer/ Regulator, Modular Roma | each | 164 | SANGAY SALES | 246 | | |
| 188 | PVC Box type Socket 16A/20A with indicator | each | 172 | T D ENTERPRISE | 150 | | |
| 189 | Batten holder (heavy duty brass plunger) | each | 180 | T D ENTERPRISE | 30 | | |
| 190 | Power strip Max 2500w 15A with 4 ways | each | 188 | CHIMI JAMYANG ENTERPRISE | 725 | | |
| 191 | MCB DP 230v, Ac 32A | each | 196 | TSHERING NORLHA ENTERPRISE | 620 | | |
| 192 | MCB 4 pole 415v, Ac, 63A | each | 204 | CHIMI JAMYANG ENTERPRISE | 1875 | | |
| 193 | RCCB DP 100mA, 230v, Ac 63A | each | 212 | T D ENTERPRISE | 2370 | | |
| 194 | RCCB 4 pole 30mA, 415v Ac 63A | each | 220 | CHIMI JAMYANG ENTERPRISE | 3066 | | |
| 195 | RCCB 4 Pole 300mA, 415v, Ac 63A | each | 228 | CHIMI JAMYANG ENTERPRISE | 3165 | | |
| 196 | MCCB 4 pole 36 KA, 415v, Ac 800A | each | 236 | Pema Nordhen Enterprise | 54500 | | |
| 197 | Contractor 2 pole 63A, 230V | each | 244 | CHIMI JAMYANG ENTERPRISE | 2050 | | |
| 198 | SPN Distribution board with metal door 4 way | each | 252 | CHIMI JAMYANG ENTERPRISE | 630 | | |
| 199 | TPN Distribution board without door 12 way | each | 260 | PAWAN ENTERPRISE | 1700 | | |
| 200 | 2.5 sq.mm copper wire (90m roll) | roll | 7 | PAWAN ENTERPRISE | 2300 | | |
| 201 | 3 Core PVC insulated water proof cable 2.5 sq.mm | m | 15 | CHIMI JAMYANG ENTERPRISE | 86.19 | | |
| 202 | 2 Core PVC insulated water proof cable 10 sq.mm | m | 23 | CHIMI JAMYANG ENTERPRISE | 239.6 | | |
| 203 | Insulated and sheathed aluminium conductor armoured cable 440 VG-2 Core x 16 s | m | 31 | WOEZER ENTERPRISE | 140 | | |
| 204 | Insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x35 s | m | 39 | CHIMI JAMYANG ENTERPRISE | 344 | | |
| 205 | Insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 300 | m | 47 | CHIMI JAMYANG ENTERPRISE | 2232 | | |
| 206 | Insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 35 s | m | 55 | T D ENTERPRISE | 310 | | |
| 207 | Insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 300 s | m | 63 | TSHERING NORLHA ENTERPRISE | 1900 | | |
| 208 | 15W LED bulb | each | 73 | TSHERING NORLHA ENTERPRISE | 190 | | |
| 209 | White color flood light 100w | each | 81 | TSHERING NORLHA ENTERPRISE | 2350 | | |
| 210 | Red color flood light 300w | each | 89 | PAWAN ENTERPRISE | 5200 | | |
| 211 | Coral opal 35W LED compound light | each | 97 | NORGU Traders | 2200 | | |
| 212 | 40 W fluorescent tube rod | Each | 105 | SANGAY SALES | 50 | | |
| 213 | 30W streetlight (Endura pearl) | each | 113 | CHIMI JAMYANG ENTERPRISE | 1980 | | |
| 214 | LED panel light square/round type 225mmx225mm,25w | each | 121 | TSHERING NORLHA ENTERPRISE | 900 | | |
| 215 | PVC box 2 Module | each | 129 | CHIMI JAMYANG ENTERPRISE | 45 | | |
| 216 | 1 way PVC gang box | each | 137 | CHIMI JAMYANG ENTERPRISE | 20 | | |
| 217 | Metal box 3 Module | each | 145 | T D ENTERPRISE | 65 | | |
| 218 | Plate 2-module with frame | each | 153 | T D ENTERPRISE | 75 | | |
| 219 | 10A modular doorbell SP 1 way, Roma | Each | 161 | TSHERING NORLHA ENTERPRISE | 60 | | |
| 220 | 20A modular switch SP 2 way, Roma | each | 169 | PAWAN ENTERPRISE | 120 | | |
| 221 | 3 pin conversion plug 6A | each | 177 | WOEZER ENTERPRISE | 25 | | |
| 222 | Door bell | each | 185 | TSHERING NORLHA ENTERPRISE | 150 | | |
| 223 | MCB SP 16A | each | 193 | TSHERING NORLHA ENTERPRISE | 135 | | |
| 224 | MCB 3 pole 415v Ac, 63A | each | 201 | SANGAY SALES | 1793 | | |
| 225 | RCCB DP 100mA, 230v, Ac 25A | each | 209 | PAWAN ENTERPRISE | 2100 | | |
| 226 | RCCB 4 pole 30mA 415v, Ac 25A | each | 217 | CHIMI JAMYANG ENTERPRISE | 2860 | | |
| 227 | RCCB 4 Pole 300mA, 415v, Ac 25A | each | 225 | CHIMI JAMYANG ENTERPRISE | 2845 | | |
| 228 | MCCB 4 pole 36 KA, 415v, Ac 250A | each | 233 | TSHERING NORLHA ENTERPRISE | 19500 | | |
| 229 | Contractor 2 pole 25A, 230v, Ac | each | 241 | CHIMI JAMYANG ENTERPRISE | 1050 | | |
| 230 | SPN Distribution board without door 8 way | each | 249 | CHIMI JAMYANG ENTERPRISE | 420 | | |
| 231 | TPN Distribution board without door 4 way | each | 257 | PAWAN ENTERPRISE | 850 | | |
| 232 | TPN Distribution board with metal door 12 way | each | 265 | SANGAY SALES | 4394 | | |

| | | | | | | | |
|-----|--|------|-----|----------------------------|-------|--|--|
| 233 | 2 strips, 300 mm bar, 100A | set | 273 | CHIMI JAMYANG ENTERPRISE | 3320 | | |
| 234 | TPN Distribution board with acrylic door 16 way | each | 271 | PAWAN ENTERPRISE | 7800 | | |
| 235 | 4 strips, 600 mm bar, 100A | set | 279 | Pema Nordhen Enterprise | 5500 | | |
| 236 | 4 strips, 900 mm bar, 800A | set | 287 | CHIMI JAMYANG ENTERPRISE | 33915 | | |
| 237 | Copper chemical earthing 3m | set | 295 | PAWAN ENTERPRISE | 5200 | | |
| 238 | GI wire 10 swg | kg | 303 | CHIMI JAMYANG ENTERPRISE | 105 | | |
| 239 | Salt | kg | 311 | CHIMI JAMYANG ENTERPRISE | 15 | | |
| 240 | Rod heater double rod | No | 319 | Pema Nordhen Enterprise | 1450 | | |
| 241 | Voltage stabilizer 1 KVA | No | 327 | Pema Nordhen Enterprise | 3500 | | |
| 242 | 38mm dia, 70sq.mm Flat type aluminium alloy thimble | each | 335 | SANGAY SALES | 35 | | |
| 243 | 78mm dia, 400sq.mm Flat type aluminium alloy thimble | each | 343 | WOEZER ENTERPRISE | 45 | | |
| 244 | 33mm dia, 35sq.mm Compression gland brass for 4 core Al. armoured cable | each | 351 | WOEZER ENTERPRISE | 450 | | |
| 245 | 60mm dia, 225sq.mm Compression gland brass for 4 core Al. armoured cable | each | 359 | WOEZER ENTERPRISE | 750 | | |
| 246 | Hose pipe 25mm | roll | 367 | CHIMI JAMYANG ENTERPRISE | 320 | | |
| 247 | 20mm PVC L per packet | each | 379 | CHIMI JAMYANG ENTERPRISE | 250 | | |
| 248 | 25mm metal saddle per box | each | 387 | T D ENTERPRISE | 250 | | |
| 249 | 25mm PVC 2 way Junction Box per packet | each | 395 | SANGAY SALES | 25 | | |
| 250 | 25mm PVC 4 way Junction Box per packet | each | 403 | SANGAY SALES | 25 | | |
| 251 | Casing and capping 25x12x1.2mm coupler | each | 411 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 252 | Casing and capping 50x12x1.2mm internal bent | each | 419 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 253 | Casing and capping 32x12x1.2mm L | each | 427 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 254 | Cable jointing kits 95 sq.mm | set | 435 | PAWAN ENTERPRISE | 480 | | |
| 255 | Metal Exhaust fan 300 mm 60 watt 1400rpm | set | 443 | CHIMI JAMYANG ENTERPRISE | 1850 | | |
| 256 | Geyser 15L | each | 451 | PAWAN ENTERPRISE | 1200 | | |
| 257 | 8.5m height, 151Kg, LT pole | No. | 459 | CHIMI JAMYANG ENTERPRISE | 16450 | | |
| 258 | Outdoor street light MS junction box complete with din bar and locking arrangement | each | 467 | T D ENTERPRISE | 950 | | |
| 259 | Nail per kg | kg | 475 | PAWAN ENTERPRISE | 80 | | |
| 260 | Long nose plier 6" TOTAL or their equivalent | each | 483 | Pema Nordhen Enterprise | 230 | | |
| 261 | Insulation tape PVC | each | 491 | TSHERING NORLHA ENTERPRISE | 13 | | |
| 262 | Cable clip 18mm | each | 499 | WOEZER ENTERPRISE | 35 | | |
| 263 | Wooden drill bit 10mm | each | 507 | SANGAY SALES | 110 | | |
| 264 | Concrete drill bit 12mm | each | 515 | Pema Nordhen Enterprise | 135 | | |
| 265 | Telescopic ladder 3m | each | 523 | WOEZER ENTERPRISE | 13500 | | |
| 266 | Capacitor 3.15MF,240V | each | 531 | CHIMI JAMYANG ENTERPRISE | 85 | | |
| 267 | Tubelight Starter | each | 539 | CHIMI JAMYANG ENTERPRISE | 15 | | |
| 268 | Rubber Gloves | Pair | 547 | TSHERING NORLHA ENTERPRISE | 70 | | |
| 269 | 1 sq.mm copper wire (90m roll) | roll | 4 | SANGAY SALES | 988 | | |
| 270 | 3 Core PVC insulated water proof cable 1.5 sq.mm | m | 12 | CHIMI JAMYANG ENTERPRISE | 55.5 | | |
| 271 | 2 Core PVC insulated water proof cable 6 sq.mm | m | 20 | CHIMI JAMYANG ENTERPRISE | 136 | | |
| 272 | Insulated and sheathed aluminium conductor un-armoured cable (1.1KV) Grade-2 Core x 10 | m | 28 | T D ENTERPRISE | 65 | | |
| 273 | Insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 10 | m | 36 | PAWAN ENTERPRISE | 120 | | |
| 274 | Insulated and sheathed aluminium conductor armoured cable 440 VG 3.5 Core x 150 | m | 44 | CHIMI JAMYANG ENTERPRISE | 1124 | | |
| 275 | Insulated and sheathed aluminium conductor armoured cable 440 VG- 4 Core x 10 s | m | 52 | PAWAN ENTERPRISE | 120 | | |
| 276 | Insulated and sheathed aluminium conductor armoured cable 440 VG -4 Core x 150 s | m | 60 | TSHERING NORLHA ENTERPRISE | 1200 | | |
| 277 | 7 W LED bulb | each | 70 | PAWAN ENTERPRISE | 85 | | |
| 278 | 40W LED bulb | each | 78 | T D ENTERPRISE | 700 | | |
| 279 | Red color flood light 50w | each | 86 | SANGAY SALES | 1950 | | |

| | | | | | | | |
|-----|--|------|-----|----------------------------|-------|--|--|
| 280 | Ruby clear 25W LED compound light | each | 94 | NORGU Traders | 2200 | | |
| 281 | 18W fluorescent tube rod | each | 102 | CHIMI JAMYANG ENTERPRISE | 45 | | |
| 282 | Fluorescent tube set Strip rail 2x36w | each | 110 | CHIMI JAMYANG ENTERPRISE | 345 | | |
| 283 | 600W solar streetlight with solar cell and battery inbuilt | each | 118 | PAWAN ENTERPRISE | 18750 | | |
| 284 | Ceiling mounted down light 36W (2ftx2ft) | each | 126 | CHIMI JAMYANG ENTERPRISE | 2500 | | |
| 285 | PVC box 8 Module (Square) | each | 134 | TSHERING NORLHA ENTERPRISE | 111 | | |
| 286 | 8 way PVC gang box | each | 142 | CHIMI JAMYANG ENTERPRISE | 55 | | |
| 287 | Metal box 12 Module | each | 150 | TSHERING NORLHA ENTERPRISE | 163 | | |
| 288 | Plate 12-module with frame | each | 158 | PAWAN ENTERPRISE | 220 | | |
| 289 | 20A modular switch SP 1 way, Roma | each | 166 | T D ENTERPRISE | 105 | | |
| 290 | PVC cover Socket 16A/20A with indicator | each | 174 | PAWAN ENTERPRISE | 150 | | |
| 291 | Penden holder (heavy duty, brass plunger) | each | 182 | PAWAN ENTERPRISE | 25 | | |
| 292 | Extension chord 16A, Anchor (round) | each | 190 | SANGAY SALES | 670 | | |
| 293 | MCB DP 230v, Ac 63A | each | 198 | CHIMI JAMYANG ENTERPRISE | 1090 | | |
| 294 | RCCB DP 30mA 230v, Ac 32A | each | 206 | PAWAN ENTERPRISE | 2200 | | |
| 295 | RCCB DP 300mA, 230v, Ac 32A | each | 214 | CHIMI JAMYANG ENTERPRISE | 2295 | | |
| 296 | RCCB 4 Pole 100mA, 415v, Ac 32A | each | 222 | CHIMI JAMYANG ENTERPRISE | 2750 | | |
| 297 | MCCB 4 pole 36 KA, 415v, Ac 100A | each | 230 | PAWAN ENTERPRISE | 4500 | | |
| 298 | Astronomical timer Havells | each | 238 | CHIMI JAMYANG ENTERPRISE | 2730 | | |
| 299 | SPN Distribution board without door 2 way | each | 246 | CHIMI JAMYANG ENTERPRISE | 105 | | |
| 300 | SPN Distribution board with metal door 8 way | each | 254 | CHIMI JAMYANG ENTERPRISE | 855 | | |
| 301 | TPN Distribution board with metal door 4 way | each | 262 | PAWAN ENTERPRISE | 1250 | | |
| 302 | TPN Distribution board with acrylic door 12 way | each | 270 | TSHERING NORLHA ENTERPRISE | 5800 | | |
| 303 | 4 strips, 600 mm bar, 200A | set | 280 | Pema Nordhen Enterprise | 7800 | | |
| 304 | 4 strips, 1350 mm bar, 400A | set | 288 | CHIMI JAMYANG ENTERPRISE | 18500 | | |
| 305 | G.I Chemical Earthing 2m | set | 296 | PAWAN ENTERPRISE | 3400 | | |
| 306 | GI wire 18 swg | kg | 304 | CHIMI JAMYANG ENTERPRISE | 105 | | |
| 307 | Charcoal | kg | 312 | SANGAY SALES | 20 | | |
| 308 | Halogen heater 1 side | No | 320 | PAWAN ENTERPRISE | 1300 | | |
| 309 | 20mm dia, 4sq.mm Flat type aluminium alloy thimble | each | 328 | CHIMI JAMYANG ENTERPRISE | 5 | | |
| 310 | 40mm dia, 95sq.mm Flat type aluminium alloy thimble | each | 336 | WOEZER ENTERPRISE | 35 | | |
| 311 | 82mm dia, 500sq.mm Flat type aluminium alloy thimble | each | 344 | WOEZER ENTERPRISE | 50 | | |
| 312 | 35mm dia, 50sq.mm Compression gland brass for 4 core Al. armoured cable | each | 352 | WOEZER ENTERPRISE | 450 | | |
| 313 | 63mm dia, 240sq.mm Compression gland brass for 4 core Al. armoured cable | each | 360 | WOEZER ENTERPRISE | 850 | | |
| 314 | Hose pipe 20mm | roll | 368 | CHIMI JAMYANG ENTERPRISE | 320 | | |
| 315 | 25mm PVC L per packet | each | 380 | CHIMI JAMYANG ENTERPRISE | 250 | | |
| 316 | 32mm metal saddle per box | each | 388 | CHIMI JAMYANG ENTERPRISE | 325 | | |
| 317 | 32mm PVC 2 way Junction Box per packet | each | 396 | Pema Nordhen Enterprise | 540 | | |
| 318 | 32mm PVC 4 way Junction Box per packet | each | 404 | Pema Nordhen Enterprise | 540 | | |
| 319 | Casing and capping 32x12x1.2mm coupler | each | 412 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 320 | Casing and capping 20x12x1.2mm external bent | each | 420 | Pema Nordhen Enterprise | 3 | | |
| 321 | Casing and capping 40x12x1.2mm L | each | 428 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 322 | Ceiling fans 900 mm sweep 1400rpm | set | 436 | TSHERING NORLHA ENTERPRISE | 1350 | | |
| 323 | Metal Exhaust fan 380 mm 60 watt 900rpm | set | 444 | Pema Nordhen Enterprise | 3250 | | |
| 324 | Geyser 25L | each | 452 | SANGAY SALES | 7495 | | |
| 325 | Octogonal pole, 7m height | No. | 460 | CHIMI JAMYANG ENTERPRISE | 11550 | | |
| 326 | Single arm Pole Cap with arm bracket 1.1m long and outer dia. 50/60mm etc. | No. | 468 | CHIMI JAMYANG ENTERPRISE | 1950 | | |

| | | | | | | | |
|-----|--|------|-----|----------------------------|-------|--|--|
| 327 | Neon tester (Taparia or their equivalent) | each | 476 | CHIMI JAMYANG ENTERPRISE | 50 | | |
| 328 | Tester set | each | 484 | Rigsum Enterprise | 70 | | |
| 329 | M-seal | each | 492 | CHIMI JAMYANG ENTERPRISE | 30 | | |
| 330 | Silica gel 250ml | each | 500 | SANGAY SALES | 295 | | |
| 331 | Wooden drill bit 12mm | each | 508 | SANGAY SALES | 125 | | |
| 332 | Metal drill bit 6mm | each | 516 | Pema Nordhen Enterprise | 75 | | |
| 333 | Aluminum collapsable ladder 12' | No. | 524 | SANGAY SALES | 5550 | | |
| 334 | Capacitor 25MF,240V | each | 532 | CHIMI JAMYANG ENTERPRISE | 125 | | |
| 335 | Crimping tool (for cable sizes from 5mm to 50mm) | Set. | 540 | SANGAY SALES | 5500 | | |
| 336 | Leather Golves | Pair | 548 | Pema Nordhen Enterprise | 145 | | |
| 337 | TPN Distribution board with acrylic door 4 way | each | 267 | TSHERING NORLHA ENTERPRISE | 2800 | | |
| 338 | 4 strips, 300 mm bar, 200A | set | 275 | PAWAN ENTERPRISE | 5200 | | |
| 339 | 4 strips, 600 mm bar, 400A | set | 283 | WOEZER ENTERPRISE | 17500 | | |
| 340 | G.I Earthing plate 600x600x6mm | set | 291 | T D ENTERPRISE | 1000 | | |
| 341 | CI cover for earthing 260x260mm complete set | set | 299 | CHIMI JAMYANG ENTERPRISE | 780 | | |
| 342 | Copper wire nacked 10 swg | kg | 307 | SANGAY SALES | 1175 | | |
| 343 | Radiator heater 9 panels | No | 315 | Pema Nordhen Enterprise | 3500 | | |
| 344 | Halogen heater 4 side | No | 323 | SANGAY SALES | 1775 | | |
| 345 | 27mm dia, 16sq.mm Flat type aluminium alloy thimble | each | 331 | SANGAY SALES | 9 | | |
| 346 | 55mm dia, 185sq.mm Flat type aluminium alloy thimble | each | 339 | WOEZER ENTERPRISE | 45 | | |
| 347 | 22mm dia, 6sq.mm Compression gland brass for 4 core Al. armoured cable | each | 347 | WOEZER ENTERPRISE | 350 | | |
| 348 | 45mm dia, 120sq.mm Compression gland brass for 4 core Al. armoured cable | each | 355 | WOEZER ENTERPRISE | 550 | | |
| 349 | 82mm dia, 500sq.mm Compression gland brass for 4 core Al. armoured cable | each | 363 | WOEZER ENTERPRISE | 2500 | | |
| 350 | PVC conduit pipe 20mm per piece | each | 375 | T D ENTERPRISE | 55 | | |
| 351 | 20mm PVC TEE per packet | each | 383 | CHIMI JAMYANG ENTERPRISE | 250 | | |
| 352 | 25mm PVC 1 way Junction Box per packet | each | 391 | SANGAY SALES | 25 | | |
| 353 | 25mm PVC 3 way Junction Box per packet | each | 399 | SANGAY SALES | 25 | | |
| 354 | Casing and capping 32x12x1.2mm | each | 407 | SANGAY SALES | 75 | | |
| 355 | Casing and capping 20x12x1.2mm internal bent | each | 415 | Pema Nordhen Enterprise | 3 | | |
| 356 | Casing and capping 40x12x1.2mm external bent | each | 423 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 357 | Cable jointing kits 25 sq.mm | set | 431 | PAWAN ENTERPRISE | 120 | | |
| 358 | Stand fan | set | 439 | CHIMI JAMYANG ENTERPRISE | 2265 | | |
| 359 | Metal Exhaust fan 450 mm 60 watt 1400rpm | set | 447 | PAWAN ENTERPRISE | 3800 | | |
| 360 | Change over switch TPN switch fuse unit 63A, 415 volt A. | No. | 455 | CHIMI JAMYANG ENTERPRISE | 4225 | | |
| 361 | Nut and bolt 10mm, 3 inch | No. | 463 | CHIMI JAMYANG ENTERPRISE | 10 | | |
| 362 | Four arm Pole Cap with arm bracket 1.1m long and outer dia. 50/60mm etc. | No | 471 | T D ENTERPRISE | 4500 | | |
| 363 | long nose plier 6" (Taparia or their equivalent) | each | 479 | Pema Nordhen Enterprise | 230 | | |
| 364 | Hack saw frame | each | 487 | Rigsum Enterprise | 180 | | |
| 365 | Gypsum screw 45mm (1 kg) | each | 495 | CHIMI JAMYANG ENTERPRISE | 380 | | |
| 366 | Soldering flux | each | 503 | PAWAN ENTERPRISE | 120 | | |
| 367 | Cicular drill 32mm | each | 511 | PAWAN ENTERPRISE | 480 | | |
| 368 | Metal drill bit 12mm | each | 519 | Pema Nordhen Enterprise | 165 | | |
| 369 | Aluminum Ladder 10' (Platform Type) | No. | 527 | CHIMI JAMYANG ENTERPRISE | 8500 | | |
| 370 | 2KW metalhalide OSARMA make bulb HQI-TS 2000W/D/S High flux | each | 535 | WOEZER ENTERPRISE | 210 | | |
| 371 | 4 strips, 300 mm bar, 100A | set | 274 | WOEZER ENTERPRISE | 3200 | | |
| 372 | 4 strips, 600 mm bar, 300A | set | 282 | Pema Nordhen Enterprise | 13500 | | |
| 373 | 4 strips, 1350 mm bar, 800A | set | 290 | CHIMI JAMYANG ENTERPRISE | 33915 | | |

| | | | | | | | |
|-----|--|------|-----|----------------------------|-------|--|--|
| 374 | G.I Chemical Earthing 3m | set | 298 | PAWAN ENTERPRISE | 3900 | | |
| 375 | Copper wire nacked 8 swg | kg | 306 | PAWAN ENTERPRISE | 120 | | |
| 376 | copper spike 25mm dia 900 mm long copper tube four prong at top 85mm dia thick | No | 314 | CHIMI JAMYANG ENTERPRISE | 1565 | | |
| 377 | Halogen heater 3 side | No | 322 | SANGAY SALES | 2150 | | |
| 378 | 25mm dia, 10sq.mm Flat type aluminium alloy thimble | each | 330 | CHIMI JAMYANG ENTERPRISE | 5 | | |
| 379 | 50mm dia, 150sq.mm Flat type aluminium alloy thimble | each | 338 | WOEZER ENTERPRISE | 40 | | |
| 380 | 20mm dia, 4sq.mm Compression gland brass for 4 core Al. armoured cable | each | 346 | WOEZER ENTERPRISE | 350 | | |
| 381 | 40mm dia, 95sq.mm Compression gland brass for 4 core Al. armoured cable | each | 354 | WOEZER ENTERPRISE | 500 | | |
| 382 | 78mm dia, 400sq.mm Compression gland brass for 4 core Al. armoured cable | each | 362 | WOEZER ENTERPRISE | 1800 | | |
| 383 | PVC conduit pipe 15mm per piece | each | 374 | PAWAN ENTERPRISE | 65 | | |
| 384 | 15mm PVC TEE per packet | each | 382 | CHIMI JAMYANG ENTERPRISE | 250 | | |
| 385 | 20mm PVC 1 way Junction Box per packet | each | 390 | SANGAY SALES | 20 | | |
| 386 | 20mm PVC 3 way Junction Box per packet | each | 398 | SANGAY SALES | 20 | | |
| 387 | Casing and capping 25x12x1.2mm | each | 406 | PAWAN ENTERPRISE | 55 | | |
| 388 | Casing and capping 50x12x1.2mm coupler | each | 414 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 389 | Casing and capping 32x12x1.2mm external bent | each | 422 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 390 | Cable jointing kits 16 sq.mm | set | 430 | PAWAN ENTERPRISE | 85 | | |
| 391 | Ceiling fans 1400 mm sweep 1400rpm | set | 438 | TSHERING NORLHA ENTERPRISE | 1700 | | |
| 392 | Metal Exhaust fan 450 mm 60 watt 900rpm | set | 446 | PAWAN ENTERPRISE | 3600 | | |
| 393 | Geyser 50L | each | 454 | TSHERING NORLHA ENTERPRISE | 10700 | | |
| 394 | Nut and bolt 8mm, 3 inch | No. | 462 | CHIMI JAMYANG ENTERPRISE | 8 | | |
| 395 | Triple arm Pole Cap with arm bracket 1.1m long and outer dia. 50/60mm etc. | No. | 470 | CHIMI JAMYANG ENTERPRISE | 3950 | | |
| 396 | Side cutter plier 6" (Taparia or their equivalent) | each | 478 | TSHERING NORLHA ENTERPRISE | 75 | | |
| 397 | Hack saw blade both side blade | each | 486 | T D ENTERPRISE | 10 | | |
| 398 | Gypsum screw 35mm (1 kg) | each | 494 | CHIMI JAMYANG ENTERPRISE | 380 | | |
| 399 | Soldering lead | each | 502 | PAWAN ENTERPRISE | 120 | | |
| 400 | Cicular drill 25mm | each | 510 | PAWAN ENTERPRISE | 250 | | |
| 401 | Metal drill bit 10mm | each | 518 | Pema Nordhen Enterprise | 145 | | |
| 402 | Aluminum collapsable ladder 24' | No. | 526 | SANGAY SALES | 12950 | | |
| 403 | Capacitor 50MF, 240V | each | 534 | CHIMI JAMYANG ENTERPRISE | 125 | | |
| 404 | Hydraulic Crimping tool sizes16-400sq.mm cat 255D | Set. | 542 | T D ENTERPRISE | 20000 | | |
| 405 | TPN Distribution board with acrylic door 8 way | each | 269 | TSHERING NORLHA ENTERPRISE | 4200 | | |
| 406 | 4 strips, 450 mm bar, 100A | set | 277 | WOEZER ENTERPRISE | 4800 | | |
| 407 | 4 strips, 900 mm bar, 400A | set | 285 | WOEZER ENTERPRISE | 13500 | | |
| 408 | Copper chemical earthing 2m | set | 293 | PAWAN ENTERPRISE | 4500 | | |
| 409 | G.I spike earthing 1.8m | set | 301 | CHIMI JAMYANG ENTERPRISE | 650 | | |
| 410 | Copper wire 8swg (4.06 sq.mm) copper wire | kg | 309 | PAWAN ENTERPRISE | 120 | | |
| 411 | Radiator heater 12 panels | No | 317 | Pema Nordhen Enterprise | 4500 | | |
| 412 | Blower heater | No | 325 | Pema Nordhen Enterprise | 2290 | | |
| 413 | 33mm dia, 35sq.mm Flat type aluminium alloy thimble | each | 333 | WOEZER ENTERPRISE | 3 | | |
| 414 | 63mm dia, 240sq.mm Flat type aluminium alloy thimble | each | 341 | WOEZER ENTERPRISE | 45 | | |
| 415 | 27mm dia, 16sq.mm Compression gland brass for 4 core Al. armoured cable | each | 349 | WOEZER ENTERPRISE | 450 | | |
| 416 | 50mm dia, 150sq.mm Compression gland brass for 4 core Al. armoured cable | each | 357 | WOEZER ENTERPRISE | 650 | | |
| 417 | Hose pipe 15mm | roll | 365 | CHIMI JAMYANG ENTERPRISE | 255 | | |
| 418 | PVC conduit pipe 32mm per piece | each | 377 | PAWAN ENTERPRISE | 110 | | |
| 419 | 32mm PVC TEE per packet | each | 385 | CHIMI JAMYANG ENTERPRISE | 250 | | |
| 420 | 15mm PVC 2 way Junction Box per packet | each | 393 | Pema Nordhen Enterprise | 180 | | |

| | | | | | | | |
|-----|--|---------|-----|----------------------------|-------|--|--|
| 421 | 15mm PVC 4 way Junction Box per packet | each | 401 | Pema Nordhen Enterprise | 180 | | |
| 422 | Casing and capping 50x12x1.2mm | each | 409 | PAWAN ENTERPRISE | 95 | | |
| 423 | Casing and capping 32x12x1.2mm internal bent | each | 417 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 424 | Casing and capping 20x12x1.2mm L | each | 425 | Pema Nordhen Enterprise | 3 | | |
| 425 | Cable jointing kits 50 sq.mm | set | 433 | PAWAN ENTERPRISE | 250 | | |
| 426 | Metal Exhaust fan 225 mm 45 watt 1400rpm | set | 441 | TSHERING NORLHA ENTERPRISE | 1200 | | |
| 427 | PVC Exhaust fan 300mm 60 watt 1400rpm | set | 449 | TSHERING NORLHA ENTERPRISE | 1450 | | |
| 428 | Change over switch TPN switch fuse unit 250A, 415 volt A. | No. | 457 | Pema Nordhen Enterprise | 12500 | | |
| 429 | Nut and bolt 10mm, 3 inch with Allenkey screw type | No. | 465 | Pema Nordhen Enterprise | 30 | | |
| 430 | dressed wood mixed conifer wood per cft | per cft | 473 | CHIMI JAMYANG ENTERPRISE | 526 | | |
| 431 | Combination Plier 6" | each | 481 | Pema Nordhen Enterprise | 235 | | |
| 432 | osch cordless drill set (drill 12V, box, wooden and metal drill bit, 2 battery, 1 charger) | each | 489 | CHIMI JAMYANG ENTERPRISE | 4335 | | |
| 433 | Concrete 35 mm nail per kg | each | 497 | SANGAY SALES | 264 | | |
| 434 | Wooden drill bit 6mm | each | 505 | SANGAY SALES | 65 | | |
| 435 | Concrete drill bit 8mm | each | 513 | SANGAY SALES | 95 | | |
| 436 | Concrete drill bit set | set | 521 | SANGAY SALES | 475 | | |
| 437 | A shape Aluminium ladder | each | 529 | SANGAY SALES | 5750 | | |
| 438 | Capacitor 60MF+- 5%, 440VAC | each | 537 | PAWAN ENTERPRISE | 750 | | |
| 439 | TPN Distribution board with acrylic door 6 way | each | 268 | TSHERING NORLHA ENTERPRISE | 3800 | | |
| 440 | 2 strips, 450 mm bar, 100A | set | 276 | WOEZER ENTERPRISE | 4500 | | |
| 441 | 4 strips, 600 mm bar, 600A | set | 284 | WOEZER ENTERPRISE | 22000 | | |
| 442 | Copper Earthing plate 600x600x3mm | set | 292 | PAWAN ENTERPRISE | 1200 | | |
| 443 | CI cover for earthing 300mmx300m complete set | set | 300 | PAWAN ENTERPRISE | 750 | | |
| 444 | Copper wire nacked 14 swg | kg | 308 | SANGAY SALES | 1175 | | |
| 445 | Radiator heater 10 panels | No | 316 | Pema Nordhen Enterprise | 3900 | | |
| 446 | Halogen heater 5 side | No | 324 | SANGAY SALES | 1775 | | |
| 447 | 29mm dia, 25sq.mm Flat type aluminium alloy thimble | each | 332 | SANGAY SALES | 10 | | |
| 448 | 60mm dia, 225sq.mm Flat type aluminium alloy thimble | each | 340 | WOEZER ENTERPRISE | 45 | | |
| 449 | 25mm dia, 10sq.mm Compression gland brass for 4 core Al. armoured cable | each | 348 | WOEZER ENTERPRISE | 350 | | |
| 450 | 45mm dia, 120sq.mm Compression gland brass for 4 core Al. armoured cable | each | 356 | WOEZER ENTERPRISE | 600 | | |
| 451 | 85mm dia, 630sq.mm Compression gland brass for 4 core Al. armoured cable | each | 364 | WOEZER ENTERPRISE | 2800 | | |
| 452 | PVC conduit pipe 25mm per piece | each | 376 | TSHERING NORLHA ENTERPRISE | 80 | | |
| 453 | 25mm PVC TEE per packet | each | 384 | CHIMI JAMYANG ENTERPRISE | 250 | | |
| 454 | 32mm PVC 1 way Junction Box per packet | each | 392 | Pema Nordhen Enterprise | 540 | | |
| 455 | 32mm PVC 3 way Junction Box per packet | each | 400 | Pema Nordhen Enterprise | 540 | | |
| 456 | Casing and capping 40x12x1.2mm | each | 408 | PAWAN ENTERPRISE | 85 | | |
| 457 | Casing and capping 25x12x1.2mm internal bent | each | 416 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 458 | Casing and capping 50x12x1.2mm external bent | each | 424 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 459 | Cable jointing kits 35 sq.mm | set | 432 | PAWAN ENTERPRISE | 120 | | |
| 460 | Table fan | set | 440 | CHIMI JAMYANG ENTERPRISE | 1725 | | |
| 461 | PVC Exhaust fan 300mm 60 watt 900rpm | set | 448 | TSHERING NORLHA ENTERPRISE | 1450 | | |
| 462 | Change over switch TPN switch fuse unit 100A, 415 volt A. | No. | 456 | CHIMI JAMYANG ENTERPRISE | 5660 | | |
| 463 | Nut and bolt 8mm, 3 inch with Allenkey screw type | No. | 464 | Pema Nordhen Enterprise | 25 | | |
| 464 | mixed conifer wood per cft | per cft | 472 | CHIMI JAMYANG ENTERPRISE | 420 | | |
| 465 | Tester set (Taparia or their equivalent) | each | 480 | Pema Nordhen Enterprise | 240 | | |
| 466 | Total Cr-V Hex Key 8PCS Pocket Set - THT1061826 | each | 488 | WOEZER ENTERPRISE | 650 | | |
| 467 | Concrete 25mm nail per kg | each | 496 | SANGAY SALES | 264 | | |

| | | | | | | | |
|-----|--|------|-----|----------------------------|-------|--|--|
| 468 | PH12 drill bit | each | 504 | CHIMI JAMYANG ENTERPRISE | 35 | | |
| 469 | Concrete drill bit 6mm | each | 512 | Pema Nordhen Enterprise | 60 | | |
| 470 | Wooden drill bit set | set | 520 | SANGAY SALES | 480 | | |
| 471 | Aluminum Ladder 8' (Platform Type) | No. | 528 | SANGAY SALES | 6750 | | |
| 472 | Ignitor for disano forum light | each | 536 | WOEZER ENTERPRISE | 2500 | | |
| 473 | 4 strips, 300 mm bar, 300A | set | 281 | Pema Nordhen Enterprise | 11500 | | |
| 474 | 4 strips, 1350 mm bar, 600A | set | 289 | CHIMI JAMYANG ENTERPRISE | 24650 | | |
| 475 | G.I Chemical Earthing 2.5m | set | 297 | CHIMI JAMYANG ENTERPRISE | 3500 | | |
| 476 | G.I strip 25x4mm | m/kg | 305 | CHIMI JAMYANG ENTERPRISE | 105 | | |
| 477 | 25kg Chemical compound bag for chemical earthing | each | 313 | PAWAN ENTERPRISE | 1200 | | |
| 478 | Halogen heater 2 side | No | 321 | PAWAN ENTERPRISE | 1800 | | |
| 479 | 22mm dia, 6sq.mm Flat type aluminium alloy thimble | each | 329 | SANGAY SALES | 4 | | |
| 480 | 45mm dia, 120sq.mm Flat type aluminium alloy thimble | each | 337 | WOEZER ENTERPRISE | 40 | | |
| 481 | 85mm dia, 630sq.mm Flat type aluminium alloy thimble | each | 345 | WOEZER ENTERPRISE | 50 | | |
| 482 | 38mm dia, 70sq.mm Compression gland brass for 4 core Al. armoured cable | each | 353 | WOEZER ENTERPRISE | 450 | | |
| 483 | 70mm dia, 300sq.mm Compression gland brass for 4 core Al. armoured cable | each | 361 | WOEZER ENTERPRISE | 1500 | | |
| 484 | Hose pipe 32mm | roll | 369 | CHIMI JAMYANG ENTERPRISE | 345 | | |
| 485 | 32mm PVC L per packet | each | 381 | CHIMI JAMYANG ENTERPRISE | 250 | | |
| 486 | 15mm PVC 1 way Junction Box per packet | each | 389 | Pema Nordhen Enterprise | 180 | | |
| 487 | 15mm PVC 3 way Junction Box per packet | each | 397 | Pema Nordhen Enterprise | 180 | | |
| 488 | Casing and capping 20x12x1.2mm | each | 405 | PAWAN ENTERPRISE | 45 | | |
| 489 | Casing and capping 40x12x1.2mm coupler | each | 413 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 490 | Casing and capping 25x12x1.2mm external bent | each | 421 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 491 | Casing and capping 50x12x1.2mm L | each | 429 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 492 | Ceiling fans 1200 mm sweep 1400rpm | set | 437 | CHIMI JAMYANG ENTERPRISE | 1400 | | |
| 493 | Metal Exhaust fan 380 mm 60 watt 1400rpm | set | 445 | Pema Nordhen Enterprise | 3300 | | |
| 494 | Geyser 35L | each | 453 | TSHERING NORLHA ENTERPRISE | 10100 | | |
| 495 | Octagonal pole cover (MS sheet fabricated) | No. | 461 | T D ENTERPRISE | 3800 | | |
| 496 | Double arm Pole Cap with arm bracket 1.1m long and outer dia. 50/60mm etc. | No. | 469 | CHIMI JAMYANG ENTERPRISE | 2950 | | |
| 497 | Combination Plier 6" (Taparia or their equivalent) | each | 477 | Pema Nordhen Enterprise | 235 | | |
| 498 | Hack saw blade small | each | 485 | Pema Nordhen Enterprise | 8 | | |
| 499 | Gypsum screw 25mm (1 kg) | each | 493 | CHIMI JAMYANG ENTERPRISE | 380 | | |
| 500 | Silica gel holder | each | 501 | SANGAY SALES | 275 | | |
| 501 | Cicular drill 20mm | each | 509 | PAWAN ENTERPRISE | 230 | | |
| 502 | Metal drill bit 8mm | each | 517 | Pema Nordhen Enterprise | 135 | | |
| 503 | Aluminum collapsable ladder 18' | No. | 525 | SANGAY SALES | 8750 | | |
| 504 | Capacitor MF, 240V | each | 533 | CHIMI JAMYANG ENTERPRISE | 125 | | |
| 505 | Crimping tool (for cable sizes from 50mm to 70mm) | Set. | 541 | SANGAY SALES | 5500 | | |
| 506 | Safety helmet | No. | 549 | SANGAY SALES | 135 | | |
| 507 | 4 strips, 450 mm bar, 200A | set | 278 | WOEZER ENTERPRISE | 5800 | | |
| 508 | 4 strips, 900 mm bar, 600A | set | 286 | CHIMI JAMYANG ENTERPRISE | 24650 | | |
| 509 | Copper chemical earthing 2.5m | set | 294 | PAWAN ENTERPRISE | 4800 | | |
| 510 | GI wire 14swg | kg | 302 | CHIMI JAMYANG ENTERPRISE | 98 | | |
| 511 | Copper strip 25x4mm | m/kg | 310 | PAWAN ENTERPRISE | 1075 | | |
| 512 | Rod heater single rod | No | 318 | PAWAN ENTERPRISE | 890 | | |
| 513 | Voltage stabilizer 0.5 KVA | No | 326 | Pema Nordhen Enterprise | 2500 | | |
| 514 | 35mm dia, 50sq.mm Flat type aluminium alloy thimble | each | 334 | Pema Nordhen Enterprise | 25 | | |

| | | | | | | | |
|-----|---|---------|-----|--------------------------|-------|--|--|
| 515 | 70mm dia, 300sq.mm Flat type aluminium alloy thimble | each | 342 | WOEZER ENTERPRISE | 45 | | |
| 516 | 29mm dia, 25sq.mm Compression gland brass for 4 core Al. armoured cable | each | 350 | WOEZER ENTERPRISE | 450 | | |
| 517 | 55mm dia, 185sq.mm Compression gland brass for 4 core Al. armoured cable | each | 358 | WOEZER ENTERPRISE | 700 | | |
| 518 | Hose pipe 20mm | roll | 366 | CHIMI JAMYANG ENTERPRISE | 320 | | |
| 519 | 15mm PVC L per packet | each | 378 | CHIMI JAMYANG ENTERPRISE | 250 | | |
| 520 | 20mm metal saddle per box | each | 386 | Pema Nordhen Enterprise | 215 | | |
| 521 | 20mm PVC 2 way Junction Box per packet | each | 394 | SANGAY SALES | 20 | | |
| 522 | 20mm PVC 4 way Junction Box per packet | each | 402 | SANGAY SALES | 20 | | |
| 523 | Casing and capping 20x12x1.2mm coupler | each | 410 | Pema Nordhen Enterprise | 3 | | |
| 524 | Casing and capping 40x12x1.2mm internal bent | each | 418 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 525 | Casing and capping 25x12x1.2mm L | each | 426 | CHIMI JAMYANG ENTERPRISE | 3.5 | | |
| 526 | Cable jointing kits 70 sq.mm | set | 434 | PAWAN ENTERPRISE | 320 | | |
| 527 | Metal Exhaust fan 300 mm 60 watt 900rpm | set | 442 | T D ENTERPRISE | 1500 | | |
| 528 | Gyroscopic wall fan 360 degree 300 to 400 mm | set | 450 | SANGAY SALES | 2700 | | |
| 529 | Change over switch TPN switch fuse unit 400A, 415 volt A. | No. | 458 | WOEZER ENTERPRISE | 22000 | | |
| 530 | U nut and bolt with flange, 0.6 m | set | 466 | CHIMI JAMYANG ENTERPRISE | 350 | | |
| 531 | labour charge including fittings per cft | per cft | 474 | CHIMI JAMYANG ENTERPRISE | 95 | | |
| 532 | Side cutter plier 6" | each | 482 | Pema Nordhen Enterprise | 235 | | |
| 533 | Angle grinder 500W | each | 490 | CHIMI JAMYANG ENTERPRISE | 2850 | | |
| 534 | Concrete 45 mm nail per kg | each | 498 | SANGAY SALES | 264 | | |
| 535 | Wooden drill bit 8mm | each | 506 | SANGAY SALES | 85 | | |
| 536 | Concrete drill bit 10mm | each | 514 | SANGAY SALES | 120 | | |
| 537 | Metal drill bit set | set | 522 | Pema Nordhen Enterprise | 1390 | | |
| 538 | Capacitor 2.5MF,240V | each | 530 | T D ENTERPRISE | 50 | | |
| 539 | Gyser thermostat/cutoff switch | each | 538 | SANGAY SALES | 475 | | |
| 540 | Fiber glass measuring tape 100Mtr. | No. | 546 | CHIMI JAMYANG ENTERPRISE | 1365 | | |
| 541 | Digital Multi meter,1.1KV | Set. | 554 | PAWAN ENTERPRISE | 580 | | |
| 542 | Cable stripper with extra blade upto 28mm cable | Set | 562 | WOEZER ENTERPRISE | 1500 | | |
| 543 | Alum Block | Kg | 566 | T D ENTERPRISE | 180 | | |
| 544 | Induction motor, M/c No:UBA32-312, KW:0.37, V:415 A:1.02 RPM:1380, Kirloskar elec | each | 574 | T D ENTERPRISE | 85000 | | |
| 545 | Sliver paint per litre | each | 582 | Pema Nordhen Enterprise | 325 | | |
| 546 | Digital Multi meter/Tongue tester | Set. | 555 | PAWAN ENTERPRISE | 850 | | |
| 547 | Spanner per number | no. | 563 | CHIMI JAMYANG ENTERPRISE | 185 | | |
| 548 | Pipe Wrench 12" | Set | 567 | SANGAY SALES | 334 | | |
| 549 | Connection pipe 15mm dia with rubber connector | each | 575 | CHIMI JAMYANG ENTERPRISE | 125 | | |
| 550 | Paint brush per inch | each | 583 | Pema Nordhen Enterprise | 15 | | |
| 551 | Digital Magger 250V -5000V | No. | 556 | WOEZER ENTERPRISE | 9500 | | |
| 552 | Water meter 1/2" | pcs | 564 | CHIMI JAMYANG ENTERPRISE | 1400 | | |
| 553 | Round seal R542 | each | 568 | T D ENTERPRISE | 1000 | | |
| 554 | 1 HP Rocket fountain with complete set (Single phase) | Set | 576 | WOEZER ENTERPRISE | 9500 | | |
| 555 | Thinner per litre | each | 584 | CHIMI JAMYANG ENTERPRISE | 95 | | |
| 556 | Smart Kit part No. 002H9240L | Set | 557 | Pema Nordhen Enterprise | 1250 | | |
| 557 | Water meter 3/4" | Pcs | 565 | CHIMI JAMYANG ENTERPRISE | 2185 | | |
| 558 | Round seal R532 | each | 569 | T D ENTERPRISE | 1000 | | |
| 559 | Open well submersible pump 0.5 HP (3 phase) | Set | 577 | WOEZER ENTERPRISE | 9500 | | |
| 560 | Safety Glass | Pair | 550 | CHIMI JAMYANG ENTERPRISE | 70 | | |
| 561 | Cordless screw driver part No. 06019608 KO | Set | 558 | WOEZER ENTERPRISE | 7500 | | |

| | | | | | | | |
|-----|--|------|-----|--------------------------|-------|--|--|
| 562 | Water meter 1" | Pcs | 562 | WOEZER ENTERPRISE | 3100 | | |
| 563 | Rectangle seal S223 | each | 570 | T D ENTERPRISE | 1000 | | |
| 564 | N LINE Motor starter Type: MF2A (With total protection against overload and single | Set | 578 | WOEZER ENTERPRISE | 6500 | | |
| 565 | Measuring tape 5m | No. | 543 | CHIMI JAMYANG ENTERPRISE | 125 | | |
| 566 | Safety Mask | pcs | 551 | PAWAN ENTERPRISE | 100 | | |
| 567 | less drill XPT482 X TRA-POWER 12v 1300mAh 0-400/0-1350 rpm No. 4822020010 | Set | 559 | CHIMI JAMYANG ENTERPRISE | 4300 | | |
| 568 | Water Meter 1 1/2" | Pcs | 563 | CHIMI JAMYANG ENTERPRISE | 10300 | | |
| 569 | Rectangle seal S224 | each | 571 | T D ENTERPRISE | 1000 | | |
| 570 | Welding electrodes 8mm | Pkt | 579 | PAWAN ENTERPRISE | 300 | | |
| 571 | Fiber glass measuring tape 30Mtr. | No. | 544 | CHIMI JAMYANG ENTERPRISE | 335 | | |
| 572 | Gumboot | Pair | 552 | SANGAY SALES | 475 | | |
| 573 | Cross wheel spanner | Set | 560 | WOEZER ENTERPRISE | 1500 | | |
| 574 | Water meter 2" | Pcs | 564 | PAWAN ENTERPRISE | 85 | | |
| 575 | on motor, Model M13, Max output:50(LPH), Max press 5, HZ:50, KW:0.37, V:415+-1 | each | 572 | T D ENTERPRISE | 65000 | | |
| 576 | Welding electrodes 10mm | Pkt | 580 | CHIMI JAMYANG ENTERPRISE | 450 | | |
| 577 | Fiber glass measuring tape 50Mtr. | No. | 545 | CHIMI JAMYANG ENTERPRISE | 585 | | |
| 578 | Safety Belt | No. | 553 | PAWAN ENTERPRISE | 680 | | |
| 579 | Ratched/socket type wrench | Set | 561 | Pema Nordhen Enterprise | 2950 | | |
| 580 | Chlorine powder | Kg | 565 | T D ENTERPRISE | 95 | | |
| 581 | Speed reducer motor, Model CDS-15:1/12, Ratio 1:15, Volt:220,A:0.48, RPM:1400 | each | 573 | T D ENTERPRISE | 55000 | | |
| 582 | Welding electrodes 12mm | Pkt | 581 | CHIMI JAMYANG ENTERPRISE | 450 | | |