

| Comparative for Electrical materials for the FY2024-2025 | | | | |
|--|--|------|-------------------------------|------------------------|
| Sl.No | Item Name & Description | Unit | Winner | Quoted Amount (In Nu.) |
| 1 | 4 sq.mm PVC insulated multistrand copper conductor, 1.1kV Grade | m | DPZ Trading House | 35 |
| 2 | 25 sq.mm Power Cables (1.1kV) 4-Core Copper - Armoured, PVC insulated & sheathed | m | Palden Phuntshok(P.P) Traders | 565 |
| 3 | 2.5 sq.mm Power Cables (1.1kV) 3- Core Copper- Unarmoured, PVC insulated & sheathed | m | Palden Phuntshok(P.P) Traders | 85.5 |
| 4 | 10 sq.mm Power Cables (1.1kV) 4-Core Copper - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 439.025 |
| 5 | 10 sq.mm Power Cables (1.1kV) 2- Core Aluminium-Armoured, PVC insulated & sheathed | m | DPZ Trading House | 92.125 |
| 6 | 6 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 94.6 |
| 7 | 4 sq.mm Power Cables (1.1kV) 2- Core Aluminium-Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 33.362 |
| 8 | 16 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 112.75 |
| 9 | 185 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 894.762 |
| 10 | 25mm dia, 10sq.mm Flat type Brass Thimble/lugs 1.1KV | each | R. K Enterprise | 39 |
| 11 | 50mm dia, 150sq.mm Flat type Brass Thimble/lugs 1.1KV | each | PAWAN ENTERPRISE | 120 |
| 12 | 38mm dia, 70sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | R. K Enterprise | 34 |

| | | | | |
|----|---|------|--------------------------|----------|
| 13 | 25mm x 1.6mm Steel Conduit | m | THINLEY NORBU ENTERPRISE | 81 |
| 14 | Junction box, 3 or 4 way MS Conduit | each | THINLEY NORBU ENTERPRISE | 30 |
| 15 | 15x10x1.2mm PVC Casing & Cappings | m | PAWAN ENTERPRISE | 20 |
| 16 | 20 mm HDPE Pipe pressure class 4kg/sq.cm | m | T D ENTERPRISE | 20 |
| 17 | 3 Module PVC Boxes (Surface) | each | THINLEY NORBU ENTERPRISE | 53 |
| 18 | 2 Module Metal Boxes | each | THINLEY NORBU ENTERPRISE | 46 |
| 19 | Plate 1-module with frame Plate & Frame | each | T D ENTERPRISE | 65 |
| 20 | 6A switch SP 1-way Switches & Socket | each | Pema Nordhen Enterprise | 19 |
| 21 | Modular Dimmer / regulator (100W) Switches & Socket | each | THINLEY NORBU ENTERPRISE | 164 |
| 22 | 4 sq.mm Power Cables (1.1kV) 4-Core Copper - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 217.725 |
| 23 | 4 sq.mm Power Cables (1.1kV) 2- Core Copper- Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 107.888 |
| 24 | 16 sq.mm Power Cables (1.1kV) 3- Core Copper- Unarmoured, PVC insulated & sheathed | m | PAWAN ENTERPRISE | 550 |
| 25 | 50 sq.mm Power Cables (1.1kV) 4-Core Copper - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 2205.462 |
| 26 | 50 sq.mm Power Cables (1.1kV) 3.5-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 280.25 |
| 27 | 35 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 235.862 |

| | | | | |
|----|--|------|-------------------------------|----------|
| 28 | 2.5 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | Pema Nordhen Enterprise | 126 |
| 29 | 70 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 395.812 |
| 30 | 500 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 2614.413 |
| 31 | 35mm dia, 50sq.mm Flat type Brass Thimble/lugs 1.1KV | each | PAWAN ENTERPRISE | 50 |
| 32 | 27mm dia, 16sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | THINLEY NORBU ENTERPRISE | 9 |
| 33 | C.I Route Marker, 150x100x6mm Route Marker/ Cable Joint Box | each | Palden Phuntshok(P.P) Traders | 2550 |
| 34 | Junction box, 3 or 4 way Steel Conduit | each | THINLEY NORBU ENTERPRISE | 30 |
| 35 | PVC Socket PVC accessories | each | Pema Nordhen Enterprise | 8 |
| 36 | 30x10x1.2 mm PVC Casing & Cappings | m | THINLEY NORBU ENTERPRISE | 32.8 |
| 37 | 50 mm HDPE Pipe pressure class 4kg/sq.cm | m | Palden Phuntshok(P.P) Traders | 77.5 |
| 38 | 8 Module (Square) PVC Boxes (Surface) | each | THINLEY NORBU ENTERPRISE | 105 |
| 39 | 8 Module (Linear) Metal Boxes | each | THINLEY NORBU ENTERPRISE | 125 |
| 40 | Plate 6-module with frame Plate & Frame | each | PAWAN ENTERPRISE | 125 |
| 41 | 16A swith SP 2-way Switches & Socket | each | THINLEY NORBU ENTERPRISE | 93 |
| 42 | 6 sq.mm Power Cables (1.1kV) 4-Core Copper - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 307.8 |

| | | | | |
|----|--|------|-------------------------------|---------|
| 43 | 6 sq.mm Power Cables (1.1kV) 2- Core Copper- Unarmoured, PVC insulated & sheathed | m | Palden Phuntshok(P.P) Traders | 145 |
| 44 | 25 sq.mm Power Cables (1.1kV) 3- Core Copper- Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 900.075 |
| 45 | 2.5 sq.mm Power Cables (1.1kV) 2- Core Aluminium-Armoured, PVC insulated & sheathed | m | DPZ Trading House | 52.812 |
| 46 | 70 sq.mm Power Cables (1.1kV) 3.5-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 391.775 |
| 47 | 50 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 315.25 |
| 48 | 4 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 50.225 |
| 49 | 95 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 471.75 |
| 50 | 630 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | Pema Nordhen Enterprise | 650 |
| 51 | 38mm dia, 70sq.mm Flat type Brass Thimble/lugs 1.1KV | each | PAWAN ENTERPRISE | 80 |
| 52 | 29mm dia, 25sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | THINLEY NORBU ENTERPRISE | 11 |
| 53 | Straight through cable joint box Route Marker/ Cable Joint Box | each | Palden Phuntshok(P.P) Traders | 2050 |
| 54 | 20mm Inspection bend for conduit Steel Conduit | each | THINLEY NORBU ENTERPRISE | 30 |

| | | | | |
|----|---|------|-------------------------------|------|
| 55 | Junction box, 1 or 2 way for conduit PVC accessories | each | R. K Enterprise | 9 |
| 56 | 40x20x1.2 mm PVC Casing & Cappings | m | PAWAN ENTERPRISE | 40 |
| 57 | 63mm HDPE Pipe pressure class 4kg/sq.cm | m | T D ENTERPRISE | 95 |
| 58 | 12 Module PVC Boxes (Surface) | each | THINLEY NORBU ENTERPRISE | 133 |
| 59 | 8 Module (Square) Metal Boxes | each | THINLEY NORBU ENTERPRISE | 125 |
| 60 | Plate 8-module with frame Plate & Frame | each | PAWAN ENTERPRISE | 145 |
| 61 | 16A fuse unit Switches & Socket | each | THINLEY NORBU ENTERPRISE | 108 |
| 62 | Cord-grip, PVC 2-core Holders & Plugs | m | Pema Nordhen Enterprise | 100 |
| 63 | Globe dia 250mm, for single lamp Indoor Luminares General Lighting System | each | Palden Phuntshok(P.P) Traders | 1070 |
| 64 | Double mirror light 610mm Indoor Luminares General Lighting System | each | PAWAN ENTERPRISE | 400 |
| 65 | 16W Indoor Luminares Surface Round/Square LED Luminaire of 3000/4000/6000k | each | NORGU Traders | 520 |
| 66 | 22W Indoor Luminares Surface LED Tube light Luminaire of 3000/4000/6000k | each | NORGU Traders | 250 |
| 67 | 22W Indoor Luminares Surface Down light LED Luminaire of 3000/4000/6000k | each | NORGU Traders | 580 |
| 68 | 18W Indoor Luminares Surface Decorative wall light LED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1320 |
| 69 | 8W Indoor Luminares (10X3 mm) Flexible LED strip Lighting | m | PAWAN ENTERPRISE | 130 |
| 70 | 12W Indoor Luminares Recessed Round/Square LED Luminaire of 3000/4000/6000k | each | NORGU Traders | 440 |
| 71 | 24W (4ftx1ft) Indoor Luminares Recessed Square sleek panel LED Luminaire of 3000/4000/6000k | each | UAD Trading | 1550 |

| | | | | |
|----|--|------|-------------------------------|------|
| 72 | 5W Indoor Luminiare Recessed Down light LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 350 |
| 73 | 6W Outdoor Luminiare Surface Round/squareLED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 750 |
| 74 | 42W Outdoor Luminiare Surface Round/squareLED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 4250 |
| 75 | 16W Outdoor Luminiare Recessed Round/square LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1390 |
| 76 | 15W(10x2.2 mm) Outdoor Luminiare Flexible LED strip Lighting | m | Pema Nordhen Enterprise | 175 |
| 77 | 42W Outdoor Luminiare Under water LED lighting (R), (BC) depth not less than 0.6m | each | Palden Phuntshok(P.P) Traders | 4765 |
| 78 | 100W Outdoor Luminiare LED Street light luminiare with 3000/4000/6000K (Havells) | each | THINLEY NORBU ENTERPRISE | 2578 |
| 79 | MS junction box out door duty, fabricated with 14SWG MS sheet | each | PAWAN ENTERPRISE | 850 |
| 80 | Bell push 6A Switches & Socket | each | SANGAY SALES | 35 |
| 81 | Buzzer bell assembly Call bell 250 volt A.C | each | R. K Enterprise | 199 |
| 82 | Wall bracket 230mm, for single lamp Indoor Luminiare General Lighting System | each | Palden Phuntshok(P.P) Traders | 710 |
| 83 | 6W Indoor Luminiare Surface Round/Square LED Luminiare of 3000/4000/6000k | each | THINLEY NORBU ENTERPRISE | 385 |
| 84 | 42W Indoor Luminiare Surface Round/Square LED Luminiare of 3000/4000/6000k | each | Palden Phuntshok(P.P) Traders | 1690 |
| 85 | 9W Indoor Luminiare Surface Down light LED Luminiare of 3000/4000/6000k | each | Palden Phuntshok(P.P) Traders | 730 |
| 86 | 8W Indoor Luminiare Surface Decorative wall light LED Luminiare of 3000/4000/6000k | each | R. K Enterprise | 749 |
| 87 | 6W Indoor Luminiare Surface Decorative Mirror light LED Luminiare of 3000/4000/6000k | each | PAWAN ENTERPRISE | 280 |

| | | | | |
|-----|---|------|-------------------------------|-------|
| 88 | 3W Indoor Luminares Recessed Round/Square LED Luminiare of 3000/4000/6000k | each | PAWAN ENTERPRISE | 280 |
| 89 | 22W Indoor Luminares Recessed Round/Square LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 490 |
| 90 | 24W (2ftx2ft) Indoor Luminares Recessed Square sleek panel LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 2500 |
| 91 | 18W Indoor Luminares Recessed Down light LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 450 |
| 92 | 16W Outdoor Luminiare Surface Round/square LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1190 |
| 93 | 6W Outdoor Luminiare Recessed Round/square LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 680 |
| 94 | 42W Outdoor Luminiare Recessed Round/square LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 4250 |
| 95 | 150W Outdoor Luminiare Flood light LED based luminaire with die cast housing and toughened glass cover for out door application | each | NORGU Traders | 2800 |
| 96 | Ruby clear 35W LED compound light | each | TSHERING NORLHA ENTERPRISE | 2800 |
| 97 | 11 m, 141kg Swaged type Street Light Steel Tubular Pole (410 MPa) with base plate | each | T D ENTERPRISE | 18500 |
| 98 | Batten holder (heavy duty, brass) Holders & Plugs | each | T D ENTERPRISE | 30 |
| 99 | Musical bell assembly Call bell 250 volt A.C | each | Pema Nordhen Enterprise | 195 |
| 100 | Double wall bracket 160mm Indoor Luminares General Lighting System | each | Palden Phuntshok(P.P) Traders | 825 |
| 101 | 8W Indoor Luminares Surface Round/Square LED Luminiare of 3000/4000/6000k | each | THINLEY NORBU ENTERPRISE | 390 |
| 102 | 9W Indoor Luminares Surface LED Tube light Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 165 |

| | | | | |
|-----|---|------|-------------------------------|-------|
| 103 | 10W Indoor Luminares Surface Down light LED Luminaire of 3000/4000/6000k | each | NORGU Traders | 440 |
| 104 | 12W Indoor Luminares Surface Decorative wall light LED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 900 |
| 105 | 8W Indoor Luminares Surface Decorative Mirror light LED Luminaire of 3000/4000/6000k | each | PAWAN ENTERPRISE | 300 |
| 106 | 5W Indoor Luminares Recessed Round/Square LED Luminaire of 3000/4000/6000k | each | PAWAN ENTERPRISE | 300 |
| 107 | 36W Indoor Luminares Recessed Round/Square LED Luminaire of 3000/4000/6000k | each | R. K Enterprise | 1894 |
| 108 | 36W (2ftx2ft) Indoor Luminares Recessed Square sleek panel LED Luminaire of 3000/4000/6000k | each | THINLEY NORBU ENTERPRISE | 2038 |
| 109 | 30W Indoor Luminares Recessed Down light LED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1999 |
| 110 | 18W Outdoor Luminaire Surface Round/squareLED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1450 |
| 111 | 8W Outdoor Luminaire Recessed Round/square LED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 850 |
| 112 | 5W (8X2.2 mm) Outdoor Luminaire Flexible LED strip Lighting | m | Pema Nordhen Enterprise | 140 |
| 113 | 200W Outdoor Luminaire Flood light LED based luminaire with die cast housing and toughened glass cover for out door application | each | R. K Enterprise | 4249 |
| 114 | 60 W (BC/ES) Outdoor Luminaire Post top globe lantern suitable for LED lamps with 3000/4000/6000k | each | T D ENTERPRISE | 900 |
| 115 | 16 sq.mm PVC insulated multistrand copper conductor, 1.1kV Grade | m | DPZ Trading House | 84.75 |
| 116 | 2.5 sq.mm Power Cables (1.1kV) 2- Core Copper-Unarmoured, PVC insulated & sheathed | m | Palden Phuntshok(P.P) Traders | 75.5 |

| | | | | |
|-----|--|------|-----------------------------|----------|
| 117 | 10 sq.mm Power Cables (1.1kV) 3- Core Copper- Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 368.062 |
| 118 | 35 sq.mm Power Cables (1.1kV) 4-Core Copper - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 1615.137 |
| 119 | 35 sq.mm Power Cables (1.1kV) 3.5-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 207.025 |
| 120 | 25 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 175.275 |
| 121 | 16 sq.mm Power Cables (1.1kV) 2- Core Aluminium-Unarmoured, PVC insulated & sheathed | m | T D ENTERPRISE | 65 |
| 122 | 50 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 265.675 |
| 123 | 400 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 1874.55 |
| 124 | 33mm dia, 35sq.mm Flat type Brass Thimble/lugs 1.1KV | each | PAWAN ENTERPRISE | 45 |
| 125 | 25mm dia, 10sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | Pema Nordhen Enterprise | 6 |
| 126 | 50mm dia, 150sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | Pema Nordhen Enterprise | 65 |
| 127 | 20mm Junction box, 1 or 2 way for conduit Steel Conduit | each | THINLEY NORBU ENTERPRISE | 30 |
| 128 | 32 mm,14SWG PVC Conduit | m | PAWAN ENTERPRISE | 45 |
| 129 | 25x10x1.2mm PVC Casing & Cappings | m | THINLEY NORBU ENTERPRISE | 27.5 |

| | | | | |
|-----|---|------|-------------------------------|------|
| 130 | 40 mm HDPE Pipe pressure class 4kg/sq.cm | m | PAWAN ENTERPRISE | 45 |
| 131 | 8 Module (Linear) PVC Boxes (Surface) | each | THINLEY NORBU ENTERPRISE | 105 |
| 132 | 6 Module Metal Boxes | each | WOEZER ENTERPRISE | 90 |
| 133 | Plate 4-module with frame Plate & Frame | each | PAWAN ENTERPRISE | 90 |
| 134 | 20A modular socket | each | SANGAY SALES | 92 |
| 135 | RJ 11 telephone socket Switches & Socket | each | T D ENTERPRISE | 85 |
| 136 | Gong bell assembly Call bell 250 volt A.C | each | UAD Trading | 200 |
| 137 | Wall bracket 225mm, for single lamp Indoor Luminares General Lighting System | each | Palden Phuntshok(P.P) Traders | 605 |
| 138 | 5W Indoor Luminares Surface Round/Square LED Luminaire of 3000/4000/6000k | each | PAWAN ENTERPRISE | 320 |
| 139 | 36W Indoor Luminares Surface Round/Square LED Luminaire of 3000/4000/6000k | each | Palden Phuntshok(P.P) Traders | 1605 |
| 140 | 5W Indoor Luminares Surface Down light LED Luminaire of 3000/4000/6000k | each | R. K Enterprise | 449 |
| 141 | 6W Indoor Luminares Surface Decorative wall light LED Luminaire of 3000/4000/6000k | each | R. K Enterprise | 549 |
| 142 | 5W Indoor Luminares Surface Decorative Mirror light LED Luminaire of 3000/4000/6000k | each | PAWAN ENTERPRISE | 250 |
| 143 | 0.5W Indoor Luminares Recessed Round/Square LED Luminaire of 3000/4000/6000k | each | PAWAN ENTERPRISE | 250 |
| 144 | 18W Indoor Luminares Recessed Round/Square LED Luminaire of 3000/4000/6000k | each | NORGU Traders | 490 |
| 145 | 18W (2ftx2ft) Indoor Luminares Recessed Square sleek panel LED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 2300 |
| 146 | 13W Indoor Luminares Recessed Down light LED Luminaire of 3000/4000/6000k | each | NORGU Traders | 450 |
| 147 | 15W Outdoor Luminaire Surface Round/squareLED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1150 |

| | | | | |
|-----|---|------|-------------------------------|----------|
| 148 | 5W Outdoor Luminaire Recessed Round/square LED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 650 |
| 149 | 36W Outdoor Luminaire Recessed Round/square LED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 3250 |
| 150 | 100W Outdoor Luminaire Flood light LED based luminaire with die cast housing and toughened glass cover for out door application | each | NORGU Traders | 1800 |
| 151 | Ruby clear 25W LED compound light | each | TSHERING NORLHA ENTERPRISE | 2500 |
| 152 | 9 m, 141kg Swaged type Street Light Steel Tubular Pole (410 MPa) with base plate | each | T D ENTERPRISE | 17500 |
| 153 | 10 sq.mm PVC insulated multistrand copper conductor, 1.1kV Grade | m | DPZ Trading House | 54.45 |
| 154 | 50 sq.mm Power Cables (1.1kV) 4-Core Copper - Armoured, PVC insulated & sheathed | m | Palden Phuntshok(P.P) Traders | 603 |
| 155 | 6 sq.mm Power Cables (1.1kV) 3- Core Copper- Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 222.263 |
| 156 | 25 sq.mm Power Cables (1.1kV) 4-Core Copper - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 1178.388 |
| 157 | 25 sq.mm Power Cables (1.1kV) 3.5-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 163.612 |
| 158 | 16 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 139.312 |
| 159 | 10 sq.mm Power Cables (1.1kV) 2- Core Aluminium-Unarmoured, PVC insulated & sheathed | m | T D ENTERPRISE | 55 |

| | | | | |
|-----|--|------|-------------------------------|----------|
| 160 | 35 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 198.613 |
| 161 | 300 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 1423.638 |
| 162 | 29mm dia, 25sq.mm Flat type Brass Thimble/lugs 1.1KV | each | PAWAN ENTERPRISE | 45 |
| 163 | 22mm dia, 6sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | Pema Nordhen Enterprise | 5 |
| 164 | 45mm dia, 120sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | Pema Nordhen Enterprise | 50 |
| 165 | Steel Saddle Steel Conduit | each | THINLEY NORBU ENTERPRISE | 7 |
| 166 | 25 mm,16SWG PVC Conduit | m | TSHERING NORLHA ENTERPRISE | 27 |
| 167 | 20x12x1.2mm PVC Casing & Cappings | m | UAD Trading | 23 |
| 168 | 32 mm HDPE Pipe pressure class 4kg/sq.cm | m | PAWAN ENTERPRISE | 35 |
| 169 | 6 Module PVC Boxes (Surface) | each | THINLEY NORBU ENTERPRISE | 75 |
| 170 | 4 Module Metal Boxes | each | WOEZER ENTERPRISE | 75 |
| 171 | Plate 3-module with frame Plate & Frame | each | PAWAN ENTERPRISE | 80 |
| 172 | 20A modular switch SP 1-way Switches & Socket | each | THINLEY NORBU ENTERPRISE | 78 |
| 173 | RJ 45 computer socket Switches & Socket | each | UAD Trading | 60 |
| 174 | Ceiling Rose, 2 plate (PVC) 6A Holders & Plugs | each | T D ENTERPRISE | 20 |
| 175 | Wall bracket 185mm, for single lamp Indoor Luminiare General Lighting System | each | Palden Phuntshok(P.P) Traders | 565 |
| 176 | 3W Indoor Luminiare Surface Round/Square LED Luminiare of 3000/4000/6000k | each | SANGAY SALES | 170 |

| | | | | |
|-----|--|------|-------------------------------|-------|
| 177 | 22W Indoor Luminiare Surface Round/Square LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 580 |
| 178 | 42W Indoor Luminiare Surface LED Tube light Luminiare of 3000/4000/6000k | each | PAWAN ENTERPRISE | 350 |
| 179 | 3W Indoor Luminiare Surface Decorative wall light LED Luminiare of 3000/4000/6000k | each | R. K Enterprise | 399 |
| 180 | 3W Indoor Luminiare Surface Decorative Mirror light LED Luminiare of 3000/4000/6000k | each | PAWAN ENTERPRISE | 150 |
| 181 | 15W Indoor Luminiare (10x2.2 mm) Flexible LED strip Lighting | m | PAWAN ENTERPRISE | 165 |
| 182 | 16W Indoor Luminiare Recessed Round/Square LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 490 |
| 183 | 42W (4ftx1ft) Indoor Luminiare Recessed Square sleek panel LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 5900 |
| 184 | 10W Indoor Luminiare Recessed Down light LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 420 |
| 185 | 12W Outdoor Luminiare Surface Round/squareLED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 950 |
| 186 | 3W Outdoor Luminiare Recessed Round/square LED Luminiare of 3000/4000/6000k | each | T D ENTERPRISE | 300 |
| 187 | 22W Outdoor Luminiare Recessed Round/square LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1690 |
| 188 | 70W Outdoor Luminiare Flood light LED based luminaire with die cast housing and toughened glass cover for out door application | each | NORGU Traders | 1800 |
| 189 | 100W Outdoor Luminiare Under water LED lighting (R), (BC) depth not less than 0.6m | each | Palden Phuntshok(P.P) Traders | 7655 |
| 190 | 8.5m, 141 kg Swaged type Street Light Steel Tubular Pole (410 MPa) with base plate | each | T D ENTERPRISE | 16500 |

| | | | | |
|-----|--|------|-------------------------------|---------|
| 191 | 6 sq.mm PVC insulated multistrand copper conductor, 1.1kV Grade | m | DPZ Trading House | 53.375 |
| 192 | 35 sq.mm Power Cables (1.1kV) 4-Core Copper - Armoured, PVC insulated & sheathed | m | Palden Phuntshok(P.P) Traders | 595 |
| 193 | 4 sq.mm Power Cables (1.1kV) 3- Core Copper-Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 153.575 |
| 194 | 16 sq.mm Power Cables (1.1kV) 4-Core Copper - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 716.688 |
| 195 | 16 sq.mm Power Cables (1.1kV) 2- Core Aluminium-Armoured, PVC insulated & sheathed | m | DPZ Trading House | 104.65 |
| 196 | 10 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 130.238 |
| 197 | 6 sq.mm Power Cables (1.1kV) 2- Core Aluminium-Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 46.65 |
| 198 | 25 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 160.375 |
| 199 | 240 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 1168.95 |
| 200 | 27mm dia, 16sq.mm Flat type Brass Thimble/lugs 1.1KV | each | PAWAN ENTERPRISE | 45 |
| 201 | 20mm dia, 4sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | Pema Nordhen Enterprise | 5 |
| 202 | 40mm dia, 95sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | THINLEY NORBU ENTERPRISE | 28 |
| 203 | 32mm x 2mm Steel Conduit | m | Pema Nordhen Enterprise | 153 |

| | | | | |
|-----|--|------|----------------------------|------|
| 204 | 20 mm,18SWG PVC Conduit | m | TSHERING NORLHA ENTERPRISE | 20 |
| 205 | 20x10x1.2 mm PVC Casing & Cappings | m | PAWAN ENTERPRISE | 22 |
| 206 | 25 mm HDPE Pipe pressure class 4kg/sq.cm | m | PAWAN ENTERPRISE | 25 |
| 207 | 4 Module PVC Boxes (Surface) | each | THINLEY NORBU ENTERPRISE | 58 |
| 208 | 3 Module Metal Boxes | each | TSHERING NORLHA ENTERPRISE | 63 |
| 209 | Plate 2-module with frame Plate & Frame | each | SANGAY SALES | 74 |
| 210 | 10A modular switch SP 1-way Switches & Socket | each | R. K Enterprise | 49 |
| 211 | TV coaxial socket Switches & Socket | each | T D ENTERPRISE | 85 |
| 212 | Twin flexible wire (twisted) heavy duty Holders & Plugs | m | R. K Enterprise | 9 |
| 213 | Wall bracket 160mm,for single lamp Indoor Luminiare General Lighting System | each | PAWAN ENTERPRISE | 550 |
| 214 | 0.5W Indoor Luminiare Surface Round/Square LED Luminiare of 3000/4000/6000k s | each | PAWAN ENTERPRISE | 150 |
| 215 | 18W Indoor Luminiare Surface Round/Square LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 580 |
| 216 | 36W Indoor Luminiare Surface LED Tube light Luminiare of 3000/4000/6000k | each | PAWAN ENTERPRISE | 320 |
| 217 | 0.5W Indoor Luminiare Surface Decorative wall light LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 590 |
| 218 | 22W Indoor Luminiare Surface Decorative wall light LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1590 |
| 219 | 8w Indoor Luminiare (10X2.2 mm) Flexible LED strip Lighting | m | Pema Nordhen Enterprise | 145 |
| 220 | 15W Indoor Luminiare Recessed Round/Square LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 450 |

| | | | | |
|-----|--|------|-------------------------------|---------|
| 221 | 36W (4ftx1ft) Indoor Luminiare Recessed Square sleek panel LED Luminiare of 3000/4000/6000k | each | THINLEY NORBU ENTERPRISE | 2380 |
| 222 | 9W Indoor Luminiare Recessed Down light LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 420 |
| 223 | 8W Outdoor Luminiare Surface Round/squareLED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 800 |
| 224 | 0.5W Outdoor Luminiare Recessed Round/square LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 550 |
| 225 | 18W Outdoor Luminiare Recessed Round/square LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1490 |
| 226 | 50W (RED) Outdoor Luminiare Flood light LED based luminiare with die cast housing and toughened glass cover for out door application | each | THINLEY NORBU ENTERPRISE | 1197 |
| 227 | 75W Outdoor Luminiare Under water LED lighting (R), (BC) depth not less than 0.6m | each | Palden Phuntshok(P.P) Traders | 5990 |
| 228 | 5.5 m, 141kg Swaged type Street Light Steel Tubular Pole (410 MPa) with base plate | each | R. K Enterprise | 14994 |
| 229 | 1.5 sq.mm PVC insulated multistrand copper conductor, 1.1kV Grade | m | DPZ Trading House | 14.375 |
| 230 | 10 sq.mm Power Cables (1.1kV) 4-Core Copper - Armoured, PVC insulated & sheathed | m | Palden Phuntshok(P.P) Traders | 365 |
| 231 | 10 sq.mm Power Cables (1.1kV) 2- Core Copper- Unarmoured, PVC insulated & sheathed | m | Palden Phuntshok(P.P) Traders | 165.5 |
| 232 | 4 sq.mm Power Cables (1.1kV) 4-Core Copper - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 190.188 |
| 233 | 4 sq.mm Power Cables (1.1kV) 2- Core Aluminium-Armoured, PVC insulated & sheathed | m | PAWAN ENTERPRISE | 35 |
| 234 | 2.5 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 65.438 |

| | | | | |
|-----|---|------|----------------------------|---------|
| 235 | 70 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 444.188 |
| 236 | 6 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 67.713 |
| 237 | 120 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 583.963 |
| 238 | 20mm dia, 4sq.mm Flat type Brass Thimble/lugs 1.1KV | each | R. K Enterprise | 19 |
| 239 | 40mm dia, 95sq.mm Flat type Brass Thimble/lugs 1.1KV | each | PAWAN ENTERPRISE | 80 |
| 240 | 33mm dia, 35sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | THINLEY NORBU ENTERPRISE | 13 |
| 241 | 15mmx 1.6mm Steel Conduit | m | Pema Nordhen Enterprise | 65 |
| 242 | 20mm socket for conduit Steel Conduit | each | THINLEY NORBU ENTERPRISE | 30 |
| 243 | Inspection bend for conduit PVC accessories | each | THINLEY NORBU ENTERPRISE | 7 |
| 244 | 50x20x1.2mm PVC Casing & Cappings | m | PAWAN ENTERPRISE | 45 |
| 245 | 1 Module PVC Boxes (Surface) | each | THINLEY NORBU ENTERPRISE | 42 |
| 246 | 18 Module PVC Boxes (Surface) | each | THINLEY NORBU ENTERPRISE | 175 |
| 247 | 12 Module Metal Boxes | each | WOEZER ENTERPRISE | 150 |
| 248 | Plate 12-module with frame Plate & Frame | each | PAWAN ENTERPRISE | 160 |
| 249 | 5/6 pin, 6/16A box type socket outlet without indicator, with shutter Switches & Socket | each | TSHERING NORLHA ENTERPRISE | 140 |
| 250 | Plain pendant holder (bakelite) Holders & Plugs | each | WOEZER ENTERPRISE | 28 |

| | | | | |
|-----|---|------|-------------------------------|------|
| 251 | Globe dia 150mm, for single lamp Indoor Luminares General Lighting System | each | PAWAN ENTERPRISE | 750 |
| 252 | Double wall bracket 200mm Indoor Luminares General Lighting System | each | Palden Phuntshok(P.P) Traders | 965 |
| 253 | 12W Indoor Luminares Surface Round/Square LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 520 |
| 254 | 18W Indoor Luminares Surface LED Tube light Luminiare of 3000/4000/6000k | each | THINLEY NORBU ENTERPRISE | 165 |
| 255 | 13W Indoor Luminares Surface Down light LED Luminiare of 3000/4000/6000k | each | NORGU Traders | 520 |
| 256 | 15W Indoor Luminares Surface Decorative wall light LED Luminiare of 3000/4000/6000k | each | UAD Trading | 650 |
| 257 | 10W Indoor Luminares Surface Decorative Mirror light LED Luminiare of 3000/4000/6000k | each | PAWAN ENTERPRISE | 320 |
| 258 | 6W Indoor Luminares Recessed Round/Square LED Luminiare of 3000/4000/6000k | each | PAWAN ENTERPRISE | 320 |
| 259 | 42W Indoor Luminares Recessed Round/Square LED Luminiare of 3000/4000/6000k | each | R. K Enterprise | 2794 |
| 260 | 42W (2ftx2ft) Indoor Luminares Recessed Square sleek panel LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 3850 |
| 261 | 3W Outdoor Luminiare Surface Round/squareLED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 600 |
| 262 | 22W Outdoor Luminiare Surface Round/squareLED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1750 |
| 263 | 12W Outdoor Luminiare Recessed Round/square LED Luminiare of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1050 |
| 264 | 8W (10X3 mm) Outdoor Luminiare Flexible LED strip Lighting | m | Pema Nordhen Enterprise | 140 |

| | | | | |
|-----|---|------|-------------------------------|---------|
| 265 | 250W Outdoor Luminaire Flood light LED based luminaire with die cast housing and toughened glass cover for out door application | each | R. K Enterprise | 5449 |
| 266 | 3m, 4.5mm thick Steel Tubular Pole for compound lighting 50/60 mm dia. with base plate | each | Pema Nordhen Enterprise | 5500 |
| 267 | 2.5 sq.mm PVC insulated multistrand copper conductor, 1.1kV Grade | m | DPZ Trading House | 23.125 |
| 268 | 16 sq.mm Power Cables (1.1kV) 4-Core Copper - Armoured, PVC insulated & sheathed | m | PAWAN ENTERPRISE | 480 |
| 269 | 16 sq.mm Power Cables (1.1kV) 2- Core Copper- Unarmoured, PVC insulated & sheathed | m | Palden Phuntshok(P.P) Traders | 190 |
| 270 | 6 sq.mm Power Cables (1.1kV) 4-Core Copper - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 268.925 |
| 271 | 6 sq.mm Power Cables (1.1kV) 2- Core Aluminium-Armoured, PVC insulated & sheathed | m | PAWAN ENTERPRISE | 45 |
| 272 | 4 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Armoured, PVC insulated & sheathed | m | DPZ Trading House | 75.163 |
| 273 | 2.5 sq.mm Power Cables (1.1kV) 2- Core Aluminium-Unarmoured, PVC insulated & sheathed | m | Pema Nordhen Enterprise | 97 |
| 274 | 10 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 88.775 |
| 275 | 150 sq.mm Power Cables (1.1kV) 4-Core Aluminium - Unarmoured, PVC insulated & sheathed | m | DPZ Trading House | 723.075 |
| 276 | 22mm dia, 6sq.mm Flat type Brass Thimble/lugs 1.1KV | each | R. K Enterprise | 29 |

| | | | | |
|-----|---|------|-------------------------------|------|
| 277 | 45mm dia, 120sq.mm Flat type Brass Thimble/lugs 1.1KV | each | PAWAN ENTERPRISE | 120 |
| 278 | 35mm dia, 50sq.mm Flat type Aluminium Alloy Thimble 1.1KV | each | THINLEY NORBU ENTERPRISE | 18 |
| 279 | 20mm x 1.6mm Steel Conduit | m | Pema Nordhen Enterprise | 65 |
| 280 | M.S Saddle MS Conduit | each | Pema Nordhen Enterprise | 3 |
| 281 | Junction box, 3 or 4 way PVC accessories | each | R. K Enterprise | 14 |
| 282 | Corner/Tee PVC Casing & Cappings accessories | each | Pema Nordhen Enterprise | 4 |
| 283 | 2 Module PVC Boxes (Surface) | each | THINLEY NORBU ENTERPRISE | 42 |
| 284 | 1 Module Metal Boxes | each | THINLEY NORBU ENTERPRISE | 46 |
| 285 | 18 Module Metal Boxes | each | THINLEY NORBU ENTERPRISE | 196 |
| 286 | Plate 18-module with frame Plate & Frame | each | Pema Nordhen Enterprise | 290 |
| 287 | 5/6 pin, 6/16A box type socket outlet with indicator, with shutter Switches & Socket | each | PAWAN ENTERPRISE | 200 |
| 288 | Angle holder (heavy duty) Holders & Plugs | each | T D ENTERPRISE | 30 |
| 289 | Globe dia 200mm, for single lamp Indoor Luminares General Lighting System | each | Palden Phuntshok(P.P) Traders | 990 |
| 290 | Double mirror light 375mm Indoor Luminares General Lighting System | each | PAWAN ENTERPRISE | 290 |
| 291 | 15W Indoor Luminares Surface Round/Square LED Luminaire of 3000/4000/6000k | each | NORGU Traders | 520 |
| 292 | 20W Indoor Luminares Surface LED Tube light Luminaire of 3000/4000/6000k | each | THINLEY NORBU ENTERPRISE | 165 |
| 293 | 18W Indoor Luminares Surface Down light LED Luminaire of 3000/4000/6000k | each | NORGU Traders | 580 |
| 294 | 16W Indoor Luminares Surface Decorative wall light LED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1050 |

| | | | | |
|-----|---|------|-------------------------------|------|
| 295 | 5W Indoor Luminares (8X2.2 mm) Flexible LED strip Lighting | m | PAWAN ENTERPRISE | 120 |
| 296 | 8W Indoor Luminares Recessed Round/Square LED Luminaire of 3000/4000/6000k | each | PAWAN ENTERPRISE | 350 |
| 297 | 18W (4ftx1ft) Indoor Luminares Recessed Square sleek panel LED Luminaire of 3000/4000/6000k | each | UAD Trading | 1150 |
| 298 | 3W Indoor Luminares Recessed Down light LED Luminaire of 3000/4000/6000k | each | SANGAY SALES | 263 |
| 299 | 5W Outdoor Luminiare Surface Round/squareLED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 700 |
| 300 | 36W Outdoor Luminiare Surface Round/squareLED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 3250 |
| 301 | 15W Outdoor Luminiare Recessed Round/square LED Luminaire of 3000/4000/6000k | each | Pema Nordhen Enterprise | 1350 |
| 302 | 8w (10X2.2 mm) Outdoor Luminiare Flexible LED strip Lighting | m | Pema Nordhen Enterprise | 140 |
| 303 | 36W Outdoor Luminiare Under water LED lighting (R), (BC) depth not less than 0.6m | each | Palden Phuntshok(P.P) Traders | 3650 |
| 304 | 60W Outdoor Luminiare LED Street light luminiare with 3000/4000/6000K (Havells) | each | THINLEY NORBU ENTERPRISE | 1785 |
| 305 | Triple arm Pole cap with arm 1.1m long 50/60 dia. for street lighting | each | R. K Enterprise | 3749 |
| 306 | Double arm Pole cap with arm 1.1m long 50/60 dia. for street lighting | each | R. K Enterprise | 2994 |
| 307 | 8W LED Lamp with 3000/4000/6000K | each | TSHERING NORLHA ENTERPRISE | 80 |
| 308 | TL lamp 18/20 watt Fluorescent tube rod lamp 240 volt A.C | each | THINLEY NORBU ENTERPRISE | 45 |
| 309 | 900 rpm, 450mm sweep Exhaust fan 240 volt A.C | each | PAWAN ENTERPRISE | 2500 |

| | | | | |
|-----|---|------|-------------------------------|-------|
| 310 | 16A SP MCB 230 volt A.C | each | THINLEY NORBU ENTERPRISE | 132 |
| 311 | 32A TPN MCB, 415 volt, A.C | each | R. K Enterprise | 1339 |
| 312 | 63A 2 pole RCCB, 230 volt A.C, 100mA | each | PAWAN ENTERPRISE | 2800 |
| 313 | 3 pole, 16kA, MCCB 100A, 415V Panel Mounting MCCB | each | Pema Nordhen Enterprise | 3600 |
| 314 | 200A, 415V HRC Fuses, 415 volt with panel mount fuse unit | each | T D ENTERPRISE | 5500 |
| 315 | 6 way SPN Distribution board (DB), 230 volt A.C, without door | each | R. K Enterprise | 494 |
| 316 | 12 way SPN Distribution board (DB), 230 volt A.C, with metal door | each | THINLEY NORBU ENTERPRISE | 813 |
| 317 | 16 way TPN Distribution board (DB), 415 volt A.C, without door (Horizontal/Vertical) | each | PAWAN ENTERPRISE | 4500 |
| 318 | 4 strips, 300mm bar, 200A Copper Busbars & MS Busbar Chamber | each | PAWAN ENTERPRISE | 4800 |
| 319 | 25mm dia, 900mm long with four prong Copper tube finial with base plate 85x3mm Lightning Arrester | each | Pema Nordhen Enterprise | 3700 |
| 320 | Copper, 4mm dia (8swg) Earthing Wire | m | UAD Trading | 110 |
| 321 | Watertight C.I. Manhole Cover with frame, 300 x 300mm inside size Wt. of cover not less than 4.53 kg wt. of frame not less than 2.72 kg | each | J.D ENTERPRISE | 945 |
| 322 | M-seal | each | R. K Enterprise | 29 |
| 323 | Octagonal pole cover (MS sheet fabricated) | No. | PAWAN ENTERPRISE | 700 |
| 324 | Direct ON LINE Motor starter Type: MF2A (With total protection against overload and single phasing) | Set | T D ENTERPRISE | 35000 |
| 325 | TOTAL brand TH118366 Rotary hammer 1800W | set | Palden Phuntshok(P.P) Traders | 15695 |

| | | | | |
|-----|--|------|----------------------------|------|
| 326 | Power strip Max 2500w 10A with 4 ways | No | THINLEY NORBU ENTERPRISE | 400 |
| 327 | 12W LED Lamp with 3000/4000/6000K | each | WOEZER ENTERPRISE | 145 |
| 328 | TLF lamp 36/40 watt Fluorescent tube rod lamp 240 volt A.C | each | R. K Enterprise | 79 |
| 329 | 1400 rpm, 380mm sweep Exhaust fan 240 volt A. C | each | R. K Enterprise | 2994 |
| 330 | 32A DP MCB, 230 volt A.C | each | PAWAN ENTERPRISE | 550 |
| 331 | 63A TPN MCB, 415 volt, A.C | each | R. K Enterprise | 1894 |
| 332 | 40A 4 pole RCCB, 415 volt A.C, 30mA | each | THINLEY NORBU ENTERPRISE | 3108 |
| 333 | 4 pole, 16kA, MCCB 63A, 415V Panel Mounting MCCB | each | PAWAN ENTERPRISE | 3500 |
| 334 | 7days/24hrs Digital DP Timer switch , 230 volt A. C | each | PAWAN ENTERPRISE | 5800 |
| 335 | 12 way SPN Distribution board (DB), 230 volt A. C, without door | each | THINLEY NORBU ENTERPRISE | 802 |
| 336 | 4 way TPN Distribution board (DB), 415 volt A.C, without door (Horizontal/Vertical) | each | SANGAY SALES | 1572 |
| 337 | 6 way TPN Distribution board (DB), 415 volt A.C, with metal door -Horizontal/Vertical | each | THINLEY NORBU ENTERPRISE | 2225 |
| 338 | 4 strips, 300mm bar, 100A Aluminium alloy/wrought Busbars& MS Busbar Chamber | each | R. K Enterprise | 3649 |
| 339 | GI Plate, 600x600x6mm Earthing Plate with accessories | each | T D ENTERPRISE | 1200 |
| 340 | Salt | kg | UAD Trading | 10 |
| 341 | Gypsum screw 1kg 25mm | each | Pema Nordhen Enterprise | 1 |
| 342 | Voltage stabilizer 1 KVA | set | TSHERING NORLHA ENTERPRISE | 3500 |

| | | | | |
|-----|---|------|-------------------------------|--------|
| 343 | 3 Phase Sq. Cage induction motor CM/L7800028518, IS :12615, No U1845518 2H071435, kW/HP 0.37/0.5, Eff% 70.1, pf 0.71 v Range 373-456 V 415Y, A 1.03, Amb 50 degree centigrade, Hz 50-5.15%, Duty S1, IP 55, InCl F/P Rise, RPM 1370 6202 22, C3 6202 27 C3 7Kg, IS/IEC60034-1, Chemical dosing pump Model RMPS11, PR 15, LPH 30, SL NO 1903 P0039 (vertical type) | each | Palden Phuntshok(P.P) Traders | 256420 |
| 344 | Welding electrodes 10mm | Pkt | T D ENTERPRISE | 500 |
| 345 | TOTAL brand THT16P2031 Tools pouch with belt | set | PAWAN ENTERPRISE | 1200 |
| 346 | Extension chord 16A, Anchor (round) | No | TSHERING NORLHA ENTERPRISE | 625 |
| 347 | 0.5W LED Lamp with 3000/4000/6000K | each | R. K Enterprise | 49 |
| 348 | 15W LED Lamp with 3000/4000/6000K | each | WOEZER ENTERPRISE | 175 |
| 349 | 1400 rpm, 900mm sweep Ceiling fan 240 volt A.C | each | TSHERING NORLHA ENTERPRISE | 1400 |
| 350 | 1400 rpm, 450mm sweep Exhaust fan 240 volt A. C | each | PAWAN ENTERPRISE | 3500 |
| 351 | 40A DP MCB, 230 volt A.C | each | PAWAN ENTERPRISE | 720 |
| 352 | 32A 2 pole RCCB, 230 volt A.C, 30mA | each | Palden Phuntshok(P.P) Traders | 2320 |
| 353 | 63A 4 pole RCCB, 415 volt A.C, 30mA | each | T D ENTERPRISE | 3200 |
| 354 | 4 pole, 16kA, MCCB 100A, 415V Panel Mounting MCCB | each | PAWAN ENTERPRISE | 3800 |
| 355 | Astronomical Digital timer Havells | each | THINLEY NORBU ENTERPRISE | 2886 |
| 356 | 16 way SPN Distribution board (DB), 230 volt A. C, without door | each | THINLEY NORBU ENTERPRISE | 1027 |

| | | | | |
|-----|---|------|-------------------------------|-------|
| 357 | 6 way TPN Distribution board (DB), 415 volt A.C, without door (Horizontal/Vertical) | each | SANGAY SALES | 1870 |
| 358 | 8 way TPN Distribution board (DB), 415 volt A.C, with metal door -Horizontal/Vertical | each | THINLEY NORBU ENTERPRISE | 2573 |
| 359 | 4 strips, 300mm bar, 200A Aluminium alloy/wrought Busbars & MS Busbar Chamber | each | PAWAN ENTERPRISE | 4500 |
| 360 | Copper Plate, 600x600x3mm Earthing Plate with accessories | each | R. K Enterprise | 6994 |
| 361 | G.I Spike 1.8m | kg | R. K Enterprise | 199 |
| 362 | Gypsum screw 1kg 32mm | each | Pema Nordhen Enterprise | 2 |
| 363 | Hose pipe 15mm | roll | T D ENTERPRISE | 250 |
| 364 | Speed reducer motor, Model CDS-15:1/12, Ratio 1:15, Volt:220,A:0.48, RPM:1400 | each | Palden Phuntshok(P.P) Traders | 90650 |
| 365 | Welding electrodes 12mm | Pkt | WOEZER ENTERPRISE | 500 |
| 366 | Fluke T6-1000 PRO Electrical Tester | set | R. K Enterprise | 299 |
| 367 | 3W LED Lamp with 3000/4000/6000K | each | T D ENTERPRISE | 90 |
| 368 | 22W LED Lamp with 3000/4000/6000K | each | NORGU Traders | 225 |
| 369 | 1400 rpm, 1400mm sweep Ceiling fan 240 volt A.C | each | WOEZER ENTERPRISE | 1500 |
| 370 | 380mm sweep Aluminium louvere with frame | each | Palden Phuntshok(P.P) Traders | 1650 |
| 371 | 32A TP MCB, 415 volt A.C | each | Palden Phuntshok(P.P) Traders | 895 |
| 372 | 63A 2 pole RCCB, 230 volt A.C, 30mA | each | T D ENTERPRISE | 2800 |
| 373 | 40A 4 pole RCCB, 415 volt A.C, 100mA | each | SANGAY SALES | 2780 |
| 374 | 3 pole, 25kA, MCCB 63A, 415V Panel Mounting MCCB | each | PAWAN ENTERPRISE | 3800 |
| 375 | Astronomical Digital timer Legrand AlphaRex D21 | each | TSHERING NORLHA ENTERPRISE | 3200 |
| 376 | 4 way SPN Distribution board (DB), 230 volt A.C, with metal door | each | THINLEY NORBU ENTERPRISE | 433 |

| | | | | |
|-----|---|------|-------------------------------|-------|
| 377 | 16 way TPN Distribution board (DB), 415 volt A.C, with metal door -Horizontal/Vertical | each | PAWAN ENTERPRISE | 5800 |
| 378 | 32A Earth plug & Socket, 4 pole 415 volt A.C | each | THINLEY NORBU ENTERPRISE | 2356 |
| 379 | GI Tape\Strip 25x4 mm Earthing Strip | m | PAWAN ENTERPRISE | 45 |
| 380 | 2 tonne Splite Type Air Conditioners hot and cold | each | PAWAN ENTERPRISE | 55000 |
| 381 | Table fan | each | Palden Phuntshok(P.P) Traders | 1880 |
| 382 | Hose pipe 25mm | roll | T D ENTERPRISE | 300 |
| 383 | Connection pipe 15mm dia with rubber connector (Chlorine dosing machine) | each | J.D ENTERPRISE | 150 |
| 384 | TOTAL brand TCTLI2002 Cordless hydraulic crimping tool 20V | set | R. K Enterprise | 8849 |
| 385 | 600W compact inbuilt panel and battery (4hour continous light for one charge) solar street light with radar cability suitable to retrofit existing solarlight at Damphu town UNIQUE brand or equivalent or higher | set | Living World Enterprise | 7500 |
| 386 | 2W LED Lamp with 3000/4000/6000K | each | Pema Nordhen Enterprise | 75 |
| 387 | 18W LED Lamp with 3000/4000/6000K | each | NORGU Traders | 195 |
| 388 | 1400 rpm, 1200mm sweep Ceiling fan 240 volt A.C | each | THINLEY NORBU ENTERPRISE | 1331 |
| 389 | 300mm sweep Aluminium louvere with frame | each | Palden Phuntshok(P.P) Traders | 1550 |
| 390 | 63A DP MCB, 230 volt A.C | each | PAWAN ENTERPRISE | 845 |
| 391 | 40A 2 pole RCCB, 230 volt A.C, 30mA | each | THINLEY NORBU ENTERPRISE | 2391 |
| 392 | 32A 4 pole RCCB, 415 volt A.C, 100mA | each | SANGAY SALES | 2780 |
| 393 | 4 pole, 16kA, MCCB 125A, 415V Panel Mounting MCCB | each | T D ENTERPRISE | 4200 |
| 394 | Astronomical Digital timer GIC T2DDT7/T3DDT8 | each | TSHERING NORLHA ENTERPRISE | 3650 |

| | | | | |
|-----|---|------|-------------------------------|-------|
| 395 | 2 way SPN Distribution board (DB), 230 volt A.C, with metal door | each | THINLEY NORBU ENTERPRISE | 212 |
| 396 | 8 way TPN Distribution board (DB), 415 volt A.C, without door (Horizontal/Vertical) | each | SANGAY SALES | 2261 |
| 397 | 12 way TPN Distribution board (DB), 415 volt A.C, with metal door -Horizontal/Vertical | each | THINLEY NORBU ENTERPRISE | 3008 |
| 398 | 10A Earth plug & Socket, DP 230 volt A.C | each | THINLEY NORBU ENTERPRISE | 1202 |
| 399 | GEE slab 5ftx1ftx5cm Earthing Plate with accessories | each | T D ENTERPRISE | 2200 |
| 400 | Earthing compound bag 25kg | each | Pema Nordhen Enterprise | 780 |
| 401 | Stand fan | each | THINLEY NORBU ENTERPRISE | 2279 |
| 402 | Hose pipe 20mm | roll | T D ENTERPRISE | 290 |
| 403 | 3 Phase induction motor, M/c No:UBA32-312, KW:0.37, V:415 A:1.02 RPM:1380, Kirloskar electric co. Ltd | each | T D ENTERPRISE | 65000 |
| 404 | TOTAL brand TIDLI20031 Cordless impact drill 20V | set | R. K Enterprise | 8499 |
| 405 | digiPHONE+2 megger brand cable fault dector | set | T D ENTERPRISE | 45000 |
| 406 | 5W LED Lamp with 3000/4000/6000K | each | PAWAN ENTERPRISE | 60 |
| 407 | 24W LED Lamp with 3000/4000/6000K | each | Palden Phuntshok(P.P) Traders | 335 |
| 408 | 900 rpm, 300mm sweep Exhaust fan 240 volt A.C | each | PAWAN ENTERPRISE | 1500 |
| 409 | 450mm sweep Aluminium louvere with frame | each | Palden Phuntshok(P.P) Traders | 2120 |
| 410 | 40A TP MCB, 415 volt A.C | each | Palden Phuntshok(P.P) Traders | 1055 |
| 411 | 32A 2 pole RCCB, 230 volt A.C, 100mA | each | PAWAN ENTERPRISE | 2200 |
| 412 | 63A 4 pole RCCB, 415 volt A.C, 100mA | each | T D ENTERPRISE | 3300 |
| 413 | 3 pole, 25kA, MCCB 100A, 415V Panel Mounting MCCB | each | THINLEY NORBU ENTERPRISE | 4100 |

| | | | | |
|-----|--|------|-------------------------------|-------|
| 414 | 2 way SPN Distribution board (DB), 230 volt A.C, without door | each | TSHERING NORLHA ENTERPRISE | 150 |
| 415 | 6 way SPN Distribution board (DB), 230 volt A.C, with metal door | each | THINLEY NORBU ENTERPRISE | 532 |
| 416 | 2 strips, 300mm bar, 100A Copper Busbars & MS Busbar Chamber | each | TSHERING NORLHA ENTERPRISE | 3350 |
| 417 | 63A Earth plug & Socket, 4 pole 415 volt A.C | each | THINLEY NORBU ENTERPRISE | 7371 |
| 418 | Copper Tape\Strip 25x4 Earthing Strip | m | PAWAN ENTERPRISE | 180 |
| 419 | 1.5 tonne Splite Type Air Conditioners hot and cold | each | R. K Enterprise | 44994 |
| 420 | Insulation tape | each | TSHERING NORLHA ENTERPRISE | 12 |
| 421 | Change over switch TPN switch fuse unit 63A, 415 volt A. | No. | THINLEY NORBU ENTERPRISE | 3463 |
| 422 | 1 HP Rocket fountain with complete set (Single phase) | Set | T D ENTERPRISE | 20000 |
| 423 | TOTAL brand TRCLI2002 Cordless hydraulic cable cutter 20V | set | R. K Enterprise | 29994 |
| 424 | 600W compact inbuilt panel and battery (4 hour continous light for one charge) solar street light with radar cability suitable to retrofit existing solarlight at Damphu town any brand | set | Palden Phuntshok(P.P) Traders | 13550 |
| 425 | Single arm Pole cap with arm 1.1m long 50/60 dia. for street lighting | each | R. K Enterprise | 2249 |
| 426 | 6W LED Lamp with 3000/4000/6000K | each | PAWAN ENTERPRISE | 80 |
| 427 | 36W LED Lamp with 3000/4000/6000K | each | Palden Phuntshok(P.P) Traders | 375 |
| 428 | 900 rpm, 380mm sweep Exhaust fan 240 volt A.C | each | PAWAN ENTERPRISE | 2000 |
| 429 | 6A SP MCB 230 volt A.C | each | THINLEY NORBU ENTERPRISE | 132 |

| | | | | |
|-----|---|------|-------------------------------|-------|
| 430 | 63A TP MCB, 415 volt A.C | each | THINLEY NORBU ENTERPRISE | 1708 |
| 431 | 40A 2 pole RCCB, 230 volt A.C, 100mA | each | PAWAN ENTERPRISE | 2350 |
| 432 | 3 pole, 16kA, MCCB 63A, 415V Panel Mounting MCCB | each | Pema Nordhen Enterprise | 3050 |
| 433 | 3 pole, 25kA, MCCB 125A, 415V Panel Mounting MCCB | each | THINLEY NORBU ENTERPRISE | 4770 |
| 434 | 4 way SPN Distribution board (DB), 230 volt A.C, without door | each | UAD Trading | 350 |
| 435 | 8 way SPN Distribution board (DB), 230 volt A.C, with metal door | each | THINLEY NORBU ENTERPRISE | 630 |
| 436 | 12 way TPN Distribution board (DB), 415 volt A.C, without door (Horizontal/Vertical) | each | THINLEY NORBU ENTERPRISE | 3008 |
| 437 | 4 strips, 300mm bar, 100A Copper Busbars & MS Busbar Chamber | each | PAWAN ENTERPRISE | 3800 |
| 438 | 25mm dia, 300mm long with single prong Copper tube finial with base plate 85x3mm Lightning Arrester | each | Pema Nordhen Enterprise | 1895 |
| 439 | GI, 4mm dia (8swg) Earthing Wire | m | PAWAN ENTERPRISE | 15 |
| 440 | 1 tonne Splite Type Air Conditioners hot and cold | each | T D ENTERPRISE | 38000 |
| 441 | Extension chord 16/20A 4 way | each | THINLEY NORBU ENTERPRISE | 400 |
| 442 | Change over switch TPN switch fuse unit 100A, 415 volt A. | No. | R. K Enterprise | 5494 |
| 443 | Open well submersible pump 0.5 HP (3 phase) | Set | PAWAN ENTERPRISE | 12000 |
| 444 | TOTAL brand TH1153216 Rotary hammer 1500W | set | Palden Phuntshok(P.P) Traders | 12750 |
| 445 | flexible wire (90m) | roll | T D ENTERPRISE | 600 |
| 446 | 9W LED Lamp with 3000/4000/6000K | each | WOEZER ENTERPRISE | 85 |

| | | | | |
|-----|--|------|-------------------------------|--------|
| 447 | TL lamp 36/40 watt Fluorescent tube rod lamp 240 volt A.C | each | THINLEY NORBU ENTERPRISE | 50 |
| 448 | 1400 rpm, 300mm sweep Exhaust fan 240 volt A. C | each | TSHERING NORLHA ENTERPRISE | 1850 |
| 449 | 25A DP MCB, 230 volt A.C | each | Palden Phuntshok(P.P) Traders | 550 |
| 450 | 40A TPN MCB, 415 volt, A.C | each | R. K Enterprise | 1549 |
| 451 | 32A 4 pole RCCB, 415 volt A.C, 30mA | each | T D ENTERPRISE | 3000 |
| 452 | 3 pole, 16kA, MCCB 125A, 415V Panel Mounting MCCB | each | THINLEY NORBU ENTERPRISE | 3819 |
| 453 | 24hrs/24hrs Digital DP Timer switch , 230 volt A. C | each | J.D ENTERPRISE | 3145 |
| 454 | 8 way SPN Distribution board (DB), 230 volt A.C, without door | each | R. K Enterprise | 594 |
| 455 | 16 way SPN Distribution board (DB), 230 volt A. C, with metal door | each | THINLEY NORBU ENTERPRISE | 1041 |
| 456 | 4 way TPN Distribution board (DB), 415 volt A.C, with metal door -Horizontal/Vertical | each | THINLEY NORBU ENTERPRISE | 1877 |
| 457 | 2 strips, 300mm bar, 100A Aluminium alloy/wrought Busbars & MS Busbar Chamber | each | Palden Phuntshok(P.P) Traders | 2650 |
| 458 | 25mm dia, 300mm long with single prong G.I tube finial with copper base plate 85x6mm Lightning Arrester | each | Pema Nordhen Enterprise | 145 |
| 459 | Charcoal | kg | SANGAY SALES | 30 |
| 460 | Bakalite sheet 20/30cmX20/30cm | each | Pema Nordhen Enterprise | 85 |
| 461 | Voltage stabilizer 0.5 KVA | set | TSHERING NORLHA ENTERPRISE | 2500 |
| 462 | 3 Phase TEFC induction motor, Model M13, Max output:50(LPH), Max press 5, HZ:50, KW:0.37, V:415+-10%, A:1.07 RPM:1410 Chloring dosing machine (Horizontal type) | each | Palden Phuntshok(P.P) Traders | 335730 |

| | | | | |
|-----|---|-----|-------------------------------|------|
| 463 | Welding electrodes 8mm | Pkt | TSHERING NORLHA ENTERPRISE | 450 |
| 464 | TOTAL brand THKTHP90096 9 Pcs hand tools set | set | R. K Enterprise | 2994 |
| 465 | Power strip Max 2500w 15A with 4 ways | No | PAWAN ENTERPRISE | 750 |