

| Item No. | Name and Description of Item | Unit | Quantity | Point of Delivery | Delivery Period [In Days] | Technical Specification and Standards required | Warranty Period from the date of Acceptance |
|----------|------------------------------|------|----------|--|---------------------------|--|---|
| | | | | | | | [in days] |
| 1 | 4" GI pipe, Medium duty | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm. | 20 |

| | | | | | | | |
|---|------------------------|-----|---|--|----|--|----|
| 2 | 3" GI pipe,Medium duty | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm. | 20 |
| 3 | 2" GI pipe,Medium duty | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm. | 20 |

| | | | | | | | |
|---|-----------------------------|-----|---|--|----|--|----|
| 4 | 1 1/2" GI pipe, Medium duty | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm. | 20 |
| 5 | 1" GI pipe, Medium duty | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm. | 20 |

| | | | | | | | |
|----|-----------------------------|-----|---|---|----|--|----|
| 6 | ½”GI pipe,Medium duty | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1239/90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736/68, both ends male threads BS 21 and greased. Socket IS 1239/92 mild steel galvanized and chamfered. Socketed on one end and other end covered with heavy duty HDP thread protector. Length 6.00m. tolerance +15cm & -0cm. | 20 |
| 7 | 110mm x 4” Flange set | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/87 | 20 |
| 8 | 90mm x 3” Flange set | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/87 | 20 |
| 9 | 63mm x 2” Flange set | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/87 | 20 |
| 10 | 50mm x 1½” Flange set | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/87 | 20 |

| | | | | | | | |
|----|--------------------------------|-----|---|---|----|--------------|----|
| 11 | Brass Union,63mmx 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | SP-57-1991 | 20 |
| 12 | Brass Union,50mmx 1 1/2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | SP-57-1991 | 20 |
| 13 | Brass Union,32mmx 1" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | SP-57-1991 | 20 |
| 14 | Brass Union,20mmx 1 1/2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | SP-57-1991 | 20 |
| 15 | 4" x 30degree GI bend | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879:1987 | 20 |
| 16 | 4" x 45degree GI bend | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879:1987 | 20 |
| 17 | 3" x 45degree GI bend | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879:1987 | 20 |

| | | | | | | | |
|----|-----------------|-----|---|---|----|---|----|
| 18 | 4" GI elbow | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879:1987 | 20 |
| 19 | 3" GI elbow | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879:1987 | 20 |
| 20 | 2" GI elbow | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879:1987 | 20 |
| 21 | 1 1/2" GI elbow | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879:1987 | 20 |
| 22 | 1" GI elbow | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879:1987 | 20 |
| 23 | 1/2" GI elbow | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879:1987 | 20 |
| 24 | 4"GI nipple | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm , -2cm, IS 1879-1987 | 20 |

| | | | | | | | |
|----|---------------------------|-----|---|---|----|---|----|
| 25 | 3"GI nipple | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm , -2cm, IS 1879-1987 | 20 |
| 26 | 2"GI nipple | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm , -2cm, IS 1879-1987 | 20 |
| 27 | 1 1/2"GI nipple | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm , -2cm, IS 1879-1987 | 20 |
| 28 | 1"GI nipple | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm , -2cm, IS 1879-1987 | 20 |
| 29 | 1/2"GI nipple | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm , -2cm, IS 1879-1987 | 20 |
| 30 | 3" x 2" GI Reducer | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 31 | 2" x 1 1/2" GI Reducer | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |

| | | | | | | | |
|----|--------------------------|-----|---|--|----|--------------|----|
| 32 | 1 1/2" x 1" GI Reducer | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 33 | 1 1/2" x 1/2" GI Reducer | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 34 | 1" x 1/2" GI Reducer | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 35 | 3" GI Sockets | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 36 | 2" GI Sockets | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 37 | 1 1/2" GI Sockets | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 38 | 1" GI Sockets | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |

| | | | | | | | |
|----|---------------------------------|-----|---|---|----|--------------|----|
| 39 | 1/2" GI Sockets | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 40 | 3" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 41 | 2" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 42 | 1 1/2" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 43 | 1" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 44 | 1/2" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 45 | 3" x 3"x 3/4" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |

| | | | | | | | |
|----|---|-----|---|---|----|--------------|----|
| 46 | 3" x3" x1/2" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 47 | 2" x 2" x 3/4" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 48 | 2" x 2" x 1/2" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 49 | 1 1/2" x 1 1/2" x 3/4" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 50 | 1 1/2" x 1 1/2" x 1/2" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 51 | 1" x 1" x 3/4" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 52 | 1" x 1" x 1/2" GI tee"s equal | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |

| | | | | | | | |
|----|------------------------|-----|---|---|----|---------------------------|----|
| 53 | 3"GI unions | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 54 | 2"GI unions | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 55 | 1 1/2"GI unions | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 56 | 1"GI unions | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 57 | 1/2"GI unions | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 58 | 3" Brass Gate valve | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |
| 59 | 2" Brass Gate valve | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |

| | | | | | | | |
|----|------------------------------------|-----|---|--|----|--------------------------------|----|
| 60 | 1 1/2" Brass Gatevalve | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |
| 61 | 1" Brass Gate valve | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |
| 62 | 1" Brass Glove valve | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |
| 63 | 1/2" Brass Glove valve | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |
| 64 | 1 1/2" Brass Glove valve | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |
| 65 | 1/2" Tapstand regulating valve set | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |
| 66 | Regulating Valve key | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per PHE drawings and sample | 20 |

| | | | | | | | |
|----|------------------------|-----|---|--|----|---|----|
| 67 | Air releasing Valve ½" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Heavy duty 450gram brass, Male threading IS-781.with spare washer set | 20 |
| 68 | Brass Tap ½" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | brass material,with T type head, 15mm thickness. Heavy Duty | 20 |
| 69 | 2" Float Valve. | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Copper or brass made. Min.wt...+20gms, -0gm see attached PHED drawing for detail specification. | 20 |
| 70 | 1 1/2" Float Valve. | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Copper or brass made. Min.wt...+20gms, -0gm see attached PHED drawing for detail specification. | 20 |
| 71 | 1" Float Valve. | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Copper or brass made. Min.wt...+20gms, -0gm see attached PHED drawing for detail specification. | 20 |
| 72 | 1/2" Float Valve. | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Copper or brass made. Min.wt...+20gms, -0gm see attached PHED drawing for detail specification. | 20 |

| | | | | | | | |
|----|------------------------------|-----|---|--|----|--|----|
| 73 | 4" Valve box with endcap | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | GI pipe of medium duty, burrs removed, cutted edges smoothened with filr or grinder, GI – threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHENon-standard drawing and sample | 20 |
| 74 | 3" Valve box with endcap | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | GI pipe of medium duty, burrs removed, cutted edges smoothened with filr or grinder, GI – threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHENon-standard drawing and sample | 20 |
| 75 | 2 1/2" Valve box with endcap | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | GI pipe of medium duty, burrs removed, cutted edges smoothened with filer or grinder, GI – threaded is clean, smooth and greased. End cap and pipe screwed together. As per PHENon-standard drawing and sample | 20 |

| | | | | | | | |
|----|------------------------------------|-----|---|--|----|---|----|
| 76 | 2" Valve box with endcap | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | GI pipe of medium duty, burrs removed, cutted edges smoothened with filr or grinder, GI – threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHE non-standard drawing and sample | 20 |
| 77 | 2" Valve box key with 3 points | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per PHE drawing and sample | 20 |
| 78 | 1 1/2" Valve box key with 3 points | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per PHE drawing and sample | 20 |
| 79 | 1/2" Valve box key with 3 points | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per PHE drawing and sample | 20 |
| 80 | GI threaded flange single 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |

| | | | | | | | |
|----|------------------------|-----|---|--|----|--|----|
| 81 | 200mm PVC pipe | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 82 | 110mm PVC pipe | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 83 | 100mm PVC pipe | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 84 | 100mm PVC pipe long 3m | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 85 | Jute cloth | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Jute fabric Plain, 30 Mtr | 20 |

| | | | | | | | |
|----|---|-----|---|---|----|--|----|
| 86 | Bulldog grip 13mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS2361:1994 | 20 |
| 87 | Pipe joining compound in ½ kg pot | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Graphite joining compound for drinking water purpose. Re- sealable pots. | 20 |
| 88 | Grease, in ½ kg pot | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ½ kg bundle packet in plastic | 20 |
| 89 | Hemp | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 508:1987 wheel bearing grease, re-sealable pots. | 20 |
| 90 | Lock and key 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Heavy duty with 3 keys | 20 |
| 91 | Lock and key 1 ½" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Heavy duty with 3 keys | 20 |
| 92 | Nails 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Galvanised wire nails sharpened | 20 |

| | | | | | | | |
|----|-------------------------------|-----|---|---|----|--|----|
| 93 | Nails 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Galvanised wire nails sharpened | 20 |
| 94 | Nails U | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Galvanised wire nails sharpened | 20 |
| 95 | Nails 4" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Galvanised wire nails sharpened | 20 |
| 96 | Nails 5" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Galvanised wire nails sharpened | 20 |
| 97 | PrefebManhole cover & Slab | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per PHE drawing & specification | 20 |
| 98 | Preforated GI plate | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per PHE drawing & specification | 20 |
| 99 | Rebar 6mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | equivalent to TATA steel bars or higher quality ,IS:1786/1985,GradeFE415,TO R | 20 |

| | | | | | | | |
|-----|----------------------------------|-----|---|---|----|--|----|
| 100 | Rebar 8mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | equivalent to TATA steel bars or higher quality ,IS:1786/1985,GradeFE415,TO R | 20 |
| 101 | Rebar 10mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | equivalent to TATA steel bars or higher quality ,IS:1786/1985,GradeFE415,TO R | 20 |
| 102 | Rebar 12mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | equivalent to TATA steel bars or higher quality ,IS:1786/1985,GradeFE415,TO R | 20 |
| 103 | Rebar16mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | equivalent to TATA steel bars or higher quality ,IS:1786/1985,GradeFE415,TO R | 20 |
| 104 | Rebar20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | equivalent to TATA steel bars or higher quality ,IS:1786/1985,GradeFE415,TO R | 20 |
| 105 | Sand paper | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | 100 mm thickness | 20 |
| 106 | Aluminium Screw1"[200 pcs] | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | BSB, ISI approved Brand | 20 |

| | | | | | | | |
|-----|----------------------------------|-----|---|--|----|--|----|
| 107 | 2.5'X10' CGI sheets | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS277:1992(supplier to provide correct dimensions, wt & brand) | 20 |
| 108 | 2440mm x840mm x0.63mm CGI sheets | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 277:1992,Galvanise coating=120g/m2. Wt =10.71kg | 20 |
| 109 | 2135mm x840mm x0.63mm CGI sheets | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 277:1992,Galvanise coating=120g/m2. Wt =10.71kg | 20 |
| 110 | 2.5' x 6' CGI sheet | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 277:1992,Galvanise coating=120g/m2. Wt =10.71kg | 20 |
| 111 | 2.5' x 9' CGI sheet | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 277:1992,Galvanise coating=120g/m2. Wt =10.71kg | 20 |
| 112 | Hessain jute | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | 7.5 oz width 90cm,min roll of 30m | 20 |
| 113 | Plastic sheet thin | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Thickness 0.0625mm width 90cm, double sheet in rolls of 30m | 20 |

| | | | | | | | |
|-----|-------------------------------------|-----|---|--|----|---|----|
| 114 | Plastic sheet for spring protection | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Thickness 0.125mm width 90cm, double sheet in rolls of 25m | 20 |
| 115 | Washer, limpet 100/pkt | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | rubber bsb approved brand | 20 |
| 116 | Bitumen washer, 200/pkt | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | bsb approved brand | 20 |
| 117 | Barbed wire | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Guage 12 SWG double wired, double barbed 90 degrees angle, every 10cm,galvanized (IS:278/1969). In roll of 30 kg weight tolerance +3kg , -0kg | 20 |
| 118 | Wires,GI binding | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Guage 22 SWG in roll of 1kg | 20 |
| 119 | Wire mesh 2mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | 2.5 square openin. In roll of 20m | 20 |

| | | | | | | | |
|-----|--------------------------------|-----|---|--|----|---|----|
| 120 | Wire mesh chicken | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | 23 SWG, hexagonal 15mm, 1 ½” full twist, double string at side, width 1m. in rolls of 25m | 20 |
| 121 | Wire, plain guage | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | 8 SWG with light galvanized coating. In rolls of 40kg, weight tolerance of +3kg,- 0kg | 20 |
| 122 | Wire black binding | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Guage 8 SWG with light galvanized coating . in rolls of 40kg,wt tolerance of +30kg, - 0kg | 20 |
| 123 | Fibre glass WC pan with P trap | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | 520x435x180mm ISO9001:2018 | 20 |
| 124 | Door handle 4” | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | brass made | 20 |
| 125 | Blade, hacksaw single side | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Hacksaw blade single sided | 20 |
| 126 | Blade, hacksaw double side | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | double sided | 20 |

| | | | | | | | |
|-----|----------------------|-----|---|---|----|--|----|
| 127 | Steel wire brush | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Bristle Length 1 - 2 inch, Brush Size 11 - 15 inch, | 20 |
| 128 | Brush, paint 4" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Size 4", Thickness 20mm Lenght out 68mm, | 20 |
| 129 | Brush, paint 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Size 3" Thickness 19mm Lentgh out 63mm | 20 |
| 130 | Brush, paint 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Size 2" Thckness 17mm Lenth out 56mm | 20 |
| 131 | Brush, lime 5" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Size 5" Thickness 22mm Length out 70mm | 20 |
| 132 | Stone chisel 1" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | 135mm one side sharp point | 20 |
| 133 | Stone chisel 1 ½" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | 135mm one side sharp point | 20 |

| | | | | | | | |
|-----|--------------------------------|-----|---|---|----|--|----|
| 134 | Crowbar ¾ x 54" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Material : Carbon Steel for masonry construction. 1.5meters long.heavy | 20 |
| 135 | Crow bar 32mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Material : Carbon Steel for masonry construction. 1.5meters long.heavy | 20 |
| 136 | File,flat, steel, 10mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Course 150mm both side 250mm long | 20 |
| 137 | File, half round, steel,10" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Course 150mm both side 250mm long | 20 |
| 138 | Hacksaw frame | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Adjustable for 10"/12" blades | 20 |
| 139 | Hammer, Mason 1/2kg | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Mason Hammer 1/2kg one side sharp | 20 |
| 140 | Hammer,sledge 1 kg | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | sledge hammer 1 kg | 20 |

| | | | | | | | |
|-----|--------------------------|-----|---|---|----|---|----|
| 141 | Headpan 18" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Mortar pan 18" | 20 |
| 142 | Heating plate | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per sample, round dia 125mm, thickness 12mm, handle 420mm with insulating grip, Brand: deek's firefly | 20 |
| 143 | Line, mason | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | 100g per roll | 20 |
| 144 | Pickaxe standard size | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Standard size | 20 |
| 145 | Pliers 8" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 273: 1990 | 20 |
| 146 | Measuring tap | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Metal 15m length scale in cm and inches | 20 |
| 147 | Measuring tap | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Metal 10m length scale in cm and inches | 20 |

| | | | | | | | |
|-----|----------------------------|-----|---|---|----|--|----|
| 148 | Measuring tap | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Metal 3m length scale in cm and inches | 20 |
| 149 | Teflon cover | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | For 125mm heating plate | 20 |
| 150 | Thermochrome crayon | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Indicating 200 degree celcius import quality. Approve brands: faber castle (Indian made) | 20 |
| 151 | Tin cutter | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | TATA | 20 |
| 152 | RWSS caretaker tool box | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per PHE Sample, 60 x 20 x 18cm guage 19 SWG, painted, double hinge with reinforcement on inside. | 20 |
| 153 | Plumber tool box | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per PHE Sample, 60 x 20 x 18cm guage 19 SWG, painted, double hinge with reinforcement on inside. | 20 |
| 154 | Mason tool box | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per PHE Sample, 60 x 20 x 18cm guage 19 SWG, painted, double hinge with reinforcement on inside. | 20 |

| | | | | | | | |
|-----|---------------------------|-----|---|---|----|--|----|
| 155 | Trowel masonry 2" x 5" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | TATA | 20 |
| 156 | Trowel masonry 4" x 8" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | TATA | 20 |
| 157 | Wrench, pipe 12" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 158 | Pipe chain wise 4" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Ludhara | 20 |
| 159 | Pipe chain vise 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Ludhara | 20 |
| 160 | Bench vice 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Ludhara | 20 |
| 161 | Wrench, pipe 36" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |

| | | | | | | | |
|-----|-------------------------|-----|---|---|----|--|----|
| 162 | Wrench pipe 24 | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 163 | Wrench pipe 18 | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 164 | Pipe wrench 14" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 165 | Wrench slide 15" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 166 | Pipe bending machine | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 167 | Portable vice set | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 168 | Die set 2" to 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |

| | | | | | | | |
|-----|-------------------------------|-----|---|--|----|---|----|
| 169 | Die set 1 ¼" to 2" (ratchet) | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 170 | Die set ½" to 1" (ratchet) | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 171 | Die bit 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 172 | Die bit 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 173 | Die bit 1 1/2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 174 | Die bit 1" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 175 | Die bit 1/2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |

| | | | | | | | |
|-----|------------------------------------|-----|---|---|----|---|----|
| 176 | Die brush 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 177 | Die brush 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 178 | Die brush 1" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 179 | Pipe cutter 2" to 4" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 180 | Pipe cutter 1/8" to 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 181 | Pipe cutter ½" to 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Suppliers to provide complete specification | 20 |
| 182 | CI manhole cover 500 x 500mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per the attached PHE drawings and specification | 20 |

| | | | | | | | |
|-----|-------------------------------------|-----|---|---|----|---|----|
| 183 | HDP sintex tank 3000 l capacity | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Rabten,water storage made in Bhutan | 20 |
| 184 | HDP sintex tank 2000 l capacity | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Rabten,water storage made in Bhutan | 20 |
| 185 | HDP sintex tank 1000 l capacity | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Rabten,water storage made in Bhutan | 20 |
| 186 | HDP sintex tank 500 l capacity | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Rabten,water storage made in Bhutan | 20 |
| 187 | White washing, lime in 15 kg/tin | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Lime in 15kg /tin | 20 |
| 188 | Steel bib cock ½" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Size 15mm,,,,,, Colour silver Coating Chrome | 20 |
| 189 | Cp shower head 15mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Size 15mm,,,,,, Colour silver Coating Chrome | 20 |

| | | | | | | | |
|-----|------------------------------------|-----|---|---|----|---|----|
| 190 | Cp stop cock ½" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Size 15mm,,,,,, Colour silver Coating Chrome | 20 |
| 191 | Cp angle valve ½" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Size 15mm,,,,,, Colour silver Coating Chrome | 20 |
| 192 | Cp pillar cock ½" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Size 15mm,,,,,, Colour silver Coating Chrome | 20 |
| 193 | Ms plate 6 x 5mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ASTM A36 standard | 20 |
| 194 | Plyboard 4mm 8" x 4" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Thickness 4mm- 27mm, Tolerance+-0.5mm | 20 |
| 195 | Sprit level | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | WIHA 42074 - ELECTRICIAN'S SPIRIT LEVEL 100 CM | 20 |
| 196 | Electric Planner Machine Bosch) | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | GHO 40-82 C- Planner 850 W , Planning width 82mm | 20 |

| | | | | | | | |
|-----|-------------------------------------|-----|---|--|----|---|----|
| 197 | Angle Grinder machine (Bosch) | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Bosch GWS 7-115-Angle Grinding 720 watt, 11.000rpm, 115mm dia | 20 |
| 198 | Corded Circular saw (Bosch) | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Bosch, GKS 85 G-Circular saw 2.200 watt, blade diameter | 20 |
| 199 | Router Machine | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | BOSCH 0601626000 - GOF 1250 CE - VERTICAL ROUTER 1.250 W, 10.000 - 24.000 RPM | 20 |
| 200 | GPS | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Hand Held | 20 |
| 201 | Jigsaw | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | BOSCH 0601517000 - GST 160 CE - JIGSAW 800 W, WOOD CUTTING DEPTH 160 MM, ALUMINUM CUTTING DEPTH 20 MM | 20 |
| 202 | Drilling machine Heavy duty (Bosch) | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | BOSCH 060119C801 - GSB 24-2 - IMPACT DRILL 1.100 W, Ø MASONRY HOLE 24/16 MM, Ø WOOD HOLE 40/25 MM | 20 |

| | | | | | | | |
|-----|------------------------|-----|---|---|----|--|----|
| 203 | Jack Plane | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | STANLEY 1-12-005 - BAILEY® PROFESSIONAL BAILEY JACK PLANE NO.5 | 20 |
| 204 | Crimping Machine | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | WIHA 45223 - AUTOMATIC CRIMP TOOL FOR WIRE-END SLEEVES SQUARE CRIMPING WITH ROTATING CRIMPING HEAD | 20 |
| 205 | Multi meter | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | LIR 70801 - IMAGING CLAMP METER CM275 | 20 |
| 206 | CPVC Pipe Cutter | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | KNIPEX 90 25 185 - MULTIPLE CUTTER AND PLASTIC PIPES | 20 |
| 207 | Heating Plate 300mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | As per PHED Drawings | 20 |
| 208 | Clino meter | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | MECLUBE 092-5111-000 - DIGITAL VOLUMETRIC FLOW METER WITH CABLE MIN- MAX FLOW METER 5-120 L/MIN | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 209 | 100mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 210 | 75mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 211 | 50mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 212 | 40mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 213 | 32mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 214 | 25mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 215 | 20mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 216 | 15mm GI pipe both end threaded 15cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 217 | 100mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 218 | 75mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 219 | 50mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 220 | 40mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 221 | 32mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 222 | 25mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 223 | 20mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 224 | 15mm GI pipe both end threaded 20cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 225 | 100mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 226 | 75mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 227 | 50mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 228 | 40mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 229 | 32mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 230 | 25mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 231 | 20mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 232 | 15mm GI pipe both end threaded 25cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 233 | 100mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 234 | 75mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 235 | 50mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 236 | 40mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 237 | 32mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 238 | 25mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 239 | 20mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 240 | 15mm GI pipe both end threaded 30cm length tolerance +1cm, - 0cm, IS 1879: 1987, SQCA approved branded | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 241 | 100mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 242 | 75mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 243 | 50mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 244 | 40mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 245 | 32mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 246 | 25mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 247 | 20mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 248 | 15mm GI pipe both end threaded 35cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 249 | 100mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 250 | 75mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 251 | 50mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 252 | 40mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 253 | 32mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 254 | 25mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 255 | 20mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 256 | 15mm GI pipe both end threaded 40cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 257 | 100mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 258 | 75mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 259 | 50mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 260 | 40mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 261 | 32mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 262 | 25mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 263 | 15mm GI pipe both end threaded 45cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 264 | 100mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 265 | 75mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 266 | 50mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 267 | 40mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 268 | 32mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 269 | 25mm GI pipe both end threaded 50cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 270 | 100mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 271 | 75mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 272 | 50mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 273 | 40mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 274 | 32mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 275 | 25mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 276 | 20mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 277 | 15mm GI pipe both end threaded 65cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 278 | 100mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 279 | 75mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 280 | 50mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 281 | 40mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 282 | 32mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 283 | 25mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 284 | 20mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 285 | 15mm GI pipe both end threaded 70cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 286 | 100mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 287 | 75mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 288 | 50mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 289 | 40mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 290 | 32mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 291 | 25mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 292 | 20mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 293 | 15mm GI pipe both end threaded 80cm length tolerance +1cm, - 0cm, | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 294 | 100mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 295 | 75mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 296 | 50mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 297 | 40mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 298 | 32mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 299 | 25mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 300 | 20mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 301 | 15mm GI pipe both end threaded 110cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 302 | 100mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 303 | 75mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 304 | 50mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 305 | 40mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 306 | 32mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 307 | 25mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 308 | 20mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 309 | 15mm GI pipe both end threaded 120cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 310 | 100mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 311 | 75mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 312 | 50mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 313 | 40mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 314 | 32mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 315 | 25mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 316 | 20mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 317 | 15mm GI pipe both end threaded 125cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 318 | 100mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 319 | 75mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 320 | 50mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 321 | 40mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 322 | 32mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 323 | 25mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 324 | 20mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 325 | 15mm GI pipe both end threaded 130cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 326 | 100mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 327 | 75mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 328 | 50mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 329 | 40mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 330 | 32mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 331 | 25mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 332 | 20mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 333 | 15mm GI pipe both end threaded 140cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 334 | 100mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 335 | 75mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 336 | 50mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 337 | 40mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 338 | 32mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 339 | 25mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 340 | 20mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 341 | 15mm GI pipe both end threaded 145cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 342 | 100mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 343 | 75mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 344 | 50mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 345 | 40mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 346 | 32mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 347 | 25mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 348 | 20mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 349 | 15mm GI pipe both end threaded 160cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 350 | 100mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 351 | 75mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 352 | 50mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 353 | 40mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 354 | 32mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 355 | 25mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 356 | 20mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 357 | 15mm GI pipe both end threaded 170cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 358 | 100mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 359 | 75mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 360 | 50mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 361 | 40mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 362 | 32mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 363 | 25mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 364 | 20mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 365 | 15mm GI pipe both end threaded 175cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 366 | 10mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 367 | 75mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 368 | 50mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 369 | 40mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 370 | 32mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 371 | 25mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 372 | 20mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 373 | 15mm GI pipe both end threaded 165cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 374 | 100mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 375 | 75mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 376 | 50mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 377 | 40mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 378 | 32mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 379 | 25mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 380 | 20mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 381 | 15mm GI pipe both end threaded 180cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 382 | 100mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 383 | 75mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 384 | 50mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 385 | 40mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 386 | 32mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 387 | 25mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 388 | 20mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 389 | 15mm GI pipe both end threaded 195cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 390 | 100mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 391 | 75mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 392 | 50mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 393 | 40mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 394 | 32mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 395 | 25mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 396 | 20mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 397 | 15mm GI pipe both end threaded 200cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 398 | 100mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 399 | 75mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|---|----|
| 400 | 50mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 401 | 40mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 402 | 32mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 403 | 25mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 404 | 20mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 405 | 15mm GI pipe both end threaded 90cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 406 | 75mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 407 | 50mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 408 | 40mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 409 | 32mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 410 | 25mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 411 | 20mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 412 | 15mm GI pipe both end threaded 210cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 413 | 75mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 414 | 50mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 415 | 40mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 416 | 32mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 417 | 25mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 418 | 20mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 419 | 15mm GI pipe both end threaded 250cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 420 | 75mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 421 | 50mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 422 | 40mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 423 | 32mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 424 | 25mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 425 | 20mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 426 | 15mm GI pipe both end threaded 295cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 427 | Gloves GI pipe both end threaded 295cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 428 | sickle GI pipe both end threaded 295cm length tolerance +1cm, - 0cm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879: 1987, SQCA approved branded | 20 |
| 429 | GI Nipples(Length 4" inchies)15mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm , -2cm, IS 1879-1987 | 20 |
| 430 | GI Nipples(Length 4"inchies)20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm , -2cm, IS 1879-1988 | 20 |

| | | | | | | | |
|-----|------------------------------------|-----|---|--|----|---|----|
| 431 | GI Nipples(length 4"inchies)25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm ,-2cm, IS 1879-1989 | 20 |
| 432 | GI Nipples(Length4" inchies)32mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm ,-2cm, IS 1879-1990 | 20 |
| 433 | GI Nipple(Length 4"inchies)40mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm ,-2cm, IS 1879-1991 | 20 |
| 434 | GI Nipples (Length 4" inchies)50mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm ,-2cm, IS 1879-1992 | 20 |
| 435 | GI Nipples(Length 4" inchies)80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm ,-2cm, IS 1879-1993 | 20 |
| 436 | GI Nipples(Length 4"inchies)100mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Length is 10cm tolerance +0cm ,-2cm, IS 1879-1994 | 20 |
| 437 | GI Union50mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |

| | | | | | | | |
|-----|----------------------|-----|---|---|----|--------------|----|
| 438 | GI Union 80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 439 | GI Union 100mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 440 | GI Sockets 50mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 441 | GI Sockets 80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 442 | GI Sockets 100mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 443 | GI Equal tee 50mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 444 | GI Equal tee 80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |

| | | | | | | | |
|-----|--------------------------|-----|---|---|----|--------------|----|
| 445 | GI Equal tee 100mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 446 | GI Elbow 50mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 447 | GI Elbow 80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 448 | GI Elbow 100mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 449 | GI Reducer 50x 40mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1987 | 20 |
| 450 | GI Reducer 80x 50mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1988 | 20 |
| 451 | GI Reducer 100 x 80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1989 | 20 |

| | | | | | | | |
|-----|--------------------------------|-----|---|---|----|--------------|----|
| 452 | GI Reducer Tee 20x20x15mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1989 | 20 |
| 453 | GI Reducer Tee 25x25 15mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1990 | 20 |
| 454 | GI Reducer Tee 40x40x15mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1991 | 20 |
| 455 | GI Reducer Tee 50x 50x15mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1992 | 20 |
| 456 | GI Reducer Tee 80x80x15mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1993 | 20 |
| 457 | GI Reducer Tee 25x25x20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1994 | 20 |
| 458 | GI Reducer Tee 40x 40x 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1995 | 20 |

| | | | | | | | |
|-----|--|-----|---|---|----|--------------|----|
| 459 | GI Reducer Tee 50x 50x20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1996 | 20 |
| 460 | GI Reducer Tee 80x 80x 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1997 | 20 |
| 461 | GI Reducer Tee 40x 40x 25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1998 | 20 |
| 462 | GI Reducer Tee 50x 50 25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-1999 | 20 |
| 463 | GI Reducer Tee 80x80x25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-2000 | 20 |
| 464 | GI Reducer Tee 80x80x50mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-2001 | 20 |
| 465 | GI Bend 40mm 15degree45deg 90deg | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-2001 | 20 |

| | | | | | | | |
|-----|---|-----|---|---|----|---|----|
| 466 | GI Bend 50mm 15 deg 45 deg 90 deg | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-2002 | 20 |
| 467 | GI Bend 80mm 15 deg 45deg 90 deg | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-2003 | 20 |
| 468 | GI Bend 100mm 15 deg 45 deg 90deg | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 1879-2004 | 20 |
| 469 | GI Tank Nipples 15mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | GI TANK NIPPLE The extensive range of Tank Nipple is created under the scrutiny of our tremendously talented competent team using machinery and latest technology.. | 20 |
| 470 | GI Tank Nipples 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | GI TANK NIPPLE The extensive range of Tank Nipple is created under the scrutiny of our tremendously talented competent team using machinery and latest technology.. | 20 |

| | | | | | | | |
|-----|-------------------------|-----|---|---|----|---|----|
| 471 | GI Tank Nipples 25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | GI TANK NIPPLE The extensive range of Tank Nipple is created under the scrutiny of our tremendously talented competent team using machinery and latest technology.. | 20 |
| 472 | GI Tank Nipples 32mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | GI TANK NIPPLE The extensive range of Tank Nipple is created under the scrutiny of our tremendously talented competent team using machinery and latest technology.. | 20 |
| 473 | GI Tank Nipples 40mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | GI TANK NIPPLE The extensive range of Tank Nipple is created under the scrutiny of our tremendously talented competent team using machinery and latest technology.. | 20 |
| 474 | GI Flange 80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/87 | 20 |

| | | | | | | | |
|-----|-----------------------------|-----|---|---|----|-------------------|----|
| 475 | GI Flange 10mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/88 | 20 |
| 476 | GI Flange 150mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/89 | 20 |
| 477 | DI Flange 50mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/90 | 20 |
| 478 | DI Flange 80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/91 | 20 |
| 479 | DI Flange 100mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/92 | 20 |
| 480 | DI Flange 150mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | IS 4984/93 | 20 |
| 481 | DI Machinical Joint 80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Ducktrile company | 20 |

| | | | | | | | |
|-----|------------------------------|-----|---|---|----|-------------------------|----|
| 482 | DI Machinical Joint 100mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Ducktrile company | 20 |
| 483 | DI Machinical Joint 150mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Ducktrile company | 20 |
| 484 | CPVC PIPE 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 485 | CPVC PIPE 25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 486 | CPVC PIPE 32mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 487 | CPVC PIPE 40mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 488 | CPVC Union 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |

| | | | | | | | |
|-----|--------------------------|-----|---|---|----|-------------------------|----|
| 489 | CPVC Union 25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 490 | CPVC Union 32mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 491 | CPVC Union 40mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 492 | CPVC Reducer 25x 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 493 | CPVC Reducer 32x 25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 494 | CPVC Reducer 40x 32mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 495 | COVC Vall Valve 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |

| | | | | | | | |
|-----|--------------------------------------|-----|---|---|----|-------------------------|----|
| 496 | COVC Vall Valve 25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 497 | COVC Vall Valve 32mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 498 | COVC Vall Valve 40mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 499 | CPVC FTA(Female adoptor) 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 500 | CPVC FTA(Female adoptor) 25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 501 | CPVC FTA(Female adoptor) 32mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 502 | CPVC FTA(Female adoptor) 40mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |

| | | | | | | | |
|-----|------------------------------------|-----|---|---|----|---|----|
| 503 | CPVC MTA(Male adoptor) 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 504 | CPVC MTA(Male adoptor) 25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 505 | CPVC MTA(Male adoptor) 32mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 506 | CPVC MTA(Male adoptor) 40mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | ISO 9001:2008 Certified | 20 |
| 507 | CPVC Cement solvent | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | packed per kg | 20 |
| 508 | Thread seal tape | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | white seal tape per pkt | 20 |
| 509 | DI Ring Washer 150mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Sprinkler rubber ring,Rubber o- ring | 20 |

| | | | | | | | |
|-----|------------------------|-----|---|---|----|---|----|
| 510 | DI Ring Washer 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Sprinkler rubber ring,Rubber o- ring | 20 |
| 511 | Gate Valve 80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |
| 512 | Gate Valve 100mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-85 | 20 |
| 513 | Glove Valve 15mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-84 | 20 |
| 514 | Glove Valve 20mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-85 | 20 |
| 515 | Glove Valve 25mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-86 | 20 |
| 516 | Glove Valve 32mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-87 | 20 |

| | | | | | | | |
|-----|----------------------|-----|---|---|----|---|----|
| 517 | Glove Valve 40mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-88 | 20 |
| 518 | Glove Valve 50mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-89 | 20 |
| 519 | Glove Valve 80mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-90 | 20 |
| 520 | Glove Valve 10mm | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Class 1,1.5 Mpa IS 778-91 | 20 |
| 521 | CP Brass Bib cock | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | CP Cock | 20 |
| 522 | Connection Pipe | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Standard | 20 |
| 523 | Wall Flange | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Standard: ANSI, DIN,Type: Welding Flange | 20 |

| | | | | | | | |
|-----|-----------------------|-----|---|---|----|---|----|
| 524 | Brass Bobcock | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Polished Brass Bibcock Antique Modern | 20 |
| 525 | PVC Pipe 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 526 | PVC Pipe 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 527 | PVC Pipe 4" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 528 | PVC Plain Elbow 2" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |

| | | | | | | | |
|-----|--------------------|-----|---|--|----|--|----|
| 529 | PVC Plain Elbow 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 530 | PVC Plain Elbow 4" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 531 | PVC Door Elbow 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 532 | PVC Door Elbow 4" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |

| | | | | | | | |
|-----|----------------------|-----|---|---|----|---|----|
| 533 | PVC Socket 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 534 | PVC Socket 4" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Grey, 10-15mm Thickness.Optimum performance, Enhanced durability, Sturdy construction, Longer service life, Reasonable rates | 20 |
| 535 | PVC "Y" 3" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Astrial/ BSB Approved | 20 |
| 536 | PVC "Y" 4" | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Astrial/ BSB Approved | 20 |
| 537 | PVC Solvent (Gum) | Nos | 1 | Dzongkhag Administration, Gewog Administration and offices under Tsirang Dzongkhag | 20 | Astrial/ BSB Approved | 20 |